



Esbe

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Esbe** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Esbe T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
ESSM639	Actuator ESBE 639 P 24 V 0 ... 10 V. Running time 120s for ESBE mixers up to DN50 12520100
VZD 162 3Way	
1252 01 00 ARA639	rotary proportional valve motor 24 AC/DC 6 Nm 15/30/60/120sec
1160 25 00 VRG132	external thread rotary mixing valve 3-way PN10 DN25 Kvs 10
DN65, Kvs=90 - 1110 08 00	
95 M (12052200)	
DN100, Kvs=225	11101200 3F 100
95 M (12052200)	
Vta 322 20-43 Gr. 1quot; B Optional	
Vrg 132 11602400	
Ra 661	
Vta 322 35-60 Gr. 3/4quot; B Optional	
Vta 322 35-60 Gr. 1/2quot; B Optional	
Vta 322 20-43 Gr. 3/4" B Optional	
Art No 16000500	BAZ (ARA803)

Vrg131-20/6,3	
511 ,55c ,1inch	
Vta 322 30-70 Gr. 1quot; B Optional	
Vta 322 20-43 Gr. 1/2quot; B Optional	
Vta 322 45-65 Gr. 1quot; B Optional	
Vrg331 Rotary Valve	117011300 DN:50 PLEASE CHECK ATTACHED FILE
1210110	
?? 12500100 62?	
Esbe Vrg801	ESBE VRG801 Actuator Mounting Kit Series 90 ESBE Series VRG VRB 16053300 as extension kit for mounting ESBE motors
12101600	
Ara639 Rotary Valve Motor 24 Ac/Dc 6 Nm 15/30/60/120 S	
Ara-651	
Ara600	
Vta 322 35-60 Gr. 1quot; B Optional	
Vrg131-25/10	
Vta 322 20-43 Gr. 3/4quot; B Optional	
Model: Vtc 511 (Cat. Nr. 51020200)	
Vta 322 20-43 Gr. 1/2" B Optional	
3way Valve Dn100 Pn6	DN100 - 4" PN6 , Has CE Certificate Able to use in Cold water fluid Globe stainless steel, body made of cast iron full open or closed position Pressure loss should be close to zero since there is no contraction in flow section in open position Between flanges 265mm Diameter of flange 210mm 4x18 mm hole diameter
Vta 322 20-43 Gr. 1" B Optional	
43080300, Vzd162	
43080400, Vzd162	
11101200	
Vzd 162	
Vta-322 34 ? 35-60 ;C	
2640	
Vta-322	
Vtd 582	
Vmd 322	
92-2	
95 230v 60s 15nm	
Ara655 Replaced By Ara600	

[Vrg_131](#)

[95_230v_60s_15nm](#)

[Ara803, Esbe Vrg, Vrb, Vrs, Vrp +, Esbe Mg, G,
F, Biv, H, Hg Mounting Kit](#)

[2120_32_00](#)