



Faster

Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Faster Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Faster Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

| rn | Aıklama |
|--|---|
| 2FFJ14 NPT F2 JOINT MAT.AISI304 | |
| 2FFJ14NPT-M2-MAT.AISI304 | |
| 2FFN38-NPTP 2INOX | |
| 2FFN38NPT M2 AISI304 | |
| KAPLİN QUICK FASTER 3/8" HNV38NPTF5-19GO | MODEL: HNV 38 NPT F5-19 GO FEMALE: FEMALE SIDE THREAD TYPE : FEMALE THREAD 3/8" NPT 19 |
| KAPLİN QUICK FASTER 3/8" HNV38NPTM5-19AO | MODEL : HNV 38 NPT M5-19 AO MALE : MALE PARTY THREAD TYPE : FEMALE THREAD 3/8" NPT 19 |
| Female Part Number: 2P1504-15-14GFC | |
| Male Part number:2P1504-15-14GMC | |
| 1" Faster NV 1 NPT M Screw QCon 250 Bar | |
| 1" Faster NV 1 NPT F Screw QCon 250 Bar | |
| 3/4 Faster NV 34 NPTM Screw QCon 300Bar | |
| 3/4" Npt Quick Connection Female | |
| 1/2 Faster NV 12 NPTM Screw QCon 300Bar | |
| 1/2 Faster NV 12 NPTF Screw QCon | |

Faster

YURSAT yedek para tedariki yapan bir Őirkettir. Sitemizde bulunan markaların yetkili distribtr yada temsilcisi deĐildir.

| | |
|--|--|
| 300Bar | |
| QCon 400Bar with 1/4 Faster NV 14 NPTM Screw | |
| QCon 400Bar with 1/4 Faster NV 14 NPTF Screw | |
| VVS-1-NPT-F | |
| SHCS 1/2" -13 -2 1/2 GR8 Imbus | |
| VVS-12-NPT-F | QUICK CONN.ELEM.1/2" FEMALE NPT PUSH/SCREW |
| VV34-NPT-M | QUICK CONN.ELEM.3/4" MALE NPT PUSH/SCREW |
| Anv14gasm | |
| Hnv14gasf | |
| Nv12gasm | |
| Vu34f34f | |
| Vv34nptm | |
| Hnv14gasm | |
| Cvv163422f | |
| Filter For Chemfree 2000 | |
| Ns14gasf | |
| Fhv24-44/24 F | |
| 2p508-4-12g-M-C | |
| Nv38gasf | |
| Nv1gasm | |
| Vvs12nptf | |
| Ffh1234gasf | |
| Fsthnv14f-Inox | |
| 3ffi34gasm | |
| Vvs12nptm | |
| Cvv163422mv | |
| 2p608-6-12g M C | |
| Vvs 14npft-1200 | VVS 14 NPT |
| 3p508412gm | |
| | |

| | |
|---|---|
| Cvv163422m | |
| Fhv24-44/24 M | |
| Anv14gasf | |
| Nv34gasm | |
| Nv1gasf | |
| 2p608612gf | |
| 3ffv112-34/20f - Obsolete | |
| Nv12gasf-L=66m Hex=27mm D1=38mm ½" Und Agri12gasm L1=44m Hex1=27mm D1=30mm D3=20.5mm ½" | |
| Vu-1f-1f | |
| Cvv163422fv | |
| Ffh06-12/12sf | |
| Fsthv14m-Inox | |
| 2p508412gf | |
| Vvs 14 Npt F2v | Threaded sleeve SERIES VVS NPT IG1 / 4 " STAINLESS STEEL - AISI 316 VITON SEAL |
| 3p508-4-12g-Fc | |
| Nv12gasf | |
| Ffc 12 M2v | |
| Nv34gasf | |
| 3ffv112-34/20m - Obsolete | |
| Nv38gasm | |
| Ffh121gasf | |
| Vv12gasm | |
| Ffh1234gasm | |
| Ns14gasm | |