

## Feig Electronic



Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye ii kapı teslim fiyat ve teslim s¼resi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Feig Electronic** Markası, tedarik s¼resi iin l¼tfen bizimle iletiŐime geiniz.

*Firmamız Feig Electronic T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	Aıklama
<a href="#">0185.001.00</a>	
<a href="#">0943.001.00</a>	
<a href="#">1577.000.00</a>	
<a href="#">1686.001.00</a>	
<a href="#">1887.000.00</a>	
<a href="#">2349.000.00</a>	
<a href="#">2557.000.00+2558.000.00</a>	
<a href="#">3104.000.00</a>	
<a href="#">3540.000.00</a>	
<a href="#">3551.000.01</a>	
<a href="#">3621.000.00</a>	
<a href="#">4127.001.00</a>	
<a href="#">4207.000.00</a>	
<a href="#">5020.000.00</a>	
<a href="#">CPR40.30-A</a>	
<a href="#">ID CAB.USB-A, Art N: 1686.001.00</a>	
<a href="#">ID NET.12V-B-EU</a>	
<a href="#">ID NET.12V-B-EU, Art N: 1688.002.00</a>	

<a href="#">ISC.PRH101</a>	
<a href="#">VEK E, Art N: 0185.001.00</a>	
<a href="#">VEK M1H-A</a>	
<a href="#">VEK M2E -2</a>	
<a href="#">VEK M2E-A</a>	
<a href="#">VEK MNE1-R24-A, Art N: 4196.000.00</a>	
<a href="#">VEK MNE2-R24-C</a>	
<a href="#">ID CPR40.30-USB Desktop Reader USB</a>	Desktop reader incl. USB cable for reading and writing passive Transponder according to ISO 14443-A/-B and for communication with NFC devices (ISO 18092) for applications such as Access Control, ePayment, eTicketing, public transport, etc. Dimensions: 144 x 84 x 18mm
<a href="#">Id Cpr30 - Lcn9620 / Fcc Id Pjmcpr30</a>	
<a href="#">VEK MNH1-R24-A</a>	5013.000.00 Induction loop detector for presence detection - 1 channel Mounting: DIN rail (TS35) Housing (w x h x d): 22.5 x 94 x 94 mm, ABS plastic 12-24VAC/DC DIP switch 8-pin, USB interface Screw terminals, pluggable and color coded 2 relays (changeover contacts)
<a href="#">5862.000.00</a>	TST PD2-RA-A0R Position encoder - Multiturn: RS485 interface A housing M8 connector, 4-pin
<a href="#">3258.000.00</a>	TST PD-ME-B cable 10m Position sensor - accessories cable: M8 socket 4-pin, opposite side open 10 m shielded connection cable
<a href="#">5930.000.01</a>	ID LRU1002X-EU Industrial UHF long-range reader in housing Dimensions (WxHxD): 190mm x 130mm x 50mm Protocols: ISOHost Mode, Scan Mode, Buffered Read Mode, Notification Mode Interfaces: LAN, USB, RS232, Wiegand M12 and M8 circular connectors
<a href="#">5932.000.00</a>	ID LRU DIN rail adapter DIN rail mounting kit for LRU3x00 and LRU1002 incl. 3 self-tapping screws (M4x10, Torx T20)
<a href="#">6602.000.00</a>	ID ANT.U150/150-EU UHF mid-range antenna Compact, robust UHF antenna with SMA connector Frequency range: 865 - 868 MHz Dimensions: 151 mm x 150 mm x 14.5 mm
<a href="#">6832.000.00</a>	ID ANT.U150/150 Antenna connection protective plate Material: 1.4301 (V2A)
<a href="#">1654.003.00</a>	ID ISC.ANT.C6-A UHF antenna cable SMA/SMA 6 m (ID ANT.C6-A) H155 Coaxial cable for UHF readers and antennas with SMA connection Connector SMA - plug/plug Length: approx. 6m
<a href="#">Id Isc.Prh101-Usb Hf</a>	1524.001.01 ID ISC.PRH101-USB HF Handheld Reader Dimensions (W x H x D): 231 x 100 x 80 mm Power supply: via USB (high powered) Transmitting power: approx. 0.5W Antenna: integrated

[0036613](#)

[Vek M2h](#)

[Id Cpr30 - Lcn9620 / Fcc Id Pjmcpr30](#)