

Fenwal Protection Systems

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Fenwal Protection Systems Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Fenwal Protection Systems Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
74-200012-004	
81-870100-000	CHECK VALVE, 3 FLG (ORDER FLGS SEPARATELY)
12e271210200t210	
93-192042-002	BOTTOM DISCHARGE CYLINDER, 850 LB. (385.5 KG) CAPACITY 3 OUTLET, W/LLI
12-G28021-22012-0t	
Ps5mus	
44-100901-001	TOP DISCHARGE CYLINDER ASSY, 900 LB. (408 KG) CAPACITY 3" VALVE, W/LLI 3" VALVE, W/LLI
06-129373-001	
33-30802a	
75-100000-002	PS-8, 24 VDC, 8 A POWER SUPPLY WITH RED ENCLOSURE

38-400001-Xxx	RESTRICTOR, 4 ORIFICE PLATE
73-117068-079	LHD RETRACTABLE CABLE 59' LONG B6782-043
44-194721-Xxx	
93-118327-004	STAINLESS STEEL FM APPROVED ONLY
06-220043-002	
06-118263-001	
06-129986-002	
81-872442-000	
Wk-877845-000	
76-600000-011	
38-109890-001	KIT, 12 CYLINDER WALL MOUNT
12-F27121-22012-0t	
93-194026-Xxx	
06-118329-001	
38-509859-001	
06-118284-001	
75-000040-003	CSX10-115-R 10" SINGLE STROKE BELL 115 VAC, INDOOR
38-509835-005	VALVE, 1-1/2 NPT LOCK-OUT (ISOLATION)
33-30621a	ASD-640 DETECTOR IN MOLDED PLASTIC CASE LARGE-AREA (20,000 SQ. FT) DETECTOR, 4 ALARM LEVELS, ON-BOARD LCD PROGRAMMER LED INDICATORS, INTERCONNECTION
93-118327-002	STAINLESS STEEL FM APPROVED ONLY
76-600000-008	
06-220024-002	
38-109846-001	KIT, 20 CYLINDER (2R/2S) RACKING
90-220030-002	3-WAY DIRECTIONAL VALVE, 3/4 NPT, CARBON STEEL NOVEC 1230-UL LISTED W/ SOLENOID
Wk-281867-000	
12f271200220t325	
90-100350-001	CYLINDER ASSEMBLY, 350 LB. (158.7 KG) CAPACITY 2" VALVE
93-194014-Xxx	

38-301502-Xxx	TOP DISCHARGE CYLINDER ASSY, 350 LB. (158.7 KG) CAPACITY 2" VALVE, W/LLI 2" VALVE, W/LLI
44-100351-001	
12e280210050t210	
74-200012-002	
38-109847-001	KIT, 22 CYLINDER (2R/2S) RACKING
06-236173-001	
44-100070-001	TOP DISCHARGE CYLINDER ASSEMBLY, 70 LB. (31.7 KG) CAPACITY 1-1/2" VALVE 1-1/2" VALVE
12a270200000t225	
73-117068-034	WEATHERTIGHT ENCLOSURE FOR UP TO 12 INTRINSIC SAFETY BARRIERS
12-F27121-23000-0t	
90-220030-001	3-WAY DIRECTIONAL VALVE, 1/2 NPT, CARBON STEEL NOVEC 1230-UL LISTED W/ SOLENOID
93-100901-001	TOP DISCHARGE CYLINDER ASSY, 900 LB. (408 KG) CAPACITY 3" VALVE, W/LLI
90-194015-Xxx	
31-194019-001	
06-129944-002	
Wk-283906-000	
30-322001-009	
38-109817-001	KIT, 10 CYLINDER (1R/1S) RACKING
89-300014-001	ANALASER-II INTELLIGENT INTERFACE MODULE (IIM) WITH MODEM MOUNTS IN FN-2000, CONNECTS TO CCM
06-220176-001	
44-194723-Xxx	
93-100125-001	TOP DISCHARGE CYLINDER ASSEMBLY, 125 LB. (56.7 KG) CAPACITY 1- 1/2" VALVE
74-800201-005	
Wk-310330-000	
89-300032-001	
12a270200010t210	
89-100050-001	DISPLAY CONTROL CARD, DCC FOR ORIGINAL ANALASER DETECTOR. (ONE REQUIRED PER DETECTOR / FAN BOX

ASSEMBLY)	
Wk-870652-000	
12a270200000t210	
Wk-877653-000	PRESSURE GAUGE SOLD SEPARATELY
76-100020-001	
74-800300-002	FENWALNET 8000 MULTI-LOOP LED ANNUNCIATOR MODULE (LAM), 48 INDEPENDENTLY PROGRAMMABLE DUAL COLOR (RED AND YELLOW) LEDS, 3 SYSTEM-LEVEL LED OUTPUTS FOR
38-609800-005	VALVE ASSEMBLY, 1-1/2 SELECTOR
74-800300-007	BACNET MODULE W/ENCLOSURE, SUPPORTS SYSTEMS WITH UP TO 4 SIGNALING LINE CIRCUITS (SLCS)
44-194613-Xxx	
93-194413-Xxx	
38-109852-001	KIT, 32 CYLINDER (2R/2S) RACKING
06-129995-002	
Cm10927	
77-297113-000	
12v18	
44-192041-002	BOTTOM DISCHARGE CYLINDER, 350 LB. (158.7 KG) CAPACITY 3 OUTLET, W/LLI 3 OUTLET, W/LLI
75-000000-008	
93-194018-Xxx	
75-000017-001	
44-100201-001	TOP DISCHARGE CYLINDER ASSY, 200 LB. (90.7 KG) CAPACITY 2" VALVE, W/LLI 2" VALVE, W/LLI
06-129925-001	
44-150000-000	2" VALVE ASSEMBLY
93-194129-Xxx	
Wk-566109-160	
74-800101-002	FENWALNET8000 MULTI-LOOP CONTROL UNIT W/ 120/240 VAC 50/60 HZ AC INPUT, 1 PSU, 2 SLC, 2 R- NACS, 2 NACS, 3 PROG RELAYS, 1 USB, 2 RS232 IN RED 3- TIER
74-800300-001	FENWALNET 8000 MULTI-LOOP REMOTE LCD DISPLAY AND CONTROL MODULE (RDCM) DISPLAY ALL SYSTEM EVENTS AND ALLOW FULL SYSTEM CONTROL AND OPERATOR

INTERVENTI	
89-100000-306	
38-109825-001	KIT, 14 CYLINDER (1R/2S) RACKING
73-117068-020	
73-100003-001	
38-109835-001	KIT, 12 CYLINDER (2R/1S) RACKING
38-109836-001	KIT, 14 CYLINDER (2R/1S) RACKING
12a270210000t210	
06-115915-013	
06-118058-001	CHECK VALVE, 3 SWING
89-300032-003	
93-118325-004	FM APPROVED ONLY
73-117068-080	LHD RETRACTABLE CABLE 62' LONG B6782-044
76-600000-018	
06-220148-001	
12-E27120-022-04-0t	
12-F28021-23000-0t	
75-000005-033	
75-000040-002	CVXG10-115-R 10" VIBRATING BELL 115 VAC, OUTDOOR
Str-A	
38-050003-Xxx	
38-609800-006	VALVE ASSEMBLY, 2 SELECTOR
30-732001-201	FENWAL 732 SINGLE HAZARD AGENT RELEASING SWITCH PANEL. 120/240 V, 50/60 HZ AC INPUT. WITH 7 INITIATI
Hsw-A	
38-509848-003	VALVE, 1 SELECTOR
Pd8us	
73-117068-074	LHD RETRACTABLE CABLE 39' LONG B6782-038
38-109882-001	
Wk-258426-000	
77-297110-000	ORION-XT CAPILLARY TUBE, 3/8" - 250 FT ROLL

33-30696a	
73-201000-003	LHS 220F (105C) ALARM TEMPERATURE, INDOOR/OUTDOOR, PVC, 3280 FT (1000 M) ROLL
12f271210200t360	
74-800300-016	
75-000040-005	CSX10-24-R 10" SINGLE STROKE BELL 24 VDC, INDOOR
90-220032-001	
38-109879-001	
74-800100-001	FENWALNET8000 MULTI-LOOP CONTROL UNIT W/ 120/240 VAC 50/60 HZ AC INPUT, 1 PSU, 2 SLC, 2 R- NACS, 2 NACS, 3 PROG RELAYS, 1 USB, 2 RS232 IN RED 3- TIER
93-220032-001	WITH SOLENOID
76-600000-006	FIBER OPTIC CONVERTER CARD IN RED ENCLOSURE (OCC)
Wk-263304-000	
74-800016-001	
33-30699a	
44-110204-001	SPHERICAL CONTAINER, 196 LB. (88.9 KG) CAPACITY 1-1/2 OUTLET
Hnr	
38-109848-001	KIT, 24 CYLINDER (2R/2S) RACKING
73-200000-011	LHS 155F (68C) ALARM TEMPERATURE, INDOOR/OUTDOOR, NYLON, 656 FT (200 M) ROLL
89-300031-001	
74-800020-003	
76-600000-001	ARIES CONTROL UNIT: INCLUDES ENCLOSURE, PCB AND POWER SUPPLY.
89-300020-002	ANALASER-II MULTI-ZONE SECONDARY BATTERY BACKUP ASSEMBLY KIT. CONSISTS OF ENCLOSURE AND BATTERIES (TWO 12VDC X 33AH)
73-117068-054	
12-E28021-33000-0t	
12a270200010t225	
77-297107-000	
	ASD-640 DETECTOR W/ MINIMUM DISPLAY IN STEEL CASE

33-30710a	LARGE-AREA (20,000 SQ. FT) DETECTOR, 4 ALARM LEVELS, LOCAL INDICATION VIA LEDS, INTERCONNECTION TO F
96-194017-Xxx	
93-100201-101	TOP DISCHARGE CYLINDER ASSY, 200 LB. (90.7 KG) CAPACITY 2" VALVE, W/LLI
44-192042-002	BOTTOM DISCHARGE CYLINDER, 850 LB. (385.5 KG) CAPACITY 3 OUTLET, W/LLI 3 OUTLET, W/LLI
96-194024-Xxx	
38-509820-001	
38-509872-001	
38-109887-001	KIT, 9 CYLINDER WALL MOUNT
74-800000-004	
12a270200010t190	
74-200002-001	
12-G27121-11012-0t	
12b270200000t275	
12-F27121-13060-0t	
82-486485-000	
73-117068-078	LHD RETRACTABLE CABLE 56' LONG B6782-042
70-540000-002	
06-129773-002	
06-129857-001	
93-100351-001	TOP DISCHARGE CYLINDER ASSY, 350 LB. (158.7 KG) CAPACITY 2" VALVE, W/LLI
06-129944-005	5 CYLINDER SET, ACTUATION ARRANGEMENT KIT (225 LB./395 LB.)
74-800500-001	FENWALNET 8000 MULTI-LOOP CITY OF CHICAGO CONTROL BOX
33-30707a	ASD-640 DETECTOR W/ COMMAND MODULE IN STEEL CASE P/N 33-30706 ASD-640 C/W COMMAND MODULE. FEATURES CENTRALIZED PROGRAMMING FOR 127 ASD NETWORK OR CONN
Stw-A	
73-200000-004	LHS 350F (176C) ALARM TEMPERATURE, INDOOR/OUTDOOR, PVC, 656 FT (200 M) ROLL
82-486500-010	

73-201000-011	LHS 155F (68C) ALARM TEMPERATURE, INDOOR/OUTDOOR, NYLON, 3280 FT (1000 M) ROLL
12b270210000t325	
90-194418-Xxx	
29-232334-004	
73-117068-072	
75-000000-014	
93-118325-002	FM APPROVED ONLY
38-109840-001	KIT, 22 CYLINDER (2R/1S) RACKING
73-117068-016	NYLON COATED, 656 FT (200 M) ROLL
93-002009-004	
74-600000-013	ANALASER-II INTELLIGENT INTERFACE MODULE (IIM). STAND- ALONE/FN-6000 COMPATIBLE IN BLUE ENCLOSURE
71-402001-100	
93-100391-001	CYLINDER ASSEMBLY, 395 LB. (179KG) CAPACITY 2" VALVE W/LLI
06-127031-003/A	
93-220030-002	WITH SOLENOID
74-800200-004	
74-800020-001	FENWALNET8000 MULTI-LOOP CONTROL UNIT PCB WITHOUT ENCLOSURE, WITH USER INTERFACE, 2 SLC, 2 R-NACS, 2 NACS, 3 PROG RELAYS, 1 USB, 2 RS232
30-330002-001	
70-400001-101	
38-109854-001	KIT, 36 CYLINDER (2R/2S) RACKING
Wk-283894-000	
38-109814-001	KIT, 7 CYLINDER (1R/1S) RACKING
Esbw	
73-117068-201	
73-117068-092	LHD RETRACTABLE CABLE 98' LONG B6782-170
12f280210050t360	
89-300020-000	

30-732001-101	FENWAL 732 SINGLE HAZARD AGENT RELEASING PANEL. 120/240 V, 50/60 HZ AC INPUT. WITH 7 INITIATING, 3 N
Wk-294652-000	
89-300008-000	ANALASER-II SELF-CONTAINED 120 / 240 VAC POWER SUPPLY WITH ENCLOSURE ONLY. (TWO 12VDC X 2AH BATTERIE
12f271200000t360	
06-236133-001	
73-117068-070	LHD CABLE COLLECTOR B6782-032
38-109842-001	KIT, 12 CYLINDER (2R/2S) RACKING
93-160100-000	
38-509835-003	VALVE, 1 NPT LOCK-OUT (ISOLATION)
31-194133-003	
93-220031-001	WITH SOLENOID
93-100121-001	TOP DISCHARGE CYLINDER ASSY, 125 LB. (56.7 KG) CAPACITY 1-1/2" VALVE, W/LLI
38-509833-001	
93-100040-001	TOP DISCHARGE CYLINDER ASSEMBLY, 40 LB. (18.1 KG) CAPACITY 1-1/2" VALVE
38-609800-004	VALVE ASSEMBLY, 1-1/4 SELECTOR
74-333001-001	
93-194428-Xxx	
90-194428-Xxx	
74-100016-001	
06-115549-002	
74-800030-003	ADD ON POWER SUPPLY/MANAGEMENT UNIT FOR FENWALNET 8000 MULTI-LOOP CONTROL UNIT
06-117846-001	
06-118071-000	
38-509803-001	KIT, PRESSURE REGULATOR (PRV 38-509836-000 INCLUDED)
06-232465-001	
44-192040-002	BOTTOM DISCHARGE CYLINDER, 560 LB. (254 KG) CAPACITY 3 OUTLET, W/LLI 3 OUTLET, W/LLI
30804	SENENET™ CONTROL UNIT COMPLETE WITH POWER SUPPLY UNIT, LINK CABLES AND SENENET PC SOFTWARE

06-220172-002	
74-800000-006	
44-100601-001	TOP DISCHARGE CYLINDER ASSY, 600 LB. (272.1 KG) CAPACITY 3" VALVE, W/LLI 3" VALVE, W/LLI
77-297112-000	
30803	
73-117068-077	LHD RETRACTABLE CABLE 52' LONG B6782-044
12-G27121-13000-0t	
44-100200-001	TOP DISCHARGE CYLINDER ASSEMBLY, 200 LB. (90.7 KG) CAPACITY 2" VALVE 2" VALVE
44-194717-Xxx	
93-104890-101	2 REQUIRED)
38-109811-001	KIT, 4 CYLINDER (1R/1S) RACKING
70-200200-003	
74-800000-005	
74-800000-010	
06-129500-006	
74-800300-006	
38-109821-001	KIT, 6 CYLINDER (1R/2S) RACKING
93-194027-Xxx	
93-100010-001	TOP DISCHARGE CYLINDER ASSEMBLY, 10 LB. (4.5 KG) CAPACITY 1-1/2" VALVE
93-194028-Xxx	
Cv10941	
74-800017-001	FENWALNET 8000 MULTI-LOOP ICM CARD. OPERATES ON 24 VDC AND SUPPORTS RJ45 (ETHERNET) CONNECTION.
73-117068-090	ALARMLINE-TEST OVEN 1 METER
70-403001-052	
06-129986-003	3 CYLINDER SET, ACTUATION ARRANGEMENT KIT (675 LB./1010 LB.)
77-297120-000	
38-609800-001	VALVE ASSEMBLY, 1/2 SELECTOR
93-104070-001	2 REQUIRED)

74-200022-001	
75-000040-006	CSXG10-24-R 10" SINGLE STROKE BELL 24 VDC, OUTDOOR
12-F27121-000-10-0t	
74-600000-010	
44-1947xx-Xxx	
74-800015-001	
06-129830-102	
73-117068-052	
06-118285-001	
06-129944-100	
12a270200000t160	
73-117068-013	STANDARD, 656 FT (200 M) ROLL
82-486488-000	
93-194427-Xxx	
06-129995-003	
06-231865-739	
44-194722-Xxx	
06-118193-002	
74-600000-018	
75-000002-013	
12-A27021-000-05-0t	
29-126840-003	
38-609800-003	VALVE ASSEMBLY, 1 SELECTOR
77-297023-000	
38-509834-001	
06-129944-004	4 CYLINDER SET, ACTUATION ARRANGEMENT KIT (225 LB./395 LB.)
Wk-800443-000	
38-109886-001	KIT, 8 CYLINDER WALL MOUNT
81-800327-000	
06-118192-001	

93-110201-001	SPHERICAL CONTAINER, 44 LB. (19.9 KG) CAPACITY 1-1/2 OUTLET
74-800200-001	FENWALNET8000 MULTI-LOOP CONTROL UNIT W/ 120/240 VAC 50/60 HZ AC INPUT, 1 PSU, 2 SLC, 2 R- NACS, 2 NACS, 3 PROG RELAYS, 1 USB, 2 RS232 IN RED 2- TIER
70-200000-914	
90-194417-Xxx	
70-600000-254	
75-000000-012	
93-118325-001	FM APPROVED ONLY
70-520000-001	
38-100800-001	CYLINDER ASSEMBLY, 80.0L ARGONITE
77-297104-000	ORION-XT SELF-CONTAINED 120/240VAC POWER SUPPLY WITH ENCLOSURE ONLY (TWO 12VDC X 2AH BATTERIES REQUI
12-E27120-022-02-0t	
38-109812-001	KIT, 5 CYLINDER (1R/1S) RACKING
12e280200030t190	
93-100675-001	CYLINDER ASSEMBLY, 675 LB. (306 KG) CAPACITY 3" VALVE
38-509818-001	
38-509874-001	
38-109822-001	KIT, 8 CYLINDER (1R/2S) RACKING
75-000010-001	
96-194027-Xxx	
38-109857-001	KIT, 42 CYLINDER (2R/2S) RACKING
93-100200-101	TOP DISCHARGE CYLINDER ASSEMBLY, 200 LB. (90.7 KG) CAPACITY 2" VALVE
33-30709a	ASD-CM STAND-ALONE COMMAND MODULE IN STEEL CASE PROVIDES CENTRAL DISPLAY, CONTROL AND INTERFACING OPTION FOR 127 DETECTOR NETWORK, INTEGRAL BARGRAPH D
93-220030-001	WITH SOLENOID
38-109828-001	KIT, 20 CYLINDER (1R/2S) RACKING
38-509819-001	

93-118327-003	STAINLESS STEEL FM APPROVED ONLY
12e271200000t210	
93-220031-003	WITH SOLENOID
96-140000-001	
44-194612-Xxx	
73-100001-003	
30-191042-025	
06-231866-931	
73-117068-082	LHD RETRACTABLE CABLE 69' LONG B6782-046
06-118678-001	
12e271200220t160	
06-220259-001	3 VALVE
Cm10963-1000	
76-100009-010	
38-250001-Xxx	RESTRICTOR, 2-1/2 ORIFICE PLATE
74-800201-002	FENWALNET8000 MULTI-LOOP CONTROL UNIT W/ 120/240 VAC 50/60 HZ AC INPUT, 1 PSU, 2 SLC, 2 R- NACS, 2 NACS, 3 PROG RELAYS, 1 USB, 2 RS232 IN RED 2- TIER
75-000031-001	
38-109809-001	KIT, 2 CYLINDER (1R/1S) RACKING
74-800014-001	
90-194413-Xxx	
38-109834-001	KIT, 10 CYLINDER (2R/1S) RACKING
70-407008-002	
44-194618-Xxx	
33-30698a	SPARE ASD-640 DETECTOR HEAD ASSEMBLY
44-100125-001	TOP DISCHARGE CYLINDER ASSEMBLY, 125 LB. (56.7 KG) CAPACITY 1-1/2" VALVE 1-1/2" VALVE
90-194129-Xxx	
89-300012-001	ANALASER-II INTELLIGENT INTERFACE MODULE (IIM) WITH MODEM STAND-ALONE WITH BEIGE ENCLOSURE
06-129986-004	4 CYLINDER SET, ACTUATION ARRANGEMENT KIT (675 LB./1010 LB.)

38-509838-001	
Cm10909	
74-600000-104	PRINTED CIRCUIT BOARD WITH DISPLAY
74-800000-011	
74-600000-516	RED)
74-200009-002	
81-870152-000	CHECK VALVE, 1-1/2
12-E27121-31024-0t	
12f271200220t360	
38-109856-001	KIT, 40 CYLINDER (2R/2S) RACKING
Wk-263086-000	
96-194028-Xxx	
38-300001-Xxx	RESTRICTOR, 3 ORIFICE PLATE
06-220244-001	
74-123456-001	
93-194015-Xxx	
30-191042-031	
38-109802-001	COMPLETER KIT, PRIMARY
74-600000-009	
06-118266-001	
75-000065-002	
44-194726-Xxx	
75-000005-032	
06-118300-001	
06-115915-046	
06-220245-001	
38-109824-001	KIT, 12 CYLINDER (1R/2S) RACKING
06-129898-001	ORION-XT SELF-CONTAINED REPLACEMENT POWER SUPPLY MODULE
75-000075-002	
12-27121-000-05	

74-600000-012	ANALASER-II INTELLIGENT INTERFACE MODULE (IIM) WITH MODEM. STAND-ALONE/FN-6000 COMPATIBLE IN BLUE ENCLOSURE
06-129899-001	ANALASER-II SPARE TERMINATION BOARD
90-194018-Xxx	
06-231866-760	
90-150000-200	2" VALVE ASSEMBLY
81-870151-000	CHECK VALVE, 2
74-600000-515	RED)
Wk-263303-000	
12e271200220t210	
06-220080-002	INTELLIGENT COMMUNICATIONS MODULE (ICM): USE FOR REMOTE INTERNET ACCESS AND MODBUS PROTOCOL
Wk-220278-000	
44-100350-001	TOP DISCHARGE CYLINDER ASSEMBLY, 350 LB. (158.7 KG) CAPACITY 2" VALVE VALVE
Wk-699205-050	
38-109810-001	KIT, 3 CYLINDER (1R/1S) RACKING
30691	SPARE ASD-CM COMMAND MODULE DISPLAY
06-129844-002	ANALASER-II SPARE CIRCUIT BOARD FOR 89-300012-001 IIM WITH MODEM
38-509814-001	
82-844346-000	
70-407008-001	
38-109833-001	KIT, 8 CYLINDER (2R/1S) RACKING
12e280200030t140	
33-33100a	AIR-INTELLIGENCE DEMO KIT CONSISTS OF: ASD-160H P/N 33-30671A DETECTOR, 240- 120/24VDC POWER SUPPLY, 3 SAMPLING POINTS, SAMPLE PIPE CUT- PIECE, NULL M
90-194026-Xxx	
93-194426-Xxx	
70-510000-902	
06-129899-401	ORION-XT SPARE TERMINATION BOARD
38-109837-001	KIT, 16 CYLINDER (2R/1S) RACKING

44-100600-001	TOP DISCHARGE CYLINDER ASSEMBLY, 600 LB. (272.1 KG) CAPACITY 3" VALVE VALVE
38-109816-001	KIT, 9 CYLINDER (1R/1S) RACKING
12-F28021-13000-0t	
93-192041-002	BOTTOM DISCHARGE CYLINDER, 350 LB. (158.7 KG) CAPACITY 3 OUTLET, W/LLI
38-301002-Xxx	
74-200020-001	
93-100020-001	TOP DISCHARGE CYLINDER ASSEMBLY, 20 LB. (9.0 KG) CAPACITY 1-1/2" VALVE
96-190000-001	
Wk-283905-000	
89-300020-001	ANALASER-II MULTI-ZONE 120/240VAC POWER SUPPLY ASSEMBLY KIT. CONSISTS OF ENCLOSURE AND BATTERIES(TW)
44-194711-Xxx	
38-109844-001	KIT, 16 CYLINDER (2R/2S) RACKING
73-201000-005	LHS 465F (240C) ALARM TEMPERATURE, INDOOR/OUTDOOR, FEP, 3280 FT (1000 M) ROLL
32-090018-012	
75-000005-024	
73-201000-012	LHS 185F (85C) ALARM TEMPERATURE, INDOOR/OUTDOOR, NYLON, 3280 FT (1000 M) ROLL
06-118009-001	
89-100052-001	
89-300010-001	
30-191042-011	
96-100065-001	
74-600000-517	
73-117068-083	LHD RETRACTABLE CABLE 72' LONG B6782-047
73-117068-047	CONVENTIONAL ALARMLINE 4-WIRE INTERFACE MODULEW/ RELAY 7.0 H X 5.1 W X 3.0 D (178 X 130 X 75)
93-110203-001	SPHERICAL CONTAINER, 101 LB. (45.8 KG) CAPACITY 1-1/2 OUTLET
06-117938-001	

74-800100-004	
73-117068-041	
93-194416-Xxx	
06-220148-002	
74-200025-001	
73-117068-031	
06-236125-001	
93-191001-001	
06-129773-001	
38-503073-001	
30690	SPARE ASD-CM COMMAND MODULE MAIN PCB
75-000082-001	
73-117068-032	
93-100225-001	CYLINDER ASSEMBLY, 225 LB. (102 KG) CAPACITY 2" VALVE
Wk-294653-000	
06-129897-001	
74-600000-002	
38-109860-001	KIT, 48 CYLINDER (2R/2S) RACKING
44-110201-001	SPHERICAL CONTAINER, 44 LB. (19.9 KG) CAPACITY 1-1/2 OUTLET
89-300040-001	
Wk-283904-000	
75-000075-001	
12b270200010t325	
12-F27121-020-10-0t	
73-117068-081	LHD RETRACTABLE CABLE 66' LONG B6782-045
38-109845-001	KIT, 18 CYLINDER (2R/2S) RACKING
93-194418-Xxx	
29-126840-001	
74-123456-002	
96-194026-Xxx	

70-403001-100	
38-509860-001	
38-509835-002	VALVE, 3/4 NPT LOCK-OUT (ISOLATION)
38-100003-Xxx	
Wk-202490-000	
75-100000-003	
77-297102-000	ORION-XT DISPLAY MODULE, ENGLISH/SPANISH/FRENCH
90-190000-001	
12e280200030t160	
38-109815-001	KIT, 8 CYLINDER (1R/1S) RACKING
93-194025-Xxx	
12a270210010t225	
77-297109-000	SET OF 25. CONSISTS OF (25) EACH: SAMPLING POINT, MALE 1/2" NPT CAPIL
38-509817-001	
90-194023-Xxx	
90-194426-Xxx	
90-194017-Xxx	
74-800300-017	BACNET MODULE ADD-ON CARD, ADD TO P/N 74-800300-007 FOR SYSTEMS WITH 5 OR MORE
38-509848-005	VALVE, 1-1/2 SELECTOR
06-115903-058	
73-117068-075	LHD RETRACTABLE CABLE 43' LONG B6782-039
73-117068-113	STANDARD, 3280 FT (1000 M) ROLL
82-878755-000	
06-118207-001	
06-115549-003	
77-297106-000	ORION-XT MULTI-ZONE 120/240VAC POWER SUPPLY MODULE ONLY
93-140000-000	1-1/2" VALVE ASSEMBLY
93-100221-001	CYLINDER ASSEMBLY, 225 LB. (102 KG) CAPACITY 2" VALVE W/LLI

44-194716-Xxx	
74-800400-199	FENWALNET 2000 CONTROL UNIT RETROFIT CONVERSION KIT WITH MCB, PMU, PSU AND HARDWARE KITS. THIS KIT DOES NOT INCLUDE A COVER/DOOR. LISTINGS/APPROVALS
70-408004-001	
96-110000-001	
06-118354-001	
12-E27121-51024-0t	
06-232466-003	
44-194616-Xxx	
76-100002-001	
96-194018-Xxx	
12-E27121-020-03-0t	
12v12	
06-118074-000	
38-609800-002	VALVE ASSEMBLY, 3/4 SELECTOR
33-30624a	ASD-CM STAND-ALONE COMMAND MODULE IN MOLDED PLASTIC CASE PROVIDES CENTRAL DISPLAY, CONTROL AND INTERFACING OPTION FOR 127 DETECTOR NETWORK, INTEGRAL B
29-232334-000	
12-G28021-13000-0t	
70-600000-001	
Bh512	
38-109830-001	KIT, 24 CYLINDER (1R/2S) RACKING
74-800000-001	
Wk-264987-000	
38-509813-001	
44-140000-000	
73-117068-057	
Wk-326410-000	
31-193005-001	
	ASD-320 DETECTOR W/ DOCKING STATION AND INPUT RELAY CARD. REQUIRES 24 VDC POWER SUPPLY ASD-320

33-30764a	C/W P/N 33-30436 INPUT RELAY CARD TO PROVIDE 3 PROGRAMM
44-1946xx-Xxx	
Wk-878725-000	
76-100004-001	
74-600000-014	
38-109832-001	KIT, 6 CYLINDER (2R/1S) RACKING
38-509848-006	VALVE, 2 SELECTOR
74-600000-518	
93-102300-001	1 REQUIRED)
74-600000-005	BLUE)
06-118384-001	
38-200003-Xxx	RESTRICTOR, 2 NPT THREADED
38-509804-001	
75-000000-005	
32-094053-006	
82-878750-000	
06-118537-001	EXP PROOF CYL SUPERVISORY PRESSURE SWITCH, ATEX COMP APPROVED ONLY (1-1/2 2 VALVES ONLY)
76-200004-032	ATM-L ANNUNCIATOR DRIVER MODULE:32 INDEPENDENTLY PROGRAMMABLE LED DRIVERS
76-200005-032	ATM-R RELAY DRIVER BOARD32 INDEPENDENTLY PROGRAMMABLE RELAY DRIVERS
70-403001-152	
96-194013-Xxx	
38-509837-001	
06-236127-001	
38-509816-001	
38-109813-001	KIT, 6 CYLINDER (1R/1S) RACKING
44-100010-001	TOP DISCHARGE CYLINDER ASSEMBLY, 10 LB. (4.5 KG) CAPACITY 1-1/2" VALVE 1-1/2" VALVE
06-235432-001	
	ANALASER-II INTELLIGENT INTERFACE MODULE (IIM) W/O

89-300013-001	MODEM STAND-ALONE WITH BEIGE ENCLOSURE
38-109826-001	KIT, 16 CYLINDER (1R/2S) RACKING
12b270200000t325	
90-194415-Xxx	
73-117068-023	
44-100121-001	TOP DISCHARGE CYLINDER ASSY, 125 LB. (56.7 KG) CAPACITY 1-1/2" VALVE, W/LLI 1-1/2" VALVE, W/LLI
74-800020-002	USER INTERFACE FOR FENWALNET 8000 MULTI-LOOP CONTROL UNIT, INCLUDING DISPLAY AND KEY PADS
38-109827-001	KIT, 18 CYLINDER (1R/2S) RACKING
12f280200030t275	
06-129882-001	
12g280210050t500	
38-109858-001	KIT, 44 CYLINDER (2R/2S) RACKING
73-117068-019	BRONZE BRAIDED, 656 FT (200 M) ROLL
73-200000-012	LHS 185F (85C) ALARM TEMPERATURE, INDOOR/OUTDOOR, NYLON, 656 FT (200 M) ROLL
93-118325-003	STAINLESS STEEL FM APPROVED ONLY
06-129860-001	
38-109855-001	KIT, 38 CYLINDER (2R/2S) RACKING
38-109889-001	KIT, 11 CYLINDER WALL MOUNT
93-194415-Xxx	
38-109831-001	KIT, 4 CYLINDER (2R/1S) RACKING
90-194013-Xxx	
Wk-218270-000	
73-117068-053	
74-800200-003	
93-194423-Xxx	
30250	SENENET™ SOFTWARE CD AND DONGLE WINDOWS BASED PC GRAPHICAL MANAGEMENT SYSTEM, PROVIDES CENTRAL MANAGEMENT AND MONITORING OF UP TO 16 LOOPS, EACH OF
06-220150-001	

Cm10950	
73-117068-073	LHD RETRACTABLE CABLE 36' LONG B6782-037
12e280200030t210	
06-129986-101	
90-194423-Xxx	
44-194713-Xxx	
75-000000-009	
73-200000-003	LHS 220F (105C) ALARM TEMPERATURE, INDOOR/OUTDOOR, PVC, 656 FT (200 M) ROLL
74-800200-101	
44-194626-Xxx	
90-990125-000	
75-000005-034	
74-200000-008	EXPANSION BACK PLANE (INCLUDES (2) 76-100007-001 MOTHERBOARDS AND (2) I/O MODULE MOUNTING BRACKETS) (LIMITED QUANTITY)
38-509835-004	VALVE, 1-1/4 NPT LOCK-OUT (ISOLATION)
75-100000-001	
44-194718-Xxx	
06-129500-005	
90-220030-003	
09-Tz3490-000	
06-231866-498	
73-117068-119	BRONZE BRAIDED, 3280 FT (1000 M) ROLL
73-117068-116	NYLON COATED, 3280 FT (1000 M) ROLL
12-A27021-001-04-0t	
93-100070-001	TOP DISCHARGE CYLINDER ASSEMBLY, 70 LB. (31.7 KG) CAPACITY 1-1/2" VALVE
06-235317-001	
12-A27020-000-04-0t	
06-118398-001	EXP PROOF CYL SUPERVISORY PRESSURE SWITCH, ATEX COMP APPROVED ONLY (3 VALVES ONLY)
38-109829-001	KIT, 22 CYLINDER (1R/2S) RACKING

90-194416-Xxx	
06-129844-001	ANALASER-II SPARE CIRCUIT BOARD FOR 89-300013-001 IIM W/O MODEM
44-194614-Xxx	
Wk-294651-000	
38-109885-001	KIT, 7 CYLINDER WALL MOUNT
93-100900-001	TOP DISCHARGE CYLINDER ASSEMBLY, 900 LB. (408 KG) CAPACITY 3" VALVE
514901400534	
76-600000-009	
33-30671a	ASD-160H DETECTOR W/ DOCKING STATION SMALL-AREA (2,500 SQ. FT) DETECTOR, 4 ALARM LEVELS, LOCAL INDICATION VIA LEDS, INTERCONNECTION TO FACPS VIA RELAY
38-509870-001	
38-109859-001	KIT, 46 CYLINDER (2R/2S) RACKING
93-150000-000	2" VALVE ASSEMBLY
90-194425-Xxx	
12b270210010t275	
06-235284-001	
29-126879-003	
82-878759-000	RECHARGE ADAPTER, 2-1/2" VALVE
70-600000-002	
70-530000-001	
44-100040-001	TOP DISCHARGE CYLINDER ASSEMBLY, 40 LB. (18.1 KG) CAPACITY 1-1/2" VALVE 1-1/2" VALVE
82-486486-000	
Wk-283934-000	
73-117068-084	LHD RETRACTABLE CABLE 75' LONG B6782-048
73-200000-005	LHS 465F (240C) ALARM TEMPERATURE, INDOOR/OUTDOOR, FEP, 656 FT (200 M) ROLL
75-000005-023	
90-194025-Xxx	
93-170000-000	3" VALVE ASSEMBLY

38-109851-001	KIT, 30 CYLINDER (2R/2S) RACKING
93-101010-001	CYLINDER ASSEMBLY, 1010 LB. (458KG) CAPACITY 3" VALVE
12-E27120-022-05-0t	
93-104890-001	2 REQUIRED)
74-600000-510	FENWALNET 6000 CONTROL UNIT IN RED ENCLOSURE: INCLUDES ENCLOSURE, PCB AND POWER SUPPLY.
82-878758-000	RECHARGE ADAPTER, 2" VALVE
38-300502-Xxx	
06-232466-004	
93-100601-100	TOP DISCHARGE CYLINDER ASSY, 600 LB. (272.1 KG) CAPACITY 3" VALVE, W/LLI
30-191040-001	
89-300001-001	ANALASER-II STANDARD DETECTOR, 0.00075 TO 0.3%/FT(0.0025 TO 1.0%/M)
38-109888-001	KIT, 10 CYLINDER WALL MOUNT
44-194623-Xxx	
30-321000-148	
93-194424-Xxx	
44-170000-000	3" VALVE ASSEMBLY
44-100020-001	TOP DISCHARGE CYLINDER ASSEMBLY, 20 LB. (9.0 KG) CAPACITY 1-1/2" VALVE 1-1/2" VALVE
12-E27121-13000-0t	
Wk-877940-000	
73-117068-085	LHD RETRACTABLE CABLE 79' LONG B6782-049
90-220031-003	
12b270200010t275	
75-000005-031	
70-200200-001	
89-300030-001	SET OF 25. CONSISTS OF (25) EACH: SAMPLING POINT, MALE 1/2" NPT CAPILLARY TUBE ADAPTER, FEMALE 3/8" NPT CAPILLARY TUB
06-129995-001	
38-200800-001	CYLINDER ASSEMBLY, 80.0L ARGONITE

89-300008-001	ANALASER-II SELF-CONTAINED 120/240VAC POWER SUPPLY ASSEMBLY KIT CONSISTS OF POWER SUPPLY, ENCLOSURE
38-509802-001	
Dh-22	
06-129985-001	
89-300022-001	ANALASER-II MULTI-ZONE 120 / 240 VAC POWER SUPPLY MODULE ONLY
12-A27021-000-04-0t	
12g271200000t450	
89-300015-001	ANALASER-II INTELLIGENT INTERFACE MODULE (IIM) W/O MODEM MOUNTS IN FN-2000, CONNECTS TO CCM
06-230340-000	
38-109881-001	
73-117068-051	
33-30697a	SPARE ASD-640 DETECTOR MAIN PCB
74-570000-001	
74-800400-002	FENWALNET 2000 CONTROL UNIT RETROFIT CONVERSION KIT WITH MCB, PMU, PSU, UNIVERSAL HARDWARE KIT AND RED DOOR
77-297115-000	
93-118327-001	FM APPROVED ONLY
74-800102-001	CITY OF CHICAGO FENWALNET 8000-ML KIT (CONSISTS OF FENWALNET 8000-ML 3-TIERED CONTROL UNIT, CITY OF CHICAGO DEAD FRONT COVER, CITY OF CHICAGO STAND-AL
73-117068-033	
90-170000-200	3" VALVE ASSEMBLY
38-109843-001	KIT, 14 CYLINDER (2R/2S) RACKING
38-109818-001	KIT, 11 CYLINDER (1R/1S) RACKING
75-000000-013	
29-232334-002	
89-300006-001	ANALASER-II DISPLAY MODULE (ENGLISH/SPANISH/FRENCH)
44-100900-001	TOP DISCHARGE CYLINDER ASSEMBLY, 900 LB. (408 KG) CAPACITY 3" VALVE VALVE
75-000040-001	CVX10-115-R 10" VIBRATING BELL 115 VAC, INDOOR
06-118225-001	DISCHARGE HOSE, 3 (3 VALVE)

38-509835-001	VALVE, 1/2 NPT LOCK-OUT (ISOLATION)
44-194715-Xxx	
38-109841-001	KIT, 24 CYLINDER (2R/1S) RACKING
17100-0	
33-30672a	ASD-320 DETECTOR W/ DOCKING STATION. REQUIRES 24 VDC POWER SUPPLY MEDIUM-AREA (10,000 SQ. FT) DETECTOR, 4 ALARM LEVELS, LOCAL INDICATION VIA LEDS, INT
38-109891-001	
74-600000-511	
96-100112-001	
38-509848-002	VALVE, 3/4 SELECTOR
Wk-293436-000	
30812	
93-100671-001	CYLINDER ASSEMBLY, 675 LB. (306 KG) CAPACITY 3" VALVE W/LLI
33-30620a	ASD-640 DETECTOR W/ COMMAND MODULE IN MOLDED PLASTIC CASE. REQUIRES 24 VDC POWER SUPPLY P/N 33-30621 ASD-640 C/W COMMAND MODULE. FEATURES CENTRALIZED
81-800266-000	
75-000000-004	
Wk-145632-320	
12-E27120-000-03-0t	
06-235201-001	
38-109839-001	KIT, 20 CYLINDER (2R/1S) RACKING
12x27121000225	
38-109899-001	
73-117068-062	
38-109838-001	KIT, 18 CYLINDER (2R/1S) RACKING
38-109883-001	KIT, 5 CYLINDER WALL MOUNT
73-117068-076	LHD RETRACTABLE CABLE 46' LONG B6782-040
Nh-12/24-R	

12a270200010t160	
38-109849-001	KIT, 26 CYLINDER (2R/2S) RACKING
74-800000-009	
93-220031-002	WITH SOLENOID
38-109823-001	KIT, 10 CYLINDER (1R/2S) RACKING
33-30695a	
74-800202-001	CITY OF CHICAGO FENWALNET 8000-ML KIT (CONSISTS OF FENWALNET 8000-ML 2-TIERED CONTROL UNIT, CITY OF CHICAGO DEAD FRONT COVER, CITY OF CHICAGO STAND-AL
30-330001-001	
12-A27020-000-02-0t	
38-109819-001	KIT, 12 CYLINDER (1R/1S) RACKING
74-300005-032	ATM-R RELAY DRIVER BOARD 32 INDEPENDENTLY PROGRAMMABLE RELAY DRIVERS
74-600000-001	FENWALNET 6000 CONTROL UNIT IN BLUE ENCLOSURE: INCLUDES ENCLOSURE, PCB AND POWER SUPPLY.
12-F28021-12012-0t	
38-503073-003	
75-000060-012	
75-000087-001	
38-109850-001	KIT, 28 CYLINDER (2R/2S) RACKING
38-109853-001	KIT, 34 CYLINDER (2R/2S) RACKING
74-800030-001	
38-509801-001	
76-100007-001	
93-100600-100	TOP DISCHARGE CYLINDER ASSEMBLY, 600 LB. (272.1 KG) CAPACITY 3"
96-194014-Xxx	
90-121100-000	
93-110202-001	SPHERICAL CONTAINER, 63 LB. (28.5 KG) CAPACITY 1-1/2 OUTLET
89-300035-001	
77-297121-000	

73-117068-091	
93-194414-Xxx	
73-117068-026	
74-600000-006	BLUE)
73-117068-029	ALARMLINE IN-LINE SENSOR SPLICE CRIMPING TOOL
44-110202-001	SPHERICAL CONTAINER, 63 LB. (28.5 KG) CAPACITY 1-1/2 OUTLET
Wk-283945-000	
73-117068-071	LHD RETRACTABLE CABLE 49' LONG B6782-030 (LIMITED QUANTITIES AVAILABLE)
Wk-214022-000	
74-300004-032	ATM-L ANNUNCIATOR DRIVER MODULE: 32 INDEPENDENTLY PROGRAMMABLE LED DRIVERS
77-297036-000	ORION RETROFIT DETECTOR HEAD0.12, 0.06, 0.03 AND 0.015%/FT (0.4, 0.2, 0.1 AND 0.05%/M)
40-702090-303	
33-30706a	ASD-640 DETECTOR IN STEEL CASE LARGE-AREA (20,000 SQ. FT) DETECTOR, 4 ALARM LEVELS, ON-BOARD LCD PROGRAMMER LED INDICATORS, INTERCONNECTION TO FACPS
44-100000-001	
38-509835-006	VALVE, 2 NPT LOCK-OUT (ISOLATION)
12f280200030t360	
06-129829-102	
Wk-878728-000	
29-117134-001	DISCHARGE HOSE, 3" (USE WITH 350-850# BOTTOM DISCHARGE CYLINDERS)
77-297101-000	ORION-XT HSSD DETECTOR0.00075 TO 0.3%/FT (0.0025 TO 1.0%/M)
73-117068-086	LHD RETRACTABLE CABLE 82' LONG B6782-050
93-102300-101	1 REQUIRED)
70-500000-003	
82-844895-000	
09-Tz2583-000	
38-509848-001	VALVE, 1/2 SELECTOR

44-110203-001	SPHERICAL CONTAINER, 101 LB. (45.8 KG) CAPACITY 1-1/2 OUTLET
06-129944-003	3 CYLINDER SET, ACTUATION ARRANGEMENT KIT (225 LB./395 LB.)
06-220015-001	
38-509848-004	VALVE, 1-1/4 SELECTOR
93-220030-003	WITH SOLENOID
93-100350-001	TOP DISCHARGE CYLINDER ASSEMBLY, 350 LB. (158.7 KG) CAPACITY 2"
44-194611-Xxx	
75-000060-011	
74-600000-514	
Wk-270157-000	
12h280210050t725	
Wk-264986-000	
Bc5us	
90-220031-002	
38-109820-001	KIT, 4 CYLINDER (1R/2S) RACKING
38-300752-Xxx	
74-200022-002	
93-220032-002	WITH SOLENOID
12f271200220t275	
90-140100-000	
93-104070-101	2 REQUIRED)
Wk-283900-000	DISCHARGE HOSE, 2-1/2" X 48"
82-878751-000	
74-600000-011	
93-100395-001	CYLINDER ASSEMBLY, 395 LB. (179KG) CAPACITY 2" VALVE
93-1940xx-Xxx	
Wk-202805-000	
90-220031-001	
29-116788-001	

93-110204-001	SPHERICAL CONTAINER, 196 LB. (88.9 KG) CAPACITY 1-1/2 OUTLET
12-E27121-23000-0t	
12-G27121-000-08-0t	
06-220174-001	
74-800012-001	
Wk-197008-000	
33-Cv10937	
90-194414-Xxx	
76-600000-005	REMOTE DISPLAY/CONTROL MODULE (RDCM)
96-194016-Xxx	
06-220243-001	
06-129554-001	
12g271210200t500	
70-407018-002	
33-Cv10935	
38-509830-001	
44-194712-Xxx	
44-194624-Xxx	
73-201000-004	LHS 350F (176C) ALARM TEMPERATURE, INDOOR/OUTDOOR, PVC, 3280 FT (1000 M) ROLL
12-E28021-005-05-0t	
38-109884-001	KIT, 6 CYLINDER WALL MOUNT