



## Filtermist

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Filtermist** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Filtermist Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">S800 RaI7035</a>	Oil mist filter Detailed description in catalog 2019/2020 on page KS-1513 Air volume 800 m <sup>3</sup> / h Motor power 0.55 kW Connection: 380V, 400V - 50 Hz 440V, 460V, 480V - 60 Hz Weight about 15 kg Inlet opening Ø150 mm Noise level approx. 67 dB (A)
<a href="#">FILTERMIST MOTOR</a>	CAT NO: TMV 90L1-2 B14B ENCL: TEAO IP: 55 TYPE: 2.223TECAB14-FIL
<a href="#">075075</a>	Post filter F8 Smoke post-filter (M) in version F8 for Filtermist FX3,4,5,6000, FX4002, FX5002, and earlier BRISTOL B460, B760, B1060, B1260, B770 and B1070 Customs Tariff No: 84219990 Net. Weight: 2.6 kg Country of Origin: United Kingdom
<a href="#">102081</a>	Post filter H13 Smoke post-filter (M) in version H13 for Filtermist FX3,4,5,6000, FX4002, FX5002
<a href="#">046363</a>	
<a href="#">100052</a>	
<a href="#">100069</a>	
<a href="#">100077</a>	
<a href="#">100131</a>	
<a href="#">100137</a>	
<a href="#">100152</a>	

<a href="#">100198</a>	
<a href="#">100220</a>	
<a href="#">100239</a>	
<a href="#">101376</a>	
<a href="#">9020100800</a>	
<a href="#">AIR HOSE DIAM 150</a>	
<a href="#">FILTER 2300ACW</a>	
<a href="#">FILTER 2300AFA</a>	
<a href="#">FIMI-7002SKT</a>	
<a href="#">FIMI-S400</a>	
<a href="#">FX2000</a>	
<a href="#">NACHFILTER TYP 7000 AFA FUR FX 7002</a>	
<a href="#">OLNEBELFILTER FX 3002 / SERIE 2 RAL7035</a>	
<a href="#">RIME DIAM 150MM BACA16</a>	
<a href="#">S1 024/HS-HF3-D-RG</a>	
<a href="#">S400</a>	
<a href="#">TM712-2</a>	
<a href="#">TM712-2B14</a>	
<a href="#">S200 RAL7035</a>	oil mist filter 9020100200 Air volume 180 m <sup>3</sup> /h Motor power 0.18 kW Connection: 380V, 400V - 50Hz 440V,460V,480V - 60Hz Weight approx. 9 kg Inlet opening Ø75 mm Noise level approx. 62 dB(A)
<a href="#">Oil mist filter FX 5002 / Series 2 RAL7035</a>	color RAL 7035, air volume 1675 m <sup>3</sup> /h, engine power 1.5 kW, Connection: 380V,400V - 50Hz, 440V,460V,480V,575V - 60Hz, weight approx. 29kg, inlet opening Ø200mm, Noise level approx. 72 dB (A),
<a href="#">FX7002</a>	Filter Mist Oil Mist Filter Type FX7002 20-201-30-032 Air performance: 2750 m <sup>3</sup> /h Motor voltage: 200-415V ~ / 50Hz Power: 2.2kW Weight: 37 kg Noise level: 73dBA Connection piece: 200mm Colour: Powder-coated RAL 7035 light grey Serial no.: on the device
<a href="#">111056</a>	20-201-30-060 FX4002 including post-filter and F-Monitor E Filtermist Oil Mist Filter Type FX4002 including highly efficient post-filter with H13 filter paper including F-Monitor Essential Air flow: 1250 m <sup>3</sup> /h Motor voltage: 200-480V ~ / 50-60Hz Power: 1.1 kW Weight: 26 kg Noise level: 70 dBA Connection piece: 150mm Paint finish: powder-coated RAL 7035 light gray Serial no.: on the device
<a href="#">111059</a>	20-201-30-063 FX7002 including post-filter Filtermist Oil Mist Filter Type FX7002 including highly efficient post-filter with H13 filter paper Air flow: 2750 m <sup>3</sup> /h Motor voltage: 200-415V ~ / 50Hz Power: 2.2 kW Weight: 37 kg Noise level: 73 dBA Connection piece: 200mm Paint finish: powder-coated RAL 7035 light gray Serial no.: on the device
<a href="#">FX7002</a>	
<a href="#">FX7002 AFB</a>	
<a href="#">102080</a>	20-206-10-006 Post-filter H13 Smoke post-filter (S) in version H13 for Filtermist F250, F7, FX2000, FX2002, FX3002, S400, S800
<a href="#">9020155002</a>	Oil mist filter FX 5002 / Series 2 RAL7035 with highly efficient post-filter Air volume 1675 m <sup>3</sup> /h, Motor power 1.5 kW, Connection: 380V, 400V -

<a href="#">9020700062</a>	50 Hz, 440V, 460V, 480V, 575V - 60 Hz, Weight approx. 35.3kg, Inlet opening Ø 200mm, Noise level approx. 72 dB (A), Maintenance Kit for Filter S800
<a href="#">9020700040</a>	Maintenance kit for filters FX3000, FX4000, FX4002
<a href="#">9020700039</a>	Maintenance kit for filters FX5000, FX6000, FX5002
<a href="#">Fx 2000 Xcel 2</a>	
<a href="#">2000 Ce</a>	
<a href="#">2300skt</a>	
<a href="#">Nachfilter Typ 7000 Afa Fur Fx 7002</a>	
<a href="#">Type S800</a>	
<a href="#">102270</a>	
<a href="#">Olnebefilter Fx 3002 / Serie 2 Ral7035</a>	
<a href="#">9020700013+9020700020+9020700030</a>	
<a href="#">3000 Ce</a>	
<a href="#">Fx 5002</a>	Oil mist filter FX 5002 / Serie 2 RAL7035 Color RAL 7035, Air volume 1675 m <sup>3</sup> / h, Motor power 1,5 kW, Connection: 380V, 400V - 50 Hz, 440V, 460V, 480V, 575V - 60Hz, Weight about 29kg, Inlet opening Ø200mm, Noise level approx. 72 dB (A),
<a href="#">9020100400 Olnebefilter S400 Ral7035</a>	
<a href="#">Fx3000 Obsolete, Replacement Type S800</a>	
<a href="#">100050</a>	
<a href="#">Ventilator 230/400v Type S400</a>	
<a href="#">Fx5200</a>	
<a href="#">B1200 + B1270</a>	
<a href="#">S800</a>	Filtermist Oil Mist Filter Type S800 Air flow: 800 m <sup>3</sup> / h Motor voltage: 200-480V ~ / 50-60Hz Power: 0.55 kW -- Weight: 15 Kg Noise level: 67 dBA -- Connecting piece: 150mm Finish: Powder coated RAL 7035 light gray
<a href="#">28165 By 2300afa (100069)</a>	
<a href="#">Fimi-Fx4002</a>	
<a href="#">5000skt (100221)</a>	
<a href="#">Sk2800/8 (100230)</a>	
<a href="#">100056</a>	
<a href="#">11-1087-108</a>	
<a href="#">2300afa</a>	Smoke afterfilter (S) -- in version F8 for filter dung F250, F7, FX2000, FX2002, FX3002, S400, S800 and earlier -- BRISTOL B250 / E, B470
<a href="#">F34/8</a>	
<a href="#">Fimi-S400</a>	
<a href="#">Fx 1200</a>	
<a href="#">Filter 2300afa</a>	

<a href="#">Fx 2000 046363 Replaced By S400 (100051)</a>	
<a href="#">11-1098-108 + 11-1045-108</a>	
<a href="#">Tf B1270/B1200</a>	
<a href="#">Fx 5000</a>	
<a href="#">B450+b750</a>	
<a href="#">100059</a>	
<a href="#">3000afa / 100070</a>	
<a href="#">902010 6002</a>	
<a href="#">Fx4002 Metal Part</a>	
<a href="#">Fx 5002 E</a>	
<a href="#">100051</a>	
<a href="#">7000afa</a>	Smoke afterfilter (L)--in version F8 for filter dung--F13, F14-F34, FX7000, FX6002, FX7002 and earlier BRISTOL B1270, B1460, B1470, and B450, B750, B1000, B1200
<a href="#">648625-109f</a>	
<a href="#">7000 Fkt</a>	
<a href="#">81470 - Fx 7002</a>	
<a href="#">Rime Diam 150mm Baca16</a>	
<a href="#">Necklace Psb12</a>	
<a href="#">S200 (100050)</a>	
<a href="#">Gallow Bacs25</a>	
<a href="#">Dbof1234k</a>	
<a href="#">Baca52</a>	
<a href="#">S400 Filter</a>	
<a href="#">100212</a>	
<a href="#">B270-Fx 2002</a>	
<a href="#">Filter Type S800</a>	
<a href="#">100057</a>	
<a href="#">0.5523tecab14-Fil-Ss</a>	
<a href="#">7000 Fkt Reparatursatz</a>	
<a href="#">7000skt (100222)</a>	
<a href="#">9020106002</a>	
<a href="#">Studs 2000csk</a>	
<a href="#">Sk3428</a>	
<a href="#">100058</a>	
<a href="#">9020105012</a>	
<a href="#">9001500018 Rohrbogen 90; 100mm</a>	

<a href="#">8770 - Fx 4002</a>	
<a href="#">Air Hose Diam 150</a>	
<a href="#">6000 Cyl (Swarf Cyclone)</a>	
<a href="#">B250e</a>	
<a href="#">S400 (100051)</a>	
<a href="#">S400 Ral7035</a>	
<a href="#">100070 3000afa</a>	
<a href="#">Tm712-2b14 Gt; Alternative Gt;Gt;2055tav</a>	
<a href="#">Fx2002</a>	
<a href="#">Fx 4002</a>	
<a href="#">Drof2800/8</a>	
<a href="#">Bacd1130</a>	
<a href="#">7000safa</a>	
<a href="#">100070</a>	
<a href="#">Type S400</a>	
<a href="#">Fx5002</a>	Filtermist Oil Mist Filter Type FX5002 Air output: 1675 m <sup>3</sup> / h Motor voltage: 200-480V ~ / 50-60Hz Power: 1.5 kW Weight: 32 kg Noise level: 71 dBA Connection piece: 200mm Painting: powder-coated RAL 7035 light gray Serial no .: on the device Customs Tariff No: 84213925 Country of Origin: United Kingdom
<a href="#">Fimi-7002skt</a>	
<a href="#">Sa20e/Sa26e</a>	
<a href="#">2300afb</a>	
<a href="#">5000cdk (100089)</a>	
<a href="#">B450-B750-B100-B1200</a>	
<a href="#">11-1045-108</a>	
<a href="#">B450-1200+ B1270</a>	
<a href="#">Baca 750</a>	
<a href="#">302050001 Schlauch Nw 100mm (Mtr.)</a>	
<a href="#">2055tav</a>	
<a href="#">Dvfgdf</a>	
<a href="#">902010 6012</a>	
<a href="#">B1270-Fx6002</a>	
<a href="#">11-1024-108</a>	
<a href="#">Filtermist S800 - 800 @ 50hz</a>	
<a href="#">100221</a>	
<a href="#">9020700103</a>	

<a href="#">30200 By 2300afa (100069)</a>	
<a href="#">Mist Filter Type S800</a>	
<a href="#">Fimi-Fx6002</a>	
<a href="#">9020500003 Schlauchschnelle 90-110mm</a>	
<a href="#">B1000</a>	
<a href="#">Fx 6002</a>	
<a href="#">9020700047</a>	
<a href="#">F0003</a>	
<a href="#">S 800 (100052)</a>	
<a href="#">Fk 28</a>	
<a href="#">Fx6002</a>	
<a href="#">Fx 4002 / Serie 2 Ral7035</a>	FILTERMIST Örnebefilter Color RAL 7035, Air flow 1250 m <sup>3</sup> / h, Motor power 1,1 kW, Connection: 380V, 400V - 50Hz, 440V, 460V, 480V, 575V - 60Hz, Weight about 23kg, Inlet opening Ø150mm, Noise level approx. 70 dB (A),
<a href="#">Fx4002 (100056)</a>	
<a href="#">F28/8 By Gt; Fx 5002</a>	
<a href="#">Filter 2300acw</a>	
<a href="#">100215</a>	
<a href="#">Xcel2 / Fx4002</a>	
<a href="#">11-1024-108 (Ex 9020700020)</a>	
<a href="#">Bacd14sd/Sr</a>	
<a href="#">Fx4000</a>	
<a href="#">B 450-1200(Ex Dbof1214 / 7)</a>	
<a href="#">B1200+b1270</a>	