

## Fire Lite

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Fire Lite** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Fire Lite T¼rkiye Distrib¼t¼r¼ veya temsilcisi deŐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunulmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



¼r¼n	A¼ıklama
<a href="#">Bg12lr</a>	
<a href="#">Acc-25/50da</a>	USED TO EXPAND ACC25/50. ALLOWS ADDITION OF UP TO 29 ACC25/50DA UNITS ADDED TO A
<a href="#">Manuel Pullstation Noncoded Double Action</a>	
<a href="#">Mrp-2002e</a>	AGENT RELEASE CONTROL PANEL, 220 VOLTS
<a href="#">220v. 50hz. Zone Ul And Fm4 Li</a>	
<a href="#">Ecc-50da</a>	50 WATT AMP FOR VOIC AMPLIFIER
<a href="#">Ms-9600</a>	ADDRESSABLE FIRE ALARM CONTROL, 636-POINTS ON TWO SIGNALING LINE CIRCUIT'S (SLC'
<a href="#">Avds102 (Not Available)</a>	
<a href="#">Ad355</a>	ADAPT, ADDRESSABLE MULTI-SENSING DETECTOR, LOW-PROFILE PHOTOELECTRIC SMOKE DETEC
<a href="#">Ms-9600lse</a>	ADDRESSABLE FIRE ALARM CONTROL, 636-POINTS ON TWO

### Fire Lite

YURSAT yedek par¼a tedariki yapan bir Őirkettir. Sitemizde bulunan markaların yetkili distrib¼t¼r¼ yada temsilcisi deŐildir.

	SIGNALING LINE CIRCUIT'S (SLC'S),(2ND SLC OPTION
<a href="#">Ms-9600udlse</a>	ADDRESSABLE FIRE ALARM CONTROL, WITH UPLOAD/DOWNLOAD,636-POINTS ON TWO SIGNALING LINE CIRCUIT'S (S
<a href="#">Ms-5ud-7c</a>	5 ZONE CONVENTIONAL FIRE CONTROL PANEL WITH DACT AND 7 AMP POWER SUPPLY, INCLUDES ANN-LED AND DRESS
<a href="#">Bg12lra</a>	
<a href="#">Ecc-Loc</a>	LOCAL OPERATOR CONSOLE
<a href="#">Acc-25/50zs</a>	SAME AS ACC-25/50 LISTED ABOVE EXCEPT INCLUDES DIGITAL MESSAGE GENERATOR ZONE SP
<a href="#">Acc-25/50</a>	25 WATT, 25 VRMS, SLAVE EMERGENCY VOICE EVACUATION CONTROL, WITH INTEGRAL MICROP
<a href="#">A05-0318 (Not Available)</a>	
<a href="#">9600rb</a>	DISCONITNUED REPLACE WITH MS-9600UDLS(MS-9600, MASTER CONTROL REPLACEMENT BOARD)
<a href="#">Ms-9600e</a>	EXPORT VERSION, 220 VOLTS
<a href="#">Bg-12l</a>	
<a href="#">Acc-25/50dazs</a>	USED TO EXPAND ACC-25/50ZS BY 8 ADDITIONAL ZONE SPLIT CIRCUITS.UP TO 2 ADDTITI
<a href="#">Ms9200udlse</a>	
<a href="#">Alarm 199;Akar Isikli (Alarm Strobe/Horn Light)</a>	
<a href="#">Visoralarm</a>	DISCONTINUED REPLACE WITH VISORALARM-PLUS(CENTRAL STATION RECEIVER NON UL APPLICATIONS)
<a href="#">Ms-9600ls</a>	ADDRESSABLE FIRE ALARM CONTROL, 636-POINTS ON TWO SIGNALING LINE CIRCUIT'S (SLC'S),(2ND SLC OPTION
<a href="#">Prn-6f</a>	80 COLUMN DESKTOP PRINTER, 120 VAC.
<a href="#">Ecc-50/100</a>	EMERGENCY COMMAND CENTER
<a href="#">Ms-10ud-7e</a>	10 ZONE CONVENTIONAL FIRE CONTROL PANEL WITH 7 AMP POWER SUPPLY. 220 VOLTS
<a href="#">Acc-25/50zst</a>	25 WATT, 25 VRMS, SLAVE EMERGENCY VOICE EVACUATION CONTROL, WITH INTEGRAL MICROPHONE, DIGITAL MESSAG
<a href="#">Mrp-2002</a>	AGENT RELEASE CONTROL PANEL, 120 VAC.
<a href="#">Fixed Tip</a>	
<a href="#">Beam355s</a>	ADDRESSABLE BEAM DETECTOR WITH INTEGRAL SENSITIVITY TEST
	10 ZONE CONVENTIONAL FIRE CONTROL PANEL WITH DACT

<a href="#">Ms-10ud-7c</a>	AND 7 AMP POWER SUPPLY, INCLUDES N-ANN-LED AND DRE
<a href="#">Ms-9200udlse</a>	ADDRESSABLE FIRE ALARM CONTROL,198-POINTS ON ONE SIGNALING LINE CIRCUIT (SLC) LO
<a href="#">Mrp2001</a>	
<a href="#">Ms-9600udls</a>	ADDRESSABLE FIRE ALARM CONTROL, WITH UPLOAD/DOWNLOAD,636-POINTS ON TWO SIGNALING LINE CIRCUIT
<a href="#">411ud</a>	4-CHANNEL, DUAL LINE SLAVE DACT, FORM-C RELAY AND UP/DOWNLOAD CAPABILITY. PROGRA
<a href="#">Ms-9200udls</a>	ADDRESSABLE FIRE ALARM CONTROL,198-POINTS ON ONE SIGNALING LINE CIRCUIT (SLC) LO