

## Fisher



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

**Fisher** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Fisher Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

| rn  | Aıklama   |
|---|--|
| <a href="#">Typ 67DFR-24</a>                      | Fisher pressure regulator Nominal size: 1/2 "NPT screwed<br>Housing material: aluminum Inner parts: brass / nitrile<br>Membrane: nitrile Spring range: 0-4.1 barg  |
| <a href="#">Typ 67CFR-601</a>                     | Nominal size: 1/4 "NPT screwed Housing material: aluminum<br>Inner parts: brass / nitrile Membrane: nitrile Spring range: 0-8.6 barg   |
| <a href="#">Typ 67CFR-600</a>                     | Nominal size: 1/4 "NPT screwed Housing material: aluminum<br>Inner parts: brass / nitrile Membrane: nitrile Spring range: 0-4.1 barg   |
| <a href="#">Typ 67CFR-226</a>                     | Nominal size: 1/4 "NPT screwed Housing material: aluminum<br>Inner parts: brass / nitrile Membrane: nitrile Spring range: 0-8.6 barg   |
| <a href="#">Product Type: Valve EZ REPAIR KIT</a> | Repair kit set 100 1 Product Type: Valve EZ RPACKX00102;<br>REPAIR KIT ; 200 1 16A3335X132; MIKR FORM CONE/SPIN ;<br>300 1 16A3350X052; SEAT RING;1 1/2.3/4 PORT 400 1<br>25A6685X072; BAGE/BUSHING ASSEMBLY ; 500 1<br>RGASKETX172; GASKET SET  302F ; 600 1 Product Type:<br>Drive 66 2E669902202; MEMBRANE ; 700 1 R667X000402;<br>KIT,REPAIR;667 SPARES W/O DIAPH SZ 34&40 800 1<br>R667X000412; KIT REPAIR;SIZE 34i HARDWARE KIT 900 1<br>1C5959X0012; KOTTERPEN ; |
| <a href="#">DN40 PN40 EU03681738</a>              |  |
| <a href="#">DN25 PN40 EU03681736</a>              |  |
| <a href="#">DN25 PN25 EU03681733</a>              |  |
| <a href="#">DN40 PN40 EU03681735</a>              |  |
| <a href="#">DN40 PN40 EU03681734</a>              |  |
| <a href="#">DN25 PN40 EU03681740</a>              |  |

|   |   |
|---|---|
| <a href="#">DVC 5010 AC positioner with linear characteristic</a> |   |
| <a href="#">Model 667 size: 40</a>                                | diaphragm   |
| <a href="#">Model 667 size 45</a>                                 | diaphragm   |
| <a href="#">Model 667 size30</a>                                  | diaphragm   |
| <a href="#">67 CFR-235 (0 – 30 PSI) regulator</a>                 | (complete with 0 – 30 PSI gauge)  |
| <a href="#">67 CFR-237 (0 – 60 PSI) regulator</a>                 | (complete with 0 – 60 PSI gauge)  |
| <a href="#">646 I/P Transducer</a>                                | (complete with 0 – 30 PSI gauge)  |
| <a href="#">289H 25A Rileif Regulator</a>                         |   |
| <a href="#">DVC2000 Digital Valve Controller</a>                  |   |
| <a href="#">DN50 EU03664740</a>                                   |   |
| <a href="#">1F2159X0012; ANGLE NEEDLE VALVE,</a>                  |   |
| <a href="#">1H734425092; KEY,</a>                                 |   |
| <a href="#">1H735499012; THRUST BEARING,</a>                      |   |
| <a href="#">23A1073X012; LOWER SEAL BUSHING,</a>                  |   |
| <a href="#">R585CX00092; REPAIR KIT</a>                           |   |
| <a href="#">R585CX00042; KIT,REPAIR</a>                           |   |
| <a href="#">1H735499012; BEARING,THRUST</a>                       |   |
| <a href="#">1F2159X0012; FISHER-585C Size:130; Valve,Needle,</a>  |   |
| <a href="#">1H734425092; FISHER-585C Size:130; Key</a>            |   |
| <a href="#">1H735499012; FISHER-585C Size:130; Bearing,Thrust</a> |   |
| <a href="#">23A1073X012; FISHER-585C Size:130,Actuator Seal</a>   | I Lower Bushing   |
| <a href="#">R585CX00092;FISHER-585C Size:130,Actuator Repair</a>  | Kit   |
| <a href="#">377 Trip valve</a>                                    | 377-571-22321   |
| <a href="#">TYPE:67CFR226</a>                                     | <ul style="list-style-type: none"> <li>• MAX.INLET PRESSURE 250 PSIG(17.2 BAR) • MAX.OUTLET PRESSURE:50 PSI (3.4 BAR) • SPRING RANGE:0-125 PSI (0-8.6 BAR) • TEMPERATURE CAPABILITIES WITH NITRILE(NBR):-40 TO 82 DEG C. • PRESS.GAUGE RANGE:0-6BAR OR 0-90 PSIG</li> </ul> |
| <a href="#">TYPE:67CFR226</a>                                     | FILTER ELEMENT  |

|   |   |
|---|---|
| <a href="#">O RING 310x7</a>                  | Part No: 1H862606992  |
| <a href="#">Type: V150 SER B</a>              | Size: DN150 Rating PN:PN10-16 Travel Course: 90 DEG<br>Body Corps: SST  |
| <a href="#">Type: 2052</a>                    | Size: 3 Operating Pressure :2Bar Action :PDTO<br>Rotation:90 DEG 40019834                                     |
| <a href="#">EU03752041</a>                    |   |
| <a href="#">EU03752036</a>                    |   |
| <a href="#">TYPE 2052 SIZE 2</a>              |   |
| <a href="#">DVC2000</a>                       |   |
| <a href="#">VALVE</a>                         | BODY MODEL, D-100 MMFisher Vee-Ball V150 series 4" NPS 4<br>(Valve Body)                                      |
| <a href="#">ACTUATOR, PNEUMATIC-Fisher</a>    | Vee-Ball V150 series Series Number: F000735370 2052 Size 2<br>(Actuator)                                      |
| <a href="#">PACKING - Fisher Vee-Ball</a>     | V150 series Serial Number: F000735370 GASKET<br>11B0672X052 (Key 15)  |
| <a href="#">RING</a>                          | SEALING - Fisher Vee-Ball V150 series Serial Number:<br>F000735370 PACKING,SET 12A8995X022 (Key 16)           |
| <a href="#">SEALING RING - Fisher</a>         | Vee-Ball V150 series Serial Number: F000735370 PACKING<br>BOX RING 16A6084X012 (Key 39)                       |
| <a href="#">VALVE</a>                         | PACKING RING, DN 100- Fisher Vee-Ball V150 series Serial<br>Number: F000735370 SEAL,BALL 34B4767X012 (Key 11) |
| <a href="#">1250R-GL</a>                      |   |
| <a href="#">Fs846-Ds1j1k5</a>                 |   |
| <a href="#">22b6047x012</a>                   |   |
| <a href="#">19b5402x012</a>                   |   |
| <a href="#">16a6909-X012</a>                  |   |
| <a href="#">1a9288x0012</a>                   |   |
| <a href="#">Glass-Disposal Boxes</a>          |   |
| <a href="#">1e264306992</a>                   |   |
| <a href="#">41b5222x362</a>                   | Analog I/O Card CL66821X1-A5  |
| <a href="#">12p0818x042</a>                   | CARRIER WITH SHIELD KJ4001X1-BE1  |
| <a href="#">T14119t0052</a>                   |   |
| <a href="#">1k116327022(Obsolete No Repl)</a> |   |
| <a href="#">14b7259x012</a>                   |   |
| <a href="#">N10j7062n012 (Not Available)</a>  |   |

|  |  |
|--|--|
| <a href="#">Se-632-Tv-570</a>                                    |  |
| <a href="#">1100746.01.003</a>                                   |  |
| <a href="#">Dvc 6200 D351908x01</a>                              |  |
| <a href="#">18a8275x012</a>                                      |  |
| <a href="#">He0101fcv01-Gx-4</a>                                 |  |
| <a href="#">Software Diagnostic For Dvc6200</a>                  |  |
| <a href="#">2129</a>   |  |
| <a href="#">39a1173x022</a>                                      | Discrete Output Latch Module DM6461X1-A4                       |
| <a href="#">67c</a>  |  |
| <a href="#">667 - Et</a>   |  |
| <a href="#">46a2684x012 L</a>                                    | Analog MUX Module  |
| <a href="#">Nec-20521-V200-4r-Ch0002ec</a>                       |  |
| <a href="#">12p0524x012</a>                                      | I/O Cable  |
| <a href="#">Cp6103x1-Ca1</a>                                     | Power Supply ACX639  |
| <a href="#">67cf</a>   |  |
| <a href="#">Itt N199</a>   | Power Supply Module  |
| <a href="#">Couloscope Cms2</a>                                  |  |
| <a href="#">R6353x00012</a>                                      |  |
| <a href="#">Cc07+8510b-Dn200</a>                                 |  |
| <a href="#">P/N: 106975 Type: E31 103.2/5.7 + B<br/>Å166; Se</a> |  |
| <a href="#">12p1442x042</a>                                      | Controller M3 Module KJ2002X1-BA1                              |
| <a href="#">Dn 25 Gx 3661</a>                                    |  |
| <a href="#">01984-1283-0001</a>                                  | RS3 Power Supply Battery Charger and Display Driver/Alarm Card |
| <a href="#">Dcu I/O Female</a>                                   | Connector Cable for DCU I/O Modules 20B6054X012                |
| <a href="#">Ed/Ez/Et/Ewt/Ewnt</a>                                |  |
| <a href="#">22b6023x012</a>                                      |  |
| <a href="#">Fs304-109</a>  |  |
| <a href="#">12p0767x012</a>                                      | Analog Input Board CL6824X1-A2                                 |
| <a href="#">8235c</a>  | Dell Keyboard Unit   |

|  |  |
|--|--|
| <a href="#">12a9135x012</a>                              |  |
| <a href="#">Nec-585c-Asco-Yd-6</a>                       |  |
| <a href="#">T14060t0012</a>                              |  |
| <a href="#">Fs3661 1b</a>                                |  |
| <a href="#">67cfsr</a>                                   |  |
| <a href="#">627-550</a>                                  |  |
| <a href="#">Tmcc00000003711</a>                          |  |
| <a href="#">P/N: 115780 Type: Up01108 M002s Bk1 Z1za</a> |  |
| <a href="#">12p0682x052</a>                              | Delta V Analog Output KJ3002X1-BE1                   |
| <a href="#">1020 2381</a>                                |  |
| <a href="#">P/N: 603-800 Type: Anotest Ymp30-S</a>       |  |
| <a href="#">Cl6754x1-A7</a>                              | Current Sinking Output Module 12P0144X032, 70YY23131 |
| <a href="#">0331 04110005</a>                            |  |
| <a href="#">I2p-100 I2p-100 Mtg</a>                      |  |
| <a href="#">04 320 4</a>                                 |  |
| <a href="#">9772c</a>                                    | Dell Keyboard Unit                                   |
| <a href="#">P/N: 101876 Type: Dkbe 103 A057-130e+</a>    |  |
| <a href="#">41b7286x032</a>                              | Termination Panel                                    |
| <a href="#">Model: 657(30)-Ez,1?</a>                     |  |
| <a href="#">12p0557x152</a>                              | Digital Output Isolated 24VDC KJ3001X1-BG1           |
| <a href="#">41b7290x012</a>                              | CL6773X1-A1 Relay Termination Panel CL6773X1-A1      |
| <a href="#">14b3636x012</a>                              |  |
| <a href="#">18j2694n062</a>                              |  |
| <a href="#">75b0042x012 4quot;</a>                       |  |
| <a href="#">627-547</a>                                  |  |
| <a href="#">1e3190x0222</a>                              |  |
| <a href="#">12p0619x032</a>                              | 8 Wide Carrier Rack KJ4001X1-BB1                     |
| <a href="#">46a3672x012</a>                              | Discrete Output Latch Module DM6462                  |
| <a href="#">V300</a>                                     |  |

|   |   |
|---|---|
| <a href="#">10c1212x112</a><br><a href="#">Dvc2000 Hc</a> |   |
| <a href="#">12p1905x012</a>                               | I/O Cardfile Assembly 14 Slot                       |
| <a href="#">Vcg213942/3</a>                               |   |
| <a href="#">18b7713x012</a>                               |   |
| <a href="#">Fis V410</a>                                  |   |
| <a href="#">At101w</a>                                    | Mechanical Keyboard                                 |
| <a href="#">Repair Kit For Se-632-Tv-570</a>              |   |
| <a href="#">15a5967x022</a>                               |   |
| <a href="#">10490633</a>                                  |   |
| <a href="#">12p1071x012</a>                               | Fieldbus H1 Terminal Block KJ3004X1-EA1             |
| <a href="#">Nec-585c-Ross-Yd-3</a>                        |   |
| <a href="#">12p0683x082</a>                               | Analog Output 4-20mA KJ3002X1-BB1                   |
| <a href="#">12p1985x012</a>                               | DO 32 CH 24 VDC High Side KJ3001X1-CB1              |
| <a href="#">Fs-67cfr-600</a>                              |   |
| <a href="#">14-812-5</a>                                  |   |
| <a href="#">655r-Edr</a>                                  |   |
| <a href="#">Fs164a-85</a>                                 |   |
| <a href="#">12p0100x032</a>                               | CL6775X1-A1 Relay Output Terminal Panel 12PO100X032 |
| <a href="#">(604-264) Fgab1.3</a>                         |   |
| <a href="#">95h, N/N0018115573</a>                        |   |
| <a href="#">30b3053x012</a>                               |   |
| <a href="#">19a4321x012</a>                               |   |
| <a href="#">Dn 25 Gx</a>                                  |   |
| <a href="#">Dlc3010</a>                                   |   |
| <a href="#">10b3106x012</a>                               |   |
| <a href="#">10b3059x012</a>                               |   |
| <a href="#">12p1985x032</a>                               | KJ3001X1-CB1 Discrete Output Module KJ3001X1-CB1    |
| <a href="#">12p1874x012</a>                               | Left-hand Cable Extender KJ4110X1-CB1               |
| <a href="#">T14059t0012</a>                               |   |
| <a href="#">10p50460001</a>                               | OI Filter Board                                     |

|  |   |
|--|---|
| <a href="#">3661</a>                     |   |
| <a href="#">22b1428x052</a>              | IFC 500 Provox Backup Card CL7663X1-BA5, IFC 500          |
| <a href="#">1017 9960</a>                |   |
| <a href="#">17a7112x012 -</a>            |   |
| <a href="#">D10d1465d</a>                |   |
| <a href="#">12p3866x012</a>              | BF2 1.40M Bottom Extender Cable Assembly KJ4002X1-BF2     |
| <a href="#">38b5786x072</a>              |   |
| <a href="#">35a5316x012</a>              | INT. RELAY N.C. and N.O DM6462X1-B1                       |
| <a href="#">De2802n292pl0000</a>         |   |
| <a href="#">11792837</a>                 |   |
| <a href="#">Cc07+gx-Dn25</a>             |   |
| <a href="#">Cc07+gx-Dn40</a>             |   |
| <a href="#">12p0569x022</a>              | DH7751X1-BA2 Fiber Optic Extender DH7751X1-BA2            |
| <a href="#">627w</a>                     |   |
| <a href="#">Tw39b120l060t131 1xpt100</a> |   |
| <a href="#">12p0549x112</a>              | Digital Input Isolated 24VDC KJ3001X1-BA1                 |
| <a href="#">Coulescope Cms2 Step</a>     |   |
| <a href="#">289l-21</a>                  |   |
| <a href="#">46a9498x0m2</a>              | Power Distribution Panel With Battery CP7101, CP7101X1-A3 |
| <a href="#">67cfr-362</a>                |   |
| <a href="#">12p1872x012</a>              | IS Power Supply Carrier KJ4101X1-BC1                      |
| <a href="#">Fs67cfr224</a>               |   |
| <a href="#">19j4051n042</a>              |   |
| <a href="#">21b6039x042</a>              | Cable   |
| <a href="#">12p2062x022</a>              | Profibus DP Card KJ3007X1-BA1                             |
| <a href="#">1301f</a>                    |   |
| <a href="#">12p1980x012</a>              | DI 32 CH 24 VDC Dry Contact KJ3001X1-CA1                  |
| <a href="#">Cc07+v150b-Dn100</a>         |   |
| <a href="#">1v3802x0022</a>              |   |
| <a href="#">12p1811x012</a>              | RTD TERMINAL BLOCK KJ4001X1-CH1                           |

|   |  |
|---|--|
| <a href="#">J502</a>  |  |
| <a href="#">(605-026) Fmp30</a>                                     |  |
| <a href="#">17a4311x012</a>   |  |
| <a href="#">3051-Cd4a22a1ab4</a>                                    | PRESSURE TRANSMITTER                             |
| <a href="#">10a4217x012</a>   |  |
| <a href="#">38b9580x022</a>   |  |
| <a href="#">Complete Et-667 Valve Repair Kit 4<br/>Quot;150 Lbs</a> |  |
| <a href="#">11a5326x012</a>   | PLUG AND STEM ASSEMBLY                           |
| <a href="#">16a5418x022</a>   |  |
| <a href="#">627-556</a>   |  |
| <a href="#">V150 Ser B</a>  |  |
| <a href="#">14b5072x132</a>   |  |
| <a href="#">Scl-1054-T-2120-M2</a>                                  | TURBIDITY METER 120VAC 50/60HZ .5AMP             |
| <a href="#">38b6041x092</a>   |  |
| <a href="#">41b5222x41r</a>   | CL6821X1-A5 Analog I/O Module P1.5.1 CL6821X1-A5 |
| <a href="#">48a0285x062</a>   | CIA BUFFER CARD                                  |
| <a href="#">912n</a>  |  |
| <a href="#">Fs304-110</a>   |  |
| <a href="#">Cc07+v150b-Dn100-33</a>                                 |  |
| <a href="#">Mr98h</a>   |  |
| <a href="#">654050</a>  | Signal Control Module                            |
| <a href="#">12822086</a>  |  |
| <a href="#">Cc07+gx-Dn50</a>  |  |
| <a href="#">10160921</a>  |  |
| <a href="#">22b1428x142</a>   | Provox Backup Card CL7663X1-BA14                 |
| <a href="#">33b7073x012</a>   |  |
| <a href="#">Gasket For Type 2052</a>                                |  |
| <a href="#">12p1562x022</a>   | 2-Wide Carrier Board KJ4001X1-BA2                |
| <a href="#">12p1732x012</a>   | RTD ohms KJ3002X1-BF1                            |
| <a href="#">31b1834x012</a>   | Parallel Buffer Card                             |



|  |  |
|--|--|
| <a href="#">Nec-20522-V200-8r-Ch0002ec</a>                       |  |
| <a href="#">Cl6753x1-A5</a>                                      | 120 Vac/Vdc Input Module 12P0140X022                                 |
| <a href="#">N10j7062n012 (Unavailable)</a>                       |  |
| <a href="#">20765088 Repl By Vtc1051676</a>                      |  |
| <a href="#">12p1873x012</a>                                      | Right-hand Cable Extender KJ4110X1-CA1                               |
| <a href="#">R3582x00012</a>                                      |  |
| <a href="#">16359794</a>   |  |
| <a href="#">Ls111</a>  | TC Transmitter   |
| <a href="#">V150b</a>  |  |
| <a href="#">S702818</a>  |  |
| <a href="#">56a3688x012</a>                                      | Digital Output Termination Panel DM6463X1-B1                         |
| <a href="#">Dcu I/O Male</a>                                     | Provox' Connector Cable for DCU I/O Modules 20B6054X012, 28A6080X052 |
| <a href="#">12p1795x032</a>                                      | Bus Extender Cable KJ4002X1-BF2                                      |
| <a href="#">S02659</a>   |  |
| <a href="#">Vtc10043957 (Optional)</a>                           |  |
| <a href="#">Snev 03504850 Obsolete Replaced By Dn 25 Gx 3661</a> |  |
| <a href="#">12p327x022</a>                                       | Dry Contact Card KJ3203X1-BA1  |
| <a href="#">Dvc2000-604/Atex/Hc - By Dvc2000 Hc</a>              |  |
| <a href="#">Cp6103x1-Ba1</a>                                     | Power Supply 12P0237X012   |
| <a href="#">10a8840xt82</a>                                      |  |
| <a href="#">2e59702202</a>                                       |  |
| <a href="#">Cc07+v150b-Dn150</a>                                 |  |
| <a href="#">12p0678x032</a>                                      | SYSTEM POWER SUPPLY (DC/DC) KJ1501X1-BB1                             |
| <a href="#">01984-2853-1001</a>                                  | MTCC Options Keyboard 9748-1700                                      |
| <a href="#">27b9744x022</a>                                      |  |
| <a href="#">1c4248x0202</a>                                      |  |
| <a href="#">12b6758x012</a>                                      |  |
| <a href="#">6780d</a>  | Dell Universal Keyboard  |
| <a href="#">Fkf456k-104</a>                                      | Monterey Keyboard  |

|                                       |  |
|---------------------------------------|--|
| <a href="#">167da-16/Yb</a>           |  |
| <a href="#">17a4309x012</a>           |  |
| <a href="#">751-Am7e5bc</a>           | FIELD SIGNAL INDICATOR                           |
| <a href="#">R470x000022</a>           |  |
| <a href="#">12p0524x022</a>           | I/O Cable 12P0524X 022                           |
| <a href="#">Dn25 Inox Pn40lkms-Pl</a> |  |
| <a href="#">0020963316</a>            |  |
| <a href="#">1151gp7e22b1e6</a>        | PRESSURE TRANSMITTER 300PSI 4-20MA               |
| <a href="#">3051-Cd2a02a1as5m5e5</a>  | PRESSURE TRANSMITTER 10.5/55VDC 3626PSI 250BAR   |
| <a href="#">40b1745</a>               | Highway Interface Module                         |
| <a href="#">34b6283x012</a>           |  |
| <a href="#">12p0818x032</a>           | CARRIER WITH SHIELD BAR KJ4001X1-BE1             |
| <a href="#">Type 2052</a>             |  |
| <a href="#">He0201fcv01-Gx4</a>       |  |
| <a href="#">39a8567x042</a>           | PC BOARD K-TC INPUT UNIT                         |
| <a href="#">2088q1s22b2</a>           | PRESSURE TRANSMITTER 8BAR 4-20MA 10.5-36VDC      |
| <a href="#">17a4310x012</a>           |  |
| <a href="#">12p3378x012</a>           | 2 Wide Carrier KJ4001X1-BA3                      |
| <a href="#">12p0120x012</a>           | I/O MODULE                                       |
| <a href="#">12p0681x072</a>           | Analog Input 4-20mA Module KJ3002X1-BC1          |
| <a href="#">Fh111</a>                 |  |
| <a href="#">16a5329x012</a>           |  |
| <a href="#">627-558</a>               |  |
| <a href="#">He0104fcv01-24</a>        |  |
| <a href="#">12p0830x042</a>           | LOCAL BUS RIGHT EXTENSION KJ4010X1-BG1           |
| <a href="#">8712hr12m4c1</a>          | MAGNETIC FLOW TRANSMITTER 2.5AMP 115V 50/60HZ    |
| <a href="#">R3580xrs012</a>           |  |
| <a href="#">Type:414-6305 - , No</a>  |  |
| <a href="#">1u05677g01</a>            | FLAME ARRESTOR DIFFUSER HUB CERAMIC              |
| <a href="#">2e8597x0032</a>           |  |
| <a href="#">3144d1e9b4m5c4f5q4</a>    | SMART TEMPERATURE TRANSMITTER -10-50C 12-42.4VDC |

|  |  |
|--|--|
| <a href="#">Dvc6020</a>                                    |  |
| <a href="#">1b599635072</a>                                |  |
| <a href="#">3620jp</a>                                     |  |
| <a href="#">(605-564) (Kal-Ns 0.3-110 Fn (0.3-80 Fe%))</a> |  |
| <a href="#">12p1824x012</a>                                | Digital I/O Module CL6721X1-A4 p1.5              |
| <a href="#">2090-Pg2s22d1</a>                              | PRESSURE TRANSMITTER 4-20MA 10.5-36VDC 150PSI    |
| <a href="#">12b4150x012</a>                                | PROVUE Console Keyboard                          |
| <a href="#">Cc07+gx-Dn80</a>                               |  |
| <a href="#">Fs122a-3</a>                                   |  |
| <a href="#">620641</a>                                     | COMMUNICATION CONTROL MODULE 3AMP 120V 50/60HZ   |
| <a href="#">16a3342x012</a>                                |  |
| <a href="#">1r180023122</a>                                |  |
| <a href="#">95h N/N 0018115573</a>                         |  |
| <a href="#">01984-2837-0001</a>                            | Floppy Disk Drive ADP200501318346                |
| <a href="#">Vtc1051676</a>                                 |  |
| <a href="#">12p0831x042</a>                                | LOCAL BUS LEFT EXTENSION KJ4010X1-BF1            |
| <a href="#">Vcg213942/1</a>                                |  |
| <a href="#">10b3078x012</a>                                |  |
| <a href="#">1301g</a>                                      |  |
| <a href="#">18j5184n222</a>                                |  |
| <a href="#">41b4148</a>                                    | MPU MULTILAYER POWER BOARD                       |
| <a href="#">46a3554x01r</a>                                | Analog Output Module DM6421X1-A1                 |
| <a href="#">Ur02w08f002s Bk-1-E-1-A-A</a>                  |  |
| <a href="#">1033 4022</a>                                  |  |
| <a href="#">1b3069x012</a>                                 |  |
| <a href="#">A600103057</a>                                 |  |
| <a href="#">14b5072x112</a>                                |  |
| <a href="#">32b2412x012</a>                                | Isolated Analog Input Daughterboard CL6863X1-CB1 |
| <a href="#">4100am-1nrh1</a>                               | CHANNEL BOARD                                    |
| <a href="#">Yd-16359794</a>                                |  |



Yursat DıŐ Tic. M¼nendislik  
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505  
Osmangazi/BURSA  
+90 224 2400304  
[info@yursat.com.tr](mailto:info@yursat.com.tr)  
[www.yursat.com.tr](http://www.yursat.com.tr)

---