

Flexicon

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Flexicon Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Flexicon T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



| ¼r¼n | A¼ıklama |
|--|----------|
| B-M20 | |
| B-M20-M25 | |
| B-M25-M32 | |
| B-M32-M40 | |
| FCC16 | |
| FCC25 | |
| FCL34B (1 pack - 10 pcs.) | |
| FPADS54B-25M (Roll = 25M) | |
| FPAL16B-50M | |
| FPAX16-M16B (1 pack - 10 pcs.) | |
| FSU10 | |
| FSU12 | |

| | |
|--|--|
| FSU12-M16 | |
| FSU16-M20 | |
| FSU20B-25M | |
| FSU32 | |
| FW12 (1 pack - 100 pcs.) | |
| FW20 (1 pack - 50 pcs.) | |
| FW32 (1 pack - 10 pcs.) | |
| FW40 (1 pack - 10 pcs.) | |
| LTP/LTPAS | |
| LTP20B-10M | |
| LTP20B-25m | |
| LTP25-M25-EXD | |
| LTPAS25B-25m | |
| LTPHC20B-25m | |
| LTPHC25B-25m | |
| LTPLFH25B-25m | |
| LTPPUAS20B-25M | |
| LTPSS20B-25M | |
| LTPUL20B-25M | |
| PG29-NB | |
| RT5500 | |
| 61006520 | Accesories COUNTER NUT Msg.vern./M20x1.5 Packing unit: 100 |
| FSU32B-25M | Flexicon FSU32B-25M CONDUIT / PVC COATING / BLACK GALV. STEEL/32/25m Packing unit: 1 |
| FSU20B-25M | Flexicon FSU20B-25M CONDUIT / PVC COATING / BLACK GALV. STEEL/20/25m Packing unit: 1 |
| FSU16B-25M | Flexicon FSU16B-25M CONDUIT / PVC COATING / BACK GALV. STEEL/16/25m Packing unit: 1 |
| 99999996 | FSU32-M32-S ROTARY GEAR |
| 99999996 | FSU32-PG29-S ROTARY GEAR |
| 99999996 | FSU20-PG16-S ROTARY GEAR |

| | |
|---|---|
| FSU20-M20-S | Flexicon FSU20-M20-S CONDUIT FITTING SWIVEL BRASS, NP/20/M20 Packing unit: 10 |
| 99999996 | FSU16-M20-S ROTARY GEAR |
| FSU16-M16-S | Flexicon FSU16-M16-S CONDUIT FITTING SWIVEL BRASS, NP/16/M16 Packing unit: 10 |
| 99999996 | FSU16-PG11-S ROTARY GEAR |
| FSU16-M16-M | Flexicon FSU16-M16-M CONDUIT FITTING BRASS, NP/16/M16 Packing unit: 10 |
| FSU25-M25-M | Flexicon FSU25-M25-M CONDUIT FITTING BRASS, NP/25/M25 Packing unit: 10 |
| FB16-25M | Galvanised Steel Overbraided Galvanised Steel Cond. 16mm Dia. |
| FB20-25M | Galvanised Steel Overbraided Galvanised Steel Cond. 20mm Dia. |
| FB25-25M | Galvanised Steel Overbraided Galvanised Steel Cond. 25mm Dia. |
| FB32-25M | Galvanised Steel Overbraided Galvanised Steel Cond. 32mm Dia. |
| FB40-10M | Galvanised Steel Overbraided Galvanised Steel Cond. 40mm Dia. |
| Flexicon FCL21B-P | Hinged Lidded Clip Plain Cond. / Black PA6.6/21 |
| 89-100-108 | 20 mm diameter flip-off type aluminum-plastic covers (FLIP-OFF FS 10 and FS32 models, |
| 61072125 | |
| Fcl28b | Conduit Clip with integral lid / Black PA6.6/28 |
| B-M25 | |
| Fsu 16-M16-S | |
| Bm 90-25m | |
| Adk-02 | |
| Ltppuas20b-25m 25m Coil | |
| Ltp20-M20-Exd | |
| Fpa34-Flb | |
| Fcc40 | |
| Ltp25b-50m | |
| Fcc20 | |

| | |
|---|---|
| Fpax28-Pg21b | |
| Fcl34b | Conduit Clip with integral lid / Black PA6.6/34 |
| Fs10 | |
| Fpa42-Flb | |
| Flexfeed15 | |
| Fcl10b | |
| Fw16 | sealing washers metric fibre face |
| Fw25 | sealing washers metric fibre face |
| Barrier Compound For Ltp20-M20-Exd Do Not Sell This Separately | |
| Fsu-16b | |
| Fpa28-Pg21b | |
| Fcc32 | |
| Fcc12 | |
| Fpads28b-50m | |
| Bm 90-16m | |
| B-M16 | |
| Fpa28-Flb | |
| Fpa28-Bm25 | |
| Fw20 | sealing washers metric fibre face |
| Fw40 | sealing washers metric fibre face |
| Fcl-16 | |
| Flexfeed 30 | |
| B-050-M20 | |
| Fw12 | sealing washers metric fibre face |
| Fpax16-M16b | type FPAX metric - nylon straight external - IP69 |
| Ltp25-M25-C90 | |
| Fs32 | |
| Fpas16or-50m | |
| Fcc50 | |
| Fpads42b-25m | |

| | |
|------------------------------|---|
| Fc32 | |
| Fc10 | |
| Fw32 | sealing washers metric fibre face |
| Fsu 25-M25-S | |
| Fcl21b | Conduit Clip with integral lid / Black PA6.6/21 |
| Fpas21or-50m | |
| Fpads34b-25m | |