

## Flintec

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Flintec** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Flintec Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

# ec

| rn                                    | Aıklama   |
|---|--|
| <a href="#">Rc3-30t-C3</a>              | 5020-093 RC3-30t-C3 load cell Technical data according to data sheet A48   |
| <a href="#">5038-083</a>                | Load cell BK2-2000kg-TM-C3 Technical data according to data sheet A53  |
| <a href="#">5200-017</a>                | Junction box KPK-4 for 4 load cells, connection with spring clips Casing: Polyester, IP66, 75 x 230 x 50 mm glands: 4x M12x1.5, 1x M16x1.5 Cornerstone: with resistors / potentiometer |
| <a href="#">6002-047</a>                | Analog amplifier type FAA-27 Version for 24 V DC Housing: for top hat rail mounting Technical data according to data sheet E160  |
| <a href="#">5018-063</a>                | Load cell SLB-2.5klb-BH-C3 (1134kg) Technical data according to data sheet A24   |
| <a href="#">5018-083</a>                | Load cell SLB-5klb-BH-C3 (2268kg)  |
| <a href="#">Slb-5klb-Bh-C3 (2268kg)</a> | Wgezelle  |
| <a href="#">5020-093</a>                | RC3-30t-C3 load cell Technical data according to data sheet A48  |
| <a href="#">Wgezelle PC12-20kg-C3</a>  |  |

|  |  |
|--|--|
| <a href="#">W¼gezelle SB8-20kg-C3</a>                                      |  |
| <a href="#">Universal weight indicator type DAD 141.1</a>                  | for mounting on a top hat rail Power supply 10..30 V DC Approved for 10,000 parts -with serial interface RS422 / 485 - with Ethernet TCP / IP -Analog output (current / voltage) -2 digital inputs -3 digital outputs  |
| <a href="#">Digital measuring amplifier type LDU 78.1</a>                  | Network function via RS422 / 485 Technical data according to data sheet E146   |
| <a href="#">EM100 LDU</a>  |  |
| <a href="#">SLB-2,5klb-BH-C3</a>   | 5018-063 W¼gezelle SLB-2,5klb-BH-C3 (1134kg)   |
| <a href="#">5055-073-042-060-14-99-00697</a>                               | Load cell ULB-3000kg-C3 The screen is placed on the load cell side. Metal screw connection Technical data according to data sheet A38  |
| <a href="#">EM-100-A</a>   | 6101-EM100-A Accurate weighing   |
| <a href="#">RC3-40t-C4</a>   | 5020-104 RC3-40t-C4 load cell Technical data according to data sheet A48   |
| <a href="#">5020-104-100 (alternative)</a>                                 | RC3-40t-C4 load cell Technical data according to data sheet A48 Version for use in Ex areas according to ATEX, for device group II, Category 1G, Ex ia IIC T6 / T5 Ga, or Category 1D, Ex ia IIIC T100 ° C Da, Category 2G, Ex ia IIC T6 / T5 Gb or Category 2D, Ex ia IIIC T100 ° C Db, or Category 3G, Ex ic IIC T6 / T5 Gc, or Category 3G, Ex nA IIC T6 / T5 Gc, or Category 3D, Ex tc IIIC T100 ° C Dc Including operating instructions for each load cell Attention! The operator or installer on site must mark the category used on the label. The installation must be carried out in accordance with the Flintec operating instructions. |
| <a href="#">5008-053</a>   | W¼gezelle SB8-50kg-C3  |
| <a href="#">5008-053</a>   | Load cell SB8-50kg-  |
| <a href="#">SB8-50kg-C3</a>  | Load cell 5008-053 Technical data according to data sheet A103   |
| <a href="#">5000-052</a>   | W¼gezelle SB4-20kN-GP  |
| <a href="#">10557020</a>   |  |
| <a href="#">23-39370X-10</a>   |  |
| <a href="#">23-39770X-10</a>   |  |
| <a href="#">30T C3 LOADCELL IP 68 STAINLESS STEEL,LIGHTNING PROTECTION</a> |  |
| <a href="#">5000-053</a>   |  |
| <a href="#">5001-043</a>   |  |
| <a href="#">5002-043</a>   |  |
| <a href="#">5020-083</a>   |  |

|  |  |
|--|--|
| <a href="#">5020-093 RC3-30T-C3</a>                            |  |
| <a href="#">5020-093 WAGEZELLE RC3-30T-C3</a>                  |  |
| <a href="#">5028-063</a>                                       |  |
| <a href="#">5029-053</a>                                       |  |
| <a href="#">5029-083 WAGEZELLE SB14-5KB-CM-C3<br/>(2268KG)</a> |  |
| <a href="#">5039-023</a>                                       |  |
| <a href="#">5041-083</a>                                       |  |
| <a href="#">5055-043</a>                                       |  |
| <a href="#">5055-062</a>                                       |  |
| <a href="#">FAD058 V.3.01</a>                                  |  |
| <a href="#">Junction box for 23-39770X-10</a>                  |  |
| <a href="#">PC30-50kg-C3</a>                                   |  |
| <a href="#">PC60 C3</a>  |  |
| <a href="#">PC6-100 KG C3</a>                                  |  |
| <a href="#">PC6-50kg-C3 MI6 Y 25 000</a>                       |  |
| <a href="#">RC3-100t-C3</a>                                    |  |
| <a href="#">RC3-30t-C3</a>                                     | 5020-093 Technical data according to data sheet A48                                    |
| <a href="#">SB2-100K-C3</a>                                    |  |
| <a href="#">SB2-100klb-C3</a>                                  |  |
| <a href="#">SB8-50kg-C3</a>                                    |  |
| <a href="#">SLB-1KLB-BH-C3</a>                                 |  |
| <a href="#">SLB-2.5klb-BH-C3</a>                               |  |
| <a href="#">Typ Q50 (5t)</a>                                   |  |
| <a href="#">WAGEZELLE SB5-50KN-C3 5002-063</a>                 |  |
| <a href="#">5020-093</a>                                       | Load cell RC3-30t-C3   |
| <a href="#">M33.002</a>  | Rc3 30T C3   |
| <a href="#">5019-063</a>                                       | Load cell SB14-2,5klb-BH-C3 (1134kg)   |
| <a href="#">5029-063 (alternative)</a>                         | Wagezelle SB14-2,5klb-CM-C3 (1134kg)  |
| <a href="#">5617-053-060</a>                                   | Load cell PC6-50kg-C3 shield placed Cable: 6-wire (shielded)<br>Cable length: 6 meters |

|   |  |
|---|--|
| <a href="#">5055-063</a>                          | Load cell ULB-2000kg-C3  |
| <a href="#">5020-083-100</a>                      | RC3-22.5t-C3 load cell Technical data according to data sheet A48 Version for use in hazardous areas according to ATEX, for device group II, Category 1G, Ex ia IIC T6/T5 Ga, or Category 1D, Ex ia IIIC T100°C Da, Category 2G, Ex ia IIC T6/T5 Gb or Category 2D, Ex ia IIIC T100°C Db, or Category 3G, Ex ic IIC T6/T5 Gc, or Category 3G, Ex nA IIC T6/T5 Gc, or Category 3D, Ex tc IIIC T100°C Dc including operating instructions for each load cell |
| <a href="#">5020-073</a>                          | RC3-15t-C3 load cell   |
| <a href="#">5020-063</a>                          | RC3-7.5t-C3 load cell  |
| <a href="#">5000-045</a>                          | Load cell SB4-10kN-C3 MI7.5 Technical data according to data sheet A01   |
| <a href="#">5019-083</a>                          | Load cell SB14-5klb-BH-C3 (2268kg) Technical data according to data sheet A31  |
| <a href="#">5019-053</a>                          | Load Cell SB14-1klb-BH-C3 (454kg) Technical data according to data sheet A31   |
| <a href="#">5729-013</a>                          | Load cell SB9-250kg-TM-C3  |
| <a href="#">SB5-50kN-C3</a>                       | 5002-063   |
| <a href="#">SB14-1klb-BH-C3</a>                   | Technical data according to data sheet A31   |
| <a href="#">LOAD CELL MODEL: SB1-2.5KLB-BH C3</a> |  |
| <a href="#">LOAD CELL MODEL: SB1-500LB-BH C3</a>  |  |
| <a href="#">PC60- 100 kg C3 Loadcell</a>          |  |
| <a href="#">SLB-5klb-BH-C3 (2268kg)</a>           | 5018-083 Technical data according to data sheet A24  |
| <a href="#">5007-043</a>                          | Load cell PC1-30kg-C3 Technical data according to data sheet A23   |
| <a href="#">5007-043-100</a>                      | Load cell PC1-30kg-C3 Technical data according to data sheet A23 Version for use in hazardous areas according to ATEX, for device group II, Category 1G, Ex ia IIC T6/T5 Ga, or Category 1D, Ex ia IIIC T100°C Da, Category 2G, Ex ia IIC T6/T5 Gb or Category 2D, Ex ia IIIC T100°C Db, or Category 3G, Ex ic IIC T6/T5 Gc, or Category 3G, Ex nA IIC T6/T5 Gc, or Category 3D, Ex tc IIIC T100°C Dc including operating instructions for each load cell  |
| <a href="#">5028-083</a>                          | Load cell SLB-5klb-CM-C3 (2268kg) Technical data according to data sheet A24   |
| <a href="#">5020-693-300-180</a>                  | Load cell RC3-30t-C3* with surge arresters Technical data according to data sheet A48  |
| <a href="#">5020-093</a>                          | RC3-30t-C3 load cell Technical data according to data sheet A48  |
| <a href="#">LOADCELL (TYPE SB14-5KLB-BH C3 )</a>  |  |

|   |  |
|---|--|
| <a href="#">PC60-200Kg-C3</a>                               |  |
| <a href="#">5018-063</a>                                    | Load cell SLB-2.5klb-BH-C3 (1134kg) Technical data according to data sheet A24   |
| <a href="#">Load cell SLB-2.5klb-BH-C3 (1134kg)</a>         | 5018-063   |
| <a href="#">Load cell SLB-2.5klb-BH-C3 (1134kg)</a>         | 5018-063-100 Load cell SLB-2.5klb-BH-C3 (1134kg) Technical data according to data sheet A24 Version for use in hazardous areas according to ATEX, for device group II, Category 1G, Ex ia IIC T6/T5 Ga, or Category 1D, Ex ia IIIC T100°C Da, Category 2G, Ex ia IIC T6/T5 Gb or Category 2D, Ex ia IIIC T100°C Db, or Category 3G, Ex ic IIC T6/T5 Gc, or Category 3G, Ex na IIC T6/T5 Gc, or Category 3D, Ex tc IIIC T100°C Dc including operating instructions for each load cell |
| <a href="#">Load cell SLB-1klb-BH-C3 (454kg)</a>            | 5018-053 Technical data according to data sheet A24  |
| <a href="#">Load cell SLB-5klb-BH-C3 (2268kg)</a>           | 5018-083   |
| <a href="#">SLB-2,5</a>                                     |  |
| <a href="#">RC3-30T C3</a>                                  | 5020-093   |
| <a href="#">FAA-26</a>                                      | CONVERTER ; ANALOG AMPLIFIER ; 0-10 V ; 4-20 MA  |
| <a href="#">load cell RC3-40t-C4</a>                        | 5020-104   |
| <a href="#">Slb-500 Ib Cm C3</a>                            |  |
| <a href="#">Rc3-15 T Gp</a>                                 |  |
| <a href="#">Rc3-15t-C4 (5020-074)</a>                       |  |
| <a href="#">5018 062</a>                                    |  |
| <a href="#">20-496751-30 Sb5-50kn-C3 Load Cell W/30 Ft.</a> |  |
| <a href="#">Rc3-30t-C4</a>                                  |  |
| <a href="#">Sb14-2.5 Klb-Bh</a>                             |  |
| <a href="#">5006-113 Wã196;Gezelle Rc1-400kn-C3</a>         |  |
| <a href="#">Bk2-2.000-Tm</a>                                |  |
| <a href="#">SB5-50kN-C3</a>                                 | Flintec Artikel-Nr. 5002-063   |
| <a href="#">Typ Faa-26</a>                                  | 6002-036 Analog amplifier type FAA-26 Version for 24 V DC Housing: for DIN rail mounting Technical data according to data sheet E160   |
| <a href="#">5018 082</a>                                    |  |
| <a href="#">5020-073</a>                                    |  |
| <a href="#">Pc6-100kg-C3, Art N: 5617-073-060</a>           |  |
| <a href="#">Fad058 V.3.01 , Alternativ Fad59 V.3.01</a>     |  |

|  |   |
|--|---|
| <a href="#">Ub1 20kn-G3</a>                                      |   |
| <a href="#">UlB-2000 Kg - C3</a>                                 |   |
| <a href="#">Rc3-30t-C3 1ad</a>                                   |   |
| <a href="#">5 KlB Bh C3</a>                                      |   |
| <a href="#">Wã196;Gezelle Sb5-50kn-C3 5002-063</a>               |   |
| <a href="#">Sb8 200kg C3</a>                                     |   |
| <a href="#">Lct-11</a>   |   |
| <a href="#">Faa-25</a>   |   |
| <a href="#">2,,2 T / Rc22,2tc3</a>                               |   |
| <a href="#">Sb4-50kn-C3 (5000-063)</a>                           |   |
| <a href="#">Faa 25</a>   |   |
| <a href="#">5008-013 , Type Sb8-10kg-C3</a>                      |   |
| <a href="#">5019-083 Wã196;Gezelle Sb14-5kb-Bh-C3 (2268kg)</a>   |   |
| <a href="#">Slb-2 5klb-Bh-C3 (5018-083)</a>                      |   |
| <a href="#">21-823701-10 Slb-500lb-Hb-C3 Load Cell W/ 10 Ft.</a> |   |
| <a href="#">Loadcell Rc3</a>                                     |   |
| <a href="#">Art.No. 5020-093 Rc3-30t-C3</a>                      |   |
| <a href="#">5020 093</a>   |   |
| <a href="#">Bk2 2 000 Tm</a>                                     |   |
| <a href="#">Slb 200lb C3 (91 Kg)</a>                             |   |
| <a href="#">Sb4-50kn-C3</a>                                      |   |
| <a href="#">5018-000</a>   |   |
| <a href="#">Slb-200lb-Bh-C3 (5018-033)</a>                       |   |
| <a href="#">Slb-2,5klb-Bh-C3 (1134kg)</a>                        | 5018-063 Load Cell SLB-2,5klb-BH-C3 (1134kg) Technical data according to data sheet A24 |
| <a href="#">5020-093 Wã196;Gezelle Rc3-30t-C3</a>                |   |
| <a href="#">6002 028</a>   |   |
| <a href="#">Sb4-20kn-C3 (5000-053)</a>                           |   |
| <a href="#">Pc30-50 Kg C3</a>                                    |   |
| <a href="#">(5020-093) Rc3-30t-C3</a>                            |   |

|  |                                  |
|--|----------------------------------|
| <a href="#">Pc6-50kg-C3 Mi6 Y 25 000</a>                           |                                  |
| <a href="#">Cmp 30</a>   |                                  |
| <a href="#">Rc3-30t</a>  | Load cell RC3-30t                |
| <a href="#">1 Tn Rc21tc3</a>                                       |                                  |
| <a href="#">Rc3-50t-C3</a>   |                                  |
| <a href="#">Pc6-50kg-C3 Mi6</a>                                    |                                  |
| <a href="#">Pc1-50kg-C3 5007-053</a>                               |                                  |
| <a href="#">Pc1-100kg C3</a>                                       |                                  |
| <a href="#">Wã196;Gezelle Slb-500lb-Bh-C3 (227kg)<br/>5018-043</a> |                                  |
| <a href="#">Pcb-50kg-C3 (5012-033-011-030-016)</a>                 |                                  |
| <a href="#">5018-083 , Type Slb-5klb-Bh-C3<br/>(2268kg)</a>        |                                  |
| <a href="#">Kit Complete For 55-01-07h Rocker<br/>System</a>       |                                  |
| <a href="#">Sb8-10kg-C3</a>  |                                  |
| <a href="#">Rc3 Nm 30 T C3-S.A</a>                                 |                                  |
| <a href="#">Slb-500ib-Bh-C3 (5018-043)</a>                         |                                  |
| <a href="#">5020-093</a>   |                                  |
| <a href="#">Ulb-2000kg-Gp</a>                                      |                                  |
| <a href="#">Slb-500lb-Bh-C3 (227kg)</a>                            |                                  |
| <a href="#">(5017-073) Pc6-100kg-C3</a>                            |                                  |
| <a href="#">5200 017</a>   |                                  |
| <a href="#">55-01-07h Rocker System</a>                            |                                  |
| <a href="#">Faa-26</a>   |                                  |
| <a href="#">Rc3 30t C3 (Oberer Stahl)</a>                          |                                  |
| <a href="#">5028-033</a>   | Load cell SLB-200lb-CM-C3 (91kg) |
| <a href="#">Rc3-40t-C3</a>   |                                  |
| <a href="#">5018 063</a>   |                                  |
| <a href="#">Rc3-30t C3 S/N: 10346437 G 15m</a>                     |                                  |
| <a href="#">Rc21tc3</a>  |                                  |
| <a href="#">Type: Rc3 - 30t C3 Serial</a>                          |                                  |

|   |   |
|---|---|
| <a href="#">Number:10694304</a>                                 |   |
| <a href="#">(5012-053) Pcb-250kg-C3</a>                         |   |
| <a href="#">5018-043 , Type Slb-500lb-Bh-C3<br/>(227kg)</a>     |   |
| <a href="#">W;Gezelle Slb-2,5klb-Cm-C3 (1134kg)</a>            |   |
| <a href="#">Rc3-22,5t-C3</a>                                    | Art Nr. 5020-083 load cell Technical data according to data sheet A48     |
| <a href="#">21-727701-10 Slb-2.5klb-Hb-C3 Load Cell W/10ft.</a> |   |
| <a href="#">5002-063</a>  |   |
| <a href="#">Sb8-10kg-C3 5008-013</a>                            |   |
| <a href="#">5038-082</a>  |   |
| <a href="#">Faa-25(6002-028) By Faa-26</a>                      |   |
| <a href="#">5018-053</a>  |   |
| <a href="#">5208-019</a>  |   |
| <a href="#">6002-028</a>  |   |
| <a href="#">5205-Zel</a>  |   |
| <a href="#">1 Tn. /Rc21tc3</a>                                  |   |
| <a href="#">Slb-2,5klb-Bh-C3</a>                                | Wgezelle SLB-2,5klb-BH-C3 (1134kg) Technische Daten gemB Datenblatt A24 |
| <a href="#">Top-Bottom Steel Wedges For Rc3-30t</a>             |   |
| <a href="#">Rc3-30t-C3 5020-093</a>                             |   |
| <a href="#">Rc3 C3</a>  | Modell: Loadcell  |
| <a href="#">Slb-5 Klb-Cm C3</a>                                 |   |
| <a href="#">Slb-200 Lb-Bh-C3</a>                                |   |
| <a href="#">Slb-500lb-Bt-Gp</a>                                 |   |
| <a href="#">Sb5-20kn-C3</a>                                     |   |
| <a href="#">Art.No. 5028-043 Slb-500lb-Cm-C3<br/>(227kg)</a>    |   |
| <a href="#">5018-043</a>  |   |
| <a href="#">Pc6-50 Kg</a>                                       |   |
| <a href="#">5018-062</a>  |   |
| <a href="#">Rc3-15t-C3</a>                                      |   |



|   |  |
|---|--|
| <a href="#">21-726701-10 Slb-1klb-Hb-C3 Load Cell<br/>W/ 10 Ft.</a> |  |
| <a href="#">La63202s</a>  |  |
| <a href="#">Sb5-10kn-C3</a>   |  |
| <a href="#">Art.No. 5019-063 Sb14-2,5klb-Bh-C3<br/>(1134kg)</a>     |  |
| <a href="#">Pc6d-20kg-G3 (5027-033/S)</a>                           |  |
| <a href="#">Rc3-30t-C4 (5020-094)</a>                               |  |
| <a href="#">1klb Bh C3</a>  |  |
| <a href="#">Slb-2,5klb-Cm-C3</a>                                    |  |
| <a href="#">Sb14-2,5klb-Bh-C3</a>                                   |  |
| <a href="#">Rc3 - 30 T C3</a>                                       |  |
| <a href="#">Pc30-30kg C3</a>  |  |
| <a href="#">Kpk-4</a>   |  |
| <a href="#">Rc3-7,5t-C4 (5020-064)</a>                              |  |
| <a href="#">Slb-500lb-Cm-C3</a>                                     |  |
| <a href="#">Bj-4</a>  |  |
| <a href="#">Rc3d</a>  |  |
| <a href="#">Pc1-15kg-C4/ 5007-036-032-060-14-99-<br/>00568</a>      |  |
| <a href="#">La63-202- 2t</a>  |  |
| <a href="#">Pc60-100kg-C3 (5039-033)</a>                            |  |
| <a href="#">Dad 141.1</a>   |  |
| <a href="#">Fad59 V.3.01</a>  |  |
| <a href="#">Sb4-10kn-C3 (5000-043)</a>                              |  |
| <a href="#">5002-063 , Type Sb5-50kn-C3</a>                         |  |
| <a href="#">5205 Zel</a>  |  |
| <a href="#">Sb8-100kg-C3</a>  |  |
| <a href="#">6001-781</a>  | Digital measuring amplifier, type LDU 78.1 Network function<br>via RS422 / 485 Technical data according to data sheet E146 |
| <a href="#">Sb5-50kn C3 2618069</a>                                 |  |
| <a href="#">5038 082</a>  |  |

|  |  |
|--|--|
| <a href="#">Pc6-100kg-C3</a>   |  |
| <a href="#">5008-073</a>   |  |
| <a href="#">10697995</a>   |  |
| <a href="#">5019-063</a>   |  |
| <a href="#">Slb-2,5klb-Bh-Gp</a>                                     |  |
| <a href="#">Rc22,2tc3</a>  |  |
| <a href="#">Ft11</a>   |  |
| <a href="#">5018 000</a>   |  |
| <a href="#">Typ Faa-27</a>   | 6002-047 Analog amplifier type FAA-27 Version for 24 V DC<br>Housing: for DIN rail mounting Technical data according to<br>data sheet E160         |
| <a href="#">5018-063 , Type Slb-2,5klb-Bh-C3</a>                     |  |
| <a href="#">5018-082</a>   |  |
| <a href="#">Bk2 Tm.C3</a>  |  |
| <a href="#">P/N : Type 52-02; For Sb5 Loadcell</a>                   |  |
| <a href="#">Slb-Bh</a>   |  |
| <a href="#">5018-063 , Type Slb-2,5klb-Bh-C3<br/>(1134kg)</a>        |  |
| <a href="#">Lb-200lb-Bh-C3</a>                                       | Wägezelle SLB-200lb-BH-C3 (91kg) Technische Daten gemäŐ<br>Datenblatt A24  |
| <a href="#">Rc3 30t C3 For Nt31 Weight Bridge<br/>Flintec Analog</a> |  |
| <a href="#">Pc6-50kg C3</a>  |  |
| <a href="#">Pc1 -15 Kg</a>   |  |
| <a href="#">5020 093 Rc3 30t C3</a>                                  |  |
| <a href="#">Pc1-15kg-C4/ 5007-036</a>                                |  |
| <a href="#">Sb14 - 1 Klb Bh C3</a>                                   |  |
| <a href="#">5018-053 , Type Slb-1klb-Bh-C3 (454kg)</a>               |  |
| <a href="#">21-728701-10 Slb-5klb-Hbs-C3 Load Cell<br/>W/ 10 Ft.</a> |  |
| <a href="#">Pc6-50kg-C3</a>  | 5617-053-060 Load cell PC6-50kg-C3 Screen placed Cable: 6-<br>wire (shielded) Cable length: 6 meters Technical data<br>according to data sheet A28 |
| <a href="#">5029-083 Wä196;Gezelle Sb14-5kb-Cm-<br/>C3 (2268kg)</a>  |  |

[Rc3 30t C3 \(Unterer Stahl\)](#)

[Pc7-100kg-C3](#)

[30t C3 Loadcell Ip 68 Stainless  
Steel,Lightning Protection](#)