

Franke Filter



Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye ii kapı teslim fiyat ve teslim s¼resi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Franke Filter Markası, tedarik s¼resi iin l¼tfen bizimle iletiŐime geiniz.

Firmamız Franke Filter T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen Özel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	Aıklama
Mfk-032-39.4	Filter candle type MFK-032-39.4 including O-ring seal Customs tariff number: 84219990 Country of origin: United Kingdom
MFK-032-39.4	Filter cartridge type MFK-032-39.4 including O-ring seal Country of origin: United Kingdom Customs tariff number: 84219990
MFK-032-39.4	Filter cartridge type MFK-032-39.4 including O-ring seal Customs tariff number: 84219990 Country of Origin: UK Net single weight: about 0.1 kg 1 set = 7 pieces
MFK-032-39.4	Filter cartridge type MFK-032-39.4 including O-ring seal
MFK-680-39.4	Filter cartridge type MFK-680-39.4 incl. O-ring seal
MFK-032-39.4	
MFK-032-39.4	Filter cartridge type MFK-032-39.4 including O-ring seal
FF2 - 066.10279	TYPE 13/8799 Factory number of Franke Filter Oil Mist Separator MFK - 032 - 39.4 Filter element (Length: 230 mm Outer Diameter: 66 mm Inner Diameter: 53 mm)
IS DOLLINGER FILTER 4 INCH TYP:GP 146-14	
AS 039-18S	Secondary air filter G1½
AS 039-18S	Secondary air filter G1½

FF2-166.20030	Oil mist separator type FF2-166 Specification FF2-166.20030 100 mbar at 235 m ³ /h Drawing no. 1FF2-166.25003R1- Example Process scheme no. 0XXX054A Oil Mist Separator Type FF2-166 Specification FF2-166.20030 100 mbar at 235 m ³ /h Drawing no. 1FF2-166.25003R1 example Process Scheme no. 0XXX054A
FF2-444.15010	Oil mist separator type FF2-444 Specification FF2-444.15010 100 mbar at 550 m ³ /h Drawing no. 1FF2-444.15007R1 - ExampleProcedure scheme no. 0XXX1433A Oil Mist Separator Type FF2-444 Specification FF2-444.15010 100 mbar at 550 m ³ /h Drawing no. 1FF2-444.15007R1 - Example Process Scheme No. 0XXX1433A
FF1276	Pre-filter for FF2-444 Cyclone separator as pre-filter, incl. flame arrester. Suitable for vertical and horizontal Installation in pipelines. Connection flanges: Inlet + Outlet: DN150, DIN 24154-2 Oil return: G 1" Case dimensions: 370mm x 380mm x 370mm (LxWxH) Prefilter for FF2-444er Cyclone separator as pre-filter, including Flame arrester protection. Suitable for vertical and horizontal installation in pipelines. Connection flanges: Input + Output: DN150, DIN 24154-2 Oil return: G 1 " Case dimensions: 370mm x 380mm x 370mm (LxWxH)
AS 039-18S	Secondary air filter G1½
MFK-032-39.4	Filter candle type MFK-032-39.4 including O-ring seal
MFK-032-39.4	Filter candle type MFK-032-39.4 including O-ring seal
MFK-032-39.4	Filter candle type MFK-032-39.4 incl. O-ring seal
MFK-032-39.4	including O-ring seal
Filter 20/12365	
0811-02	
Ff464	
S3.066.01 Filter Housing 300 Incl.7 Filter Elements 230 Mm	
S8.066.01 Piping 1-1/2 Incl. External Air Filter And Fitting 1-1/2	
Ff-066 300 Mm 032391	
120699 Drwno:Ck570475_000	
Ff447	
Ff2-066.10016	
Ff2-066.10025	
0021 ? (Pos. : S8)	
Mfk-753-39.3	
Mfk-674-39.4	
1137	
Enq-Bpd-5243	
Mfk 032-39.3 By Mfk-032-39.4	
Mfk-680-39.1	
0021	

Mfk-032-39.1
Ff313
Ff-06 300 Mm 032391
S9.066.04 Side Channel Vacuum Pump For Vacuum Generation
Ff2-066-10277
Mfk-674-39.3
08/5875
0812-03
0001-009
Ver1
Typ Mfk-674-39.1
O-Ringe 3*8 X 3 Viton (2202)
3957
Ff2.099.16071
Mfk-674-39.1
Type Ff2-066 (Mfk 32.39.3)
0021 ? (Pos. : S8) External Air Filter For Piping With Article No. : S8.066.01
Vacuum Pump For Article-No. : S9.066.04
4344