

## Fw Bell

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Fw Bell** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Fw Bell T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



¼r¼n	A¼ıklama
<a href="#">5180 Gauss Meter with Transverse Probe</a>	
<a href="#">126870</a>	HD w/Temp.Comp.& 5'Cable
<a href="#">125704</a>	
<a href="#">126850</a>	HD Transverse Probe w/Temp.Comp & 5'Cable
<a href="#">Model 4048 (Obsolete, Two Possible Replacements - 5170 And 5180)</a>	
<a href="#">Fwb-121803</a>	
<a href="#">122302\$67</a>	HD DC Electrical Performance: 30kG, 1X, 0.25%, 10'Cable, 8"Stem
<a href="#">126860</a>	ST w/0.5% to 30kG & 5'Cable Probe
<a href="#">126880</a>	Magnaprobe(0.01x)-5'Cable
<a href="#">121060</a>	Low Field Probe MOS51-3204

<a href="#">126863</a>	ST w/0.5% to 30kG, 5'Cable
<a href="#">Bell-5170</a>	
<a href="#">123526</a>	Reference Magnet FLV \$1, 656.00
<a href="#">126885</a>	Ultra Thin Transverse Probe 5' Cable
<a href="#">Bell-5180</a>	
<a href="#">Model 5070 Directly Replaced By 5170</a>	
<a href="#">126873</a>	Probe HD with 0.5%-30kg 5'long
<a href="#">121804</a>	
<a href="#">116010</a>	Gaussmeter
<a href="#">126886</a>	Probe with 0.5%-30kg ST 5'Cable
<a href="#">4190</a>	
<a href="#">415170</a>	RoHS GAUSSMETER(STH17-0404 & Domestic AC Adapter incld)Trnsv
<a href="#">Stf71-0404-05-T</a>	
<a href="#">123524</a>	Reference Magnet FLV \$1, 599.10
<a href="#">122325\$67</a>	Standard Transverse Probe, 0.25% 10'Cable, 30kG, 1X, 2"Stem
<a href="#">Va-2k</a>	REFERENCE MAGNET
<a href="#">418030</a>	3-Channel Desktop Gaussmeter
<a href="#">Zoa83-3208-10-T-Rent1</a>	3-Axis, DC Elec.Perf.: .25%, 10kg, 1X FLV \$3995
<a href="#">122922</a>	Zero Gauss Chamber Magnaprobe +(11")
<a href="#">Fwb-121804</a>	
<a href="#">Sth57-0404-4</a>	
<a href="#">Sad18-1904</a>	
<a href="#">126864</a>	Probe w/0.5%-30kg ST 15'Cable
<a href="#">Fw Bell 5100</a>	
<a href="#">126867</a>	Probe w/0.5%-30kg ST 15'Cable
<a href="#">Gaussmeter Fw Bell 8030</a>	
<a href="#">126874</a>	Probe HD with 0.5%-30kg 15' Cable
<a href="#">Fwb-5180</a>	
<a href="#">Saf71-1808-05</a>	STANDARD AXIAL PROBE

<a href="#">125605</a>	2" HD Transverse Probe
<a href="#">Saf71-1802-15-T</a>	
<a href="#">Htb92-0608</a>	HEAVY DUTY, ALUMINUM STEM
<a href="#">Zoa83-3208-30</a>	
<a href="#">122333</a>	Transverse Probe 0.25% 10' Cable
<a href="#">Iso Calibration</a>	
<a href="#">121802</a>	4" Axial Probe for 51280 Gaussmeter
<a href="#">418010</a>	Single Channel Desktop Gaussmeter
<a href="#">Had61-2508-05-T</a>	TEST, ELECTROMAGNETIC FIELD, TEST PROBE FUNCTIONS:MAGNETIC FIELD, FOR USE WITH:FW BELL 6000 SERIES GAUSSMETERS, OPERATING TEMPERATURE RANGE:0 C TO +75
<a href="#">418030-Rent1</a>	Dekstop 3-Channel Gaussmeter FLV \$5995
<a href="#">121805</a>	
<a href="#">Zoa83-3208-10</a>	
<a href="#">Htm71-0404-30-T</a>	
<a href="#">Model 5060 (Obsolete Replaced By 415170)</a>	
<a href="#">415180</a>	RoHS Gaussmeter w/Domestic AC Adapter, Transverse
<a href="#">5180</a>	
<a href="#">Had61-2508-05</a>	TEST, ELECTROMAGNETIC FIELD, TEST PROBE FUNCTIONS:MAGNETIC FIELD, FOR USE WITH:FW BELL 6000 SERIES GAUSSMETERS, OPERATING TEMPERATURE RANGE:0 C TO +75
<a href="#">415170 Calibration</a>	
<a href="#">5070</a>	
<a href="#">Vt-5k</a>	REFERENCE MAGNET
<a href="#">Sar61-1802-15</a>	ST,W/1.0% TO 100KG 15 LONG CABLE
<a href="#">129980 Zoa99-3208</a>	8"Standard Three-Axis Probe Aluminum Stem