

Gam

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Gam Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Gam T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
Gv-Dp/P	DISCONTINUED (DISTRIBUTED PANEL: CONSISTING OF A CABINET, GV-MBR, GV-MBK, GV-DCC, GV-FPI, NO P)
Fv7200rd	DISCONTINUED(DUAL-CHANNEL REMOTE COMMAND CENTER)
Vex25	DISCONTINUED(25 WATTS, 1 CLASS A/B CIRCUIT W/DIGITAL VOICE)
Sv-Mws	DISCONTINUED(MULTIPLE WORK STATION GRAPHIC OPERATING SOFTWARE FOR UP TO 3 WORK STATIONS WITH)
Vsys11	DISCONTINUED(IF610-126VE INCLUDES MAIN CPU BOARD, DISPLAY BOARD, KEYPAD, TWO LOOP CARD AND 6)
Gv-Dpd50p	DISCONTINUED (DISTRIBUTED PANEL DUAL CHANNEL AUDIO, DUAL 50W AMPLIFIER)
Gw23116-16	WEATHERPROOF FLUSH HOUSING
7200analogbas	7200 ANALOG BASIC SYSTEM UNIT, IN CAB/B, RED,220VA
Spsu-Vret	DISCONTINUED(SPSU-V, RETROFIT ASSEMBLY)

Gv-Mp96p	DISCONTINUED(FIRE COMMAND CENTER MASTER PANEL 96 LED/SWITCHES, MASTER FIRE PHONE, REMOTE FIRE CONT
Ati-Sp75w	INCLUDES 75 WATT SOLAR PANELS AND EQUIPMENT
Gv-Dv/P	DISCONTINUED (DISTRIBUTED PANEL: CONSISTING OF A CABINET, GV-MBR)
1100-1313	BK-7100-2-E BASIC SYSTEMS KIT, 2 SLC, 240 VAC
Ati-Hpss16-3	INCLUDES THE ABOVE EQUIPMENT.
600286	REDUCER
Mns-Control8	FACP INTERFACE FOR LED ARRAYS, 8 MESSAGES
Gwm34-72	LOCAL ENERGY TRIP, SHEET METAL HOUSING (LESS TEST BLOCK, TAP KEY AND NOTIFICATION APPLIANCE),PLAIN
Jpg-W-090-010g-N34-101	GEAR BOX 10:1RATIO 090SIZE IMPACT SERIES
Ati-St2-B	12-76 VDC, LESS THEN 2 AMPS DRAW , OUTDOOR
Ati-St2-Y	12-76 VDC, LESS THEN 2 AMPS DRAW , OUTDOOR
Gwif602-126r	126 POINTS, 1 LOOP, XP95 PROTOCOL, STANDARD CABINET ASSEMBLY
Ati-Osu-1	NEMA4 CABINET, CONTROLLER, A CONVENTIONAL VHF OR UHF RADIO, LOCA
Anx-Sr	ADDRESSABLE NODE EXPANDER, SINGLE RING, TWISTED PAIR
Ve25	DISCONTINUED(25 WATTS, 1 CLASS A/B CIRCUIT)
Fpt-Mobile	FOCALPOINT MOBILE TABLET PC, KEY AND SOFTWARE
If610-252ve	DISCONTINUED (252 POINTS, 2 LOOPS, REQUIRES VOICE EVAC OPTION)
Vsys9	DISCONTINUED(IF610-252VE INCLUDES MAIN CPU BOARD, DISPLAY BOARD, KEYPAD, TWO LOOP CARD AND 6)
Ve50	DISCONTINUED(50 WATTS, 1 CLASS A/B CIRCUIT)
Gf510w	DISCONTINUED (FLEX 510 CONVENTIONAL FACP, 10 ZONES, 120 VAC, W/FLPS-7 POWER SUPPLY, WHITE (INQ)
Sv-19crt	DISCONTINUED(19" UL LISTED CRT MONITOR, GRAY)
1100-1311	BK-7100-2 BASIC SYSTEMS KIT, 2 SLC
Gv-Mp64p	DISCONTINUED (FIRE COMMAND CENTER MASTER PANEL 64 LED/SWITCHES, MASTER FIRE PHONE, REMOTE FIRE CONTR
Ati-Wpb1exp-W	ONE BUTTON STATION - WEATHER RESISTANT BOX THAT HOLDS 1- MOMENTARY BUTTON, A WIRELESS TRANSMITTER, A

Ati-Ts-19	TOUCH SCREEN MONITOR UPGRADE- REPLACES THE STANDARD MONITOR WITH A RESISTIVE TOUCH SCREEN 19 MONI
Gw26308-1	PC-2PEDESTAL FOR MOUNTING OF TWO COTTAGE SHELLS (SPECIAL ORDER)
Ati-Dm-Mod	DUE TO UNFORESEEN CIRCUMSTANCES IN VOICE MESSAGE REQUIREMENTS ATI WI
Fs24x-211-23-1	QUADBAND™ IR3+ DETECTOR, COPPER-FREE ALUMINUM ENCL., (2) M25 ENTRIES FM ATEX APPROVED
600280	GEAR BOX RATIO 10:1 IMPACT SERIES
Gwm34-90	FLUSH MOUNTING, GASKETED CAST FRAME (LESS INSIDE CASE, TEST BLOCK, TAP KEY AND NOTIFICATION APPLIANC
Gw26308-2	DISCONTINUED(PC-4PEDESTAL FOR VITAGUARD FIRE ALARM BOX)
1100-1321	INI-VGC-FO COMMAND CENTER VOICE GATEWAY
Gwm34-73	SURFACE MOUNTING, COTTAGE SHELL (LESS INSIDE CASE, TEST BLOCK, TAP KEY AND NOTIFICATION APPLIANCE)
Gw23116-17	BOX S-A FLUSH 3F EXT CHICAGO
Fs24x-211-21-1	QUADBAND™ IR3+ DETECTOR, COPPER-FREE ALUMINUM ENCL., (2) "NPT ENTRIES FM ATEX APPROVED
Bd-Ss	DISCONTINUED REPLACE ABD-2F (REFLECTED BEAM DETECTOR, SINGLE END W/O TEST FEATURE, SMARTSCAN PROTOCO
If610-504xl	DISCONTINUED (504 POINTS, 4 LOOPS, XP95 PROTOCOL, 30"H X 22"W X 5.5"D HOUSING)
If610-126xl	DISCONTINUED(126 POINTS, 1 LOOP,XP95 PROTOCOL, 30"H X 22"W X 5.5"D HOUSING)
Fc-73pcb	DISCONTINUED (REPLACEMENT MOTHER BOARD FOR FC-73)
Gv-Dps25p	DISCONTINUED (DISTRIBUTED PANEL SINGLE CHANNEL AUDIO, SINGLE 25W AMPLIFIER, FIRE FIGHTER PHONE)
Fc72-24-R	DISCONTINUED (FC-72 IN 24 ZONE RED SURFACE CABINET)
Bsm-7100-2	DISCONTINUED (MOTHER BOARD (2) INTELLIGENT DATA LOOPS)
Gwm34-103	SAME AS M34-53 WITH PLAIN DOOR PAINTED BLUE
Gv-Mp16p	DISCONTINUED (FIRE COMMAND CENTER MASTER PANEL 16 LED/SWITCHES, MASTER FIRE PHONE, REMOTE FIRE CONTR
Gv-Mp128p	DISCONTINUED (FIRE COMMAND CENTER MASTER PANEL 128 LED/SWITCHES, MASTER FIRE PHONE, REMOTE FIRE CONT
	DISCONTINUED (96 POINTS, 2 LOOPS, SMARTSCAN

If610ss-396ve	PROTOCOL, REQUIRES VOICE EVAC OPTION (SEE VE PART)
Idu	DISCONTINUED(7200 ADDRESSABLE INTERFACE UNIT)
30731408-001	PC BOARD TERMINAL PANEL
Ss2-A-Ss	STAINLESS STEEL HOUSING UV/IR/VIS ELECTRO-OPTICAL FIRE DETECTOR, LATCHING ALARM RELAY, CLASS I, DIVISION 1, GROUPS B, C, D, FM, CSFM, CFM APPROVED
Ati-Lcd-42	DELIVERS WALL MOUNTABLE OR STAND 42 LCD MONITOR.
Aa-120e	120 WATT AUDIO AMPLIFIER @25 VRMS, 220 VAC (NON UL)
Gv-Dpd100p	DISCONTINUED (DISTRIBUTED PANEL DUAL CHANNEL AUDIO, DUAL 100W AMPLIFIER)
Ati-LI	REPLACES THE RADIO WITH THE LAND LINE INTERFACE INSIDE THE CCU.ALLOWS THE CCU
Gv-Mp112	DISCONTINUED (FIRE COMMAND CENTER MASTER PANEL 112 LED/SWITCHES, REMOTE FIRE CONTROL)
Ds-Hb-075-015h-090-B04	GEAR BOX
Gwaam95-4nd	MODULE ASSEMBLY, 2CCT, ANALOG ESP GWIF650
Ati-Wpb2exp-R	TWO BUTTON STATION – WEATHER RESISTANT BOX THAT HOLDS 2- MOMENTARY BUTTON, A WIRELESS TRANSMITTER, A
Gwm34-110	SAME AS M34-56 WITH PLAIN DOOR PAINTED BLUE
Ss4-Auv2-Ss	STAINLESS STEEL UV, FM HYDROCARBON NON-HYDROCARBON FIRES, NON-LATCHING ALARM LED, FM, CFM, CSFM FOR C1, D1, GROUPS B,C,D (2) 3/4 NPT
Fv7200d	DISCONTINUED(DUAL-CHANNEL SYSTEM)
If610ss-792ve	DISCONTINUED (792 POINTS, 4 LOOPS, SMARTSCAN PROTOCOL, REQUIRES VOICE EVAC OPTION (SEE VE PART)
Gv-Dpd25	DISCONTINUED (DISTRIBUTED PANEL DUAL CHANNEL AUDIO, DUAL 25W AMPLIFIER)
Gwaam610-504	ANALOG ADDRESSABLE PC BOARD504 POINTS 4 LOOPS, UPGRADES THE IF610-126 OR -252 TO AN IF610-504
Gw26308	PEDESTAL PC TYPE
Lsk41n-Ckk25-1fk7086	
Ss4-As2-Ss	STAINLESS STEEL UV/IR, FM, HYDROGEN NON-HYDROCARBON FIRES, NON-LATCHING ALARM LED, FM, CFM, CSFM FOR CLASS I, DIV. 1 GROUPS B,C D (2) 3/4 NPT
Gwif602-252r	252 POINTS, 2 LOOP, XP95 PROTOCOL, STANDARD CABINET ASSEMBLY
Ssm610-4rb	DISCONTINUED(4 LOOP ANALOG MODULE PC

	BOARD,SMARTSCAN PROTOCOL)
Ss4-A2-Ss	STAINLESS STEEL UV/IR, FM, HYDROCARBON FIRES, NON LATCHING ALARM LED, FM, CFM, CSFM FOR CLASS I, DIV. 1 GROUPS B,C D (2) 3/4 NPT
Vsys3	DISCONTINUED(IF610-126VE INCLUDES MAIN CPU BOARD, DISPLAY BOARD, KEYPAD, SINGLE LOOP CARD AND)
Ati-Comp-L	INCLUDES INDUSTRIAL GRADE LAPTOP COMPUTER, INTEL PENTIUM PROCESSOR, 2.8 GHZ MMOUSE,
If658	DISCONTINUED(BASE ANALOG SYSTEM, MAX 3,168 POINTS, 8 MODULE BAYS, INCLUDES GLASS DOOR)
Fc72-32-B	DISCONTINUED (FC-72 IN 32 ZONE BEIGE SURFACE CABINET)
Ati-Sp55w	INCLUDES 55 WATT SOLAR PANELS AND EQUIPMENT
If632	DISCONTINUED(BASE ANALOG ADDRESSABLE SYSTEM, 2 BAY CABINET)
Fv7200dp	DISCONTINUED(DUAL-CHANNEL SYSTEM WITH FIRE FIGHTERS TELEPHONE)
Vsys10	DISCONTINUED(IF610-126VE INCLUDES MAIN CPU BOARD, DISPLAY BOARD, KEYPAD, TWO LOOP CARD AND 6)
Fc72-12-B	DISCONTINUED (FC-72 IN 12 ZONE BEIGE SUFACE CABINET)
Gwm34-104	SAME AS M34-53 WITH PLAIN DOOR PAINTED RED
1100-1312	BK-7100-2D BASIC SYSTEMS KIT, WITH DACT, 2 SLC
Gw31073rb	REPLACEMENT BOARD, 602, DUAL XP95 PROTOCOL LOOP AND CPU, 256 MAIN BOARD
Ssm-4	DISCONTINUED(ANALOG ADDRESSABLE INPUT MODULE, 4 LOOP, 792 POINTS, DISPLAY NOT AVAILABLE. SSM-)
Fv7200ra	DISCONTINUED(AUXILLIARY-CONTROLS REMOTE COMMAND CENTER)
Gwptp-Rcm	FIBER OPTIC OR RS-422 WIRE
600311	GEAR BOX 7:1RATIO
150-00027	FIREVAC IV VOICE EVACUATION SYSTEM, 4-CHANNEL, 50 WATT
Fvbsu	DISCONTINUED(FIREVAC7200 BASIC SYSTEM UNIT ON B-SIZE MOUNTING P)
7200basicunit	DISCONTINUED(7200 BASIC UNIT SYSTEM,ON B SIZE MOUNTIN PLATE,2)
Fv7200sba	DISCONTINUED(STANDARD BASIC FIREVAC 7200 WITH ANALOG)
	STAINLESS STEEL HOUSING UV/IR/VIS ELECTRO-OPTICAL

Ss2-An-Ss	FIRE DETECTOR, NON-LATCHING ALARM RELAY, CLASS I, DIVISION 1, GROUPS B, C, D, FM, CSFM, CFM APPR
PI-HI-090-001g-S444.5mm	GEARBOX POWER LITE 1/1RATIO
Ati-Dm-Enhanced	60 MINUTES OF PRERECORDED MESSAGES.
Ssm-2	DISCONTINUED(TWO LOOP SMARTSCAN MODULE)