

Gardner Denver



Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Gardner Denver Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Gardner Denver Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
Filter Element/ P/N: 100023784	
Air-Oil Separ Element/ P/N: B54982-158	
1026512001	VC 100 (20) SEAL KIT Net weight: 0.200 KG Nomenclature number: 84849000 Country of origin: DE
1026512003	VC 100 (20) CLOSED PARTS KIT Net weight: 1,400 KG Nomenclature number: 84149000 Country of origin: DE
2bh16007ah37	8641376037000 Product description G-BH1 GAS RING COMPRESSOR VACUUM PUMP / COMPRESSOR INSULATION CLASS F, -- PROTECTION CLASS: IP55 FOR VER. AND HOR. INSTALLATION MAIN MATERIALS: ALUMINUM DIE CASTING WITH 3-PHASE VOLTAGE RANGE MOTOR -- FOR 50 / 60HZ UL 1450 AND CSA 22.2 NO.68-09 -- IP55 SUITABLE FOR STAR / DREICK CONNECTION RAL 9006: WHITE ALUMINUM -- 1-PAINT PAINT electrical data 4.0 KW_50 HZ -- 4.6 KW_60 HZ 345-415 VD / 600-720 VY_50 HZ 380-480 VD / 660-720 VY_60 HZ 9.0AD / 5.2AY_50 HZ -- 9.0 AD / 5.2 AY_60 HZ Print data -290 / 360 MBAR (50 Hz) -- -320 / 310 MBAR (60 Hz) -- -320 / 310 MBAR (60 Hz) Net weight: 40,000 KG 84141089 DE
1027280103	Wear part set for VC 202/303 - 3.160 KG
1027280101	Seal kit for VC 202/303 - 0.460 KG
2118414 Air/Oil Separator	
P042143 Donaldson Air Filte	

3vx670 Belt	
Red Oil Filter (See My Photo)	
5296290000 POS. 04	HOUSE LID 9,150 KG
Zs1078766 POS.05	HOUSING COVER B
7065830000 POS. 06	O-RING 188,00X3,00 FKM 75 SHA
Zs1171108 POS. 03	Lamella 58.0X5.0X220.0
7316306000 POS.44	Exhaust filter 80 x 152 with bayonet lock
5300156000 POS.45	5300156000 INSERT M.VITON-O-RING PTFE-COATING BL
2130810000 POS.16 & POS.17	EXHAUST VALVE. VC 200/300 Net weight: 0.335 KG
6000870000 POS.08	BUSH FA INA 35X39X20 PAP 3520 P10
2140126000 POS.34	Check valve for VC202 / 303
7066120000 POS.31	O-RING 105,00X3,00 FKM 75 SHA
5299970000 POS.43	SEAL, OILER CAP GRAPHITE
7305036000 POS.86	CARTRIDGE MICRO-TOP C 39X 29 for gas ballast valve No. 2004480000
3303400000 POS.70	Oil cooler Loop pipe Ø15 X 1
Zs1093437 POS.46	Float cpl. VC 50-303 Net weight: 0.057 KG
Elmo Rietschle V-Vc 303 Pos.46 Swimmer Complete	
2382028201000	Wheel Net weight: 5,350 KG Size / dimension: 400X400X53 mm Material: EN 1706 AC-47100 (Alu-Al., Alloy, alliage, lega) AL: N, ECCN: N Nomenclature number: 84149000 Country of origin: DE Pref: N ALL
PART NO=C11304/4	SUCTION VALVE COVER-2ND STAGE (3 STEP ONLY) MFG., TYPE OR MODEL, REAL PART NO. FOR PARTS VALVE, SUCTION
PART NO=C11304/3	MODEL VMD500, DELIVERY VALVE COVER-2ND STAGE MFG., TYPE OR MODEL, REAL PART NO. FOR PARTS VALVE, DELIVERY
PART NO=C10500/27	RING JOINT
PART NO=C11304/204	P/F AIR COMPRESSOR MODEL VMD500 VALVE, DELIVERY
PART NO=A10347/2	TYPE V-150A (COMPAIR) CYLINDER HEAD ASSEMBLIES O-RING
PART NO=A10252/346	MODEL VMD500, SUCTION VALVE COVER-2ND STAGE (3 STEP ONLY) MFG., TYPE OR MODEL, REAL PART NO. FOR PARTS O-RING

PART NO=C11304/203	AIR COMPRESSOR MODEL VMD500, SUCTION VALVE-1ST STAGE MFG., TYPE OR MODEL, REAL PART NO. FOR PARTS VALVE, SUCTION
PART NO=A10252/433	TYPE VM500 2 STAGE LP SUCTION & DELIVERY VALVES O-RING (SUCTION)
TC-10	4670TC10XK000 TC10 Vacuum pump Nod Iron ISO Stuffing Box - with F80
R0170R6	
5288330000	
2140126000	
992	Pulley 110793 Replaced by 03383758
223452	Air filter element ESE 3/4/5/7
220977	Oil filter ESE 3/4/5/7
221055A	Oil removal element ESE 3/4/5/7
220795	BELT FOR ESE7 (8bar)
150719A	HOSE FOR HIGH TEMP.
150491	HOSE ASSY, 1/2" x 700mm, BOTT
250180	CONTROL LINE TUBING, 6mm (Bulk), BOTT
250178	TUBE, 8mm DIA x 6 mm, BOTT
250193	RUBBER AIR HOSE SAE 100R3D 17KS
150407	HOSE ASSY,1/2 X 1400mm BOTT
132173A	HOSE ASSY, BOTT
132171A	HOSE ASSY, BOTT
132172A	HOSE ASSY, BOTT
221419	INTAKE REGULATOR ESE 3-7
160701	VALVE, GATE 3/8", BOTT
CC1036724	SOLENOID VALVE D.1/2"+COIL 24V 50/60Hz
221638	SAFE-VALVE 3/8"-11 BAR.PED
PICOLINO VTE 6 (01)	Rotary vane vacuum pump EW motor 0.25 / 0.30 KW 2700/3150 / min 230 V + -10% 2.30 A 50 Hz 230 V + -10% 2.50 A 60 Hz Insulation class F, protection type IP 54 with integrated thermal sensor (switching on / off independently) dry running - air-cooled including: - corrosion-protected rotor - Micro fine filter on the suction side - exhaust silencer - hose connection Final pressure 150 mbar (abs.) Pumping speed 6 / 7.2 m3 / h Further techn. Data and accessories

	according to Gardner Denver data sheet Net weight: 7,500 KG Nomenclature number: 84141025
V-VC 303 POS.46 SWIMMER COMPLETE	
V-VC 303 POS.70 COOLING SNAKE	
V-VC 303 POS.43 GASKET	
V-VC 303 POS.86 FILTER CARTRIDGE	
V-VC 303 POS.34 VALVE COMPLETE	
V-VC 303 POS.31 O-RING	
V-VC 303 POS.16 OUTLET VALVE CPL.	
V-VC 303 POS.8 INA - SLEEVE	
V-VC 303 POS.17 VALVE PLATE	
7316306000 POS.44	Exhaust filter 80 x 152 with bayonet lock
V-VC 303 POS.45 INSERT	
V-VC 303 POS.6 O-RING	
V-VC 303 POS.3 BLADE	
5296290000 POS. 04	HOUSE LID 9,150 KG
Zs1078766 POS.05	HOUSING COVER B
VACUUM PUMP IMPELLER L-BV5 2BV5121	
5137020000	LAMELLE 39,0X 4,0X 55
3179006000	PATRONE M.-TOP
G_2BH1	<p>2BH19007AH17 Product description G-BH1 GAS RING COMPRESSORS VACUUM PUMP / COMPRESSOR INSULATION CLASS F, PROTECTION CLASS: IP55 FOR VER. AND HOR. INSTALLATION MAIN MATERIALS: COVER, HOUSING: GRAY CAST IRON IMPELLER: ALUMINUM WITH 3-PHASE VOLTAGE RANGE MOTOR FOR 50 / 60HZ UL 1450 AND CSA 22.2 NO.68-09 IP55 SUITABLE FOR STAR / TRIANGLE CONNECTION RAL 9006: WHITE ALUMINUM 1 COATING electrical data 12.5 KW_50 HZ 14.5 KW_60 HZ 345-415 VD / 600-720 VY_50 HZ 380-480 VD / 660-720 VY_60 HZ 28AD / 16,1AY_50 HZ 29 AD / 16.8 AY_60 HZ Print data -290 / 280 MBAR (50 HZ) -270 / 260 MBAR (60 HZ) -270 / 260 MBAR (60 HZ) Net weight: 198,000 KG *****</p> <p>machined impeller 1.0 mm ***** AL: N, ECCN: N Nomenclature number: 84141089</p>
V-VC 303 POS.44 OIL SEPARATOR ELEMENT	
V-VC 303 POS.5 HOUSING COVER' B	

1027280103	Wearing parts set for VC 202/303 Net weight: 3.160 KG Nomenclature number: 84219910
THOMAS Air Compressor 327CDC50/12-837	
2BH14907AH12-Z G 2BH1	Additional option: A31K36K48 Standard paint Product description G-BH1 GAS RING COMPRESSORS VACUUM PUMP / COMPRESSOR INSULATION CLASS F, PROTECTION CLASS: IP55 FOR VER. AND HOR. INSTALLATION MAIN MATERIALS: ALUMINUM DIE CASTING WITH 3-PHASE VOLTAGE RANGE MOTOR FOR 50 / 60HZ IP55 BIMETAL TEMPERATURE MONITOR FOR SHUTDOWN, OPENER HOOD FOR THE TEXTILE INDUSTRY PROTECTION CLASS IP 54 INSTEAD OF IP55 RAL 9006: WHITE ALUMINUM 1 COATING electrical data 0.60 KW_50 HZ 0.85 KW_60 HZ 220-270 VD / 380-465 VY_50 HZ 240-290 VD / 415-500 VY_60 HZ 2.5AD / 1.4AY_50 HZ 3.5AD / 2.0AY_60 HZ Print data -120 / 120 MBAR (50 HZ) -140 / 140 MBAR (60 HZ) Net weight: 16,000 KG ***** with protective hose, Terminal box 90x90 (as 8641173001009) ***** AL: N, ECCN: N Nomenclature number: 84141089 Country of origin: DE
CACMDPA	
2FC4752-1NE00	nur das Driver (ist Defekt)
ZS1192229	Air filter element
0000251036000	
0000251203000	
03389142	
03445328	
1457160220001	
20001197	
208EAP6013	
25151230006	
28335660	
2BH1 500-7AH26	
2BH18007AH07R-Z	
2BH19107HH37-Z	
2BH203602AAPL7AA	
2BH203603AAPL7AA	

2BX2145-Z
30859021
30989264
312GGD6010
50340248
5288020000 5602
712021795
712030267
712030588
712030622
80228439
80653539
80705409
80765059
82301639
82305269
8390000105000
85067179
85133299
8692000054000
87233129
89531509
89541119
89549509
89555059
89573789
89596899
89730509
89733799
89756109
89756519

89758669	
89803979	
89863789	
A11511974	
cc1175507	
ESM 7	
G-BH1 2BH1800-7AH07	
G-BH2 2BH20780-2AAPP7-AA	
GDD 32	
GDZI20	
KTA 50/1 (08)	
PB 250/10	
SK06MS50+0101	
T 03400158	
T 89515869	
T CC1175507	
VC75 IE3	
VP1149836	
VS 15	
2BH16101HK16	Product description G-BH1 N GAS RING COMPRESSOR VACUUM PUMP/COMPRESSOR WITH IE3 / NP MOTOR INSULATION CLASS F, PROTECTION DEGREE: IP55,UL-NO.E225239 FOR VER. AND HOR. INSTALLATION MAIN MATERIALS: DIE CASTING ALUMINUM WITH 3-PHASE MULTIVOLTAGE MOTOR FOR 50/60/70/85 HZ IE3 _NEMA PREMIUM, IP55 UL 1450 AND CSA 22.2 NO.68-09 SUITABLE FOR OPERATION WITH FREQUENCY CONVERTER RAL 9006: WHITE ALUMINIUM 1-WAY COATING electrical data 220-240VD/380-420VY_50HZ_IE3 50HZ_2.5KW(8.6AD/5.0AY) 220-240VYY/440-480VY_60HZ_IE3 60HZ_3.0KW(10.4AYY/5.2AY) 230VYY/460VY_60HZ_NP 60HZ_3.0KW(10.4AYY/5.2AY) print data -170 /160 MBAR (50 Hz) -130 /120 MBAR (60 Hz) Net Weight : 53,000 KG AL:N, ECCN:N Statistical goods number: 84141089 Country of origin: DE
G-BH1 2BH1640-7GH37-Z	
100013124	D37H-SR Filter element water filter
	G_2BH1 Additional option: A31 Product description G-BH1 N

2BH14901AK16-Z	GAS RING COMPRESSOR VACUUM PUMP/COMPRESSOR WITH IE3 / NP MOTOR INSULATION CLASS F, PROTECTION DEGREE: IP55,UL-NO.E225239 FOR VER. AND HOR. INSTALLATION MAIN MATERIALS: DIE CASTING ALUMINUM WITH 3-PHASE MULTIVOLTAGE MOTOR FOR 50/60/70/85 HZ IE3 _NEMA PREMIUM, IP55 UL 1450 AND CSA 22.2 NO.68-09 SUITABLE FOR OPERATION WITH FREQUENCY CONVERTER BIMETAL TEMPERATURE MONITOR FOR SHUTDOWN, OPENER RAL 9010: PURE WHITE 2-WAY PAINTING electrical data 220-240VD/380-420VY_50HZ_IE3 50HZ_0.95KW (3.65AD/2.10AY) 220-240VYY/440-480VY_60HZ_IE3 60HZ_1.10KW (4.2AYY/2.10AY) 230VYY/460VY_60HZ_NP 60HZ_1.10KW (4.2AYY/2.10AY) 87HZ_1.60KW (3.45AD) print data -140 /160 MBAR (50 Hz) -160 /150 MBAR (60 Hz) Net weight : 19,000 KG AL:N, ECCN:N Statistical goods number: 84141089 Country of origin: DE
L-BV3 2BV3151-0GW02-1E	
Thomas 837CDC50/12-837	
ZS1059791	ZS1199688 AIR OIL BOX Starbox XT 7-11 Net Weight : 1.059KG
ZS1199687	INTERCHANGEABLE FILTER FRAME 0-2 Net Weight : 0.726KG
CC1087236	AIR FILTER, WD 7-27
2BH14000AK16 G 2BH1	Successor pump to 2BH1400-7AC11 ***** Product description G-BH1 N GAS RING COMPRESSOR VACUUM PUMP/COMPRESSOR WITH IE3 / NP MOTOR INSULATION CLASS F, PROTECTION DEGREE: IP55,UL-NO.E225239 FOR VER. AND HOR. INSTALLATION MAIN MATERIALS: DIE CASTING ALUMINUM WITH 3-PHASE MULTIVOLTAGE MOTOR FOR 50/60/70/85 HZ IE3 _NEMA PREMIUM, IP55 UL 1450 AND CSA 22.2 NO.68-09 SUITABLE FOR OPERATION WITH FREQUENCY CONVERTER RAL 9006: WHITE ALUMINIUM 1-WAY COATING electrical data 220-240VD/380-420VY_50HZ_IE3 50HZ_0.95KW (3.65AD/2.10AY) 220-240VYY/440-480VY_60HZ_IE3 60HZ_1.10KW (4.2AYY/2.10AY) 230VYY/460VY_60HZ_NP 60HZ_1.10KW (4.2AYY/2.10AY) 87HZ_1.60KW (3.45AD) print data -180 /170 MBAR (50 Hz) -170 /160 MBAR (60 Hz) -110 /100 MBAR (87 HZ) Net Weight : 16,000 KG AL:N, ECCN:N Statistical goods number: 84141089 Country of origin: DE
2BV70611AK006B	8604764100001 Product description L-BV7 LIQUID RING VACUUM PUMP IN BLOCK CONSTRUCTION CONNECTION FOR CAVITATION PROTECTION MAIN MATERIALS: HOUSING&CONTROL PANEL:STAINLESS STEEL IMPELLER: BRONZE LANTERN: CAST IRON WITH 3-PHASE MOTOR (50/60HZ) VOLTAGE SWITCHABLE MOTOR UL 1450, E225239, IE3/NP RAL 9006: WHITE ALUMINIUM 1-WAY COATING electrical data 220-240VD_50HZ_IE3 50HZ_1.40KW_SF=1.57 50HZ_7.5AD 220-240VD/440-480VY_60HZ_IE3 60HZ_1.8KW_SF=1.42 60HZ_8.6AYY/4.3AY 230VYY/460VY_60HZ_NP 60HZ_1.80KW_SF=1.42

BLOWER	60HZ_7.3AYY/3.65AY Net Weight : 30,000 KG AL:N, ECCN:N Statistical goods number: 84141089 Country of origin: DE Gardner Denver (Sutorbilt) Type Rotary Lobe Airflow 567.6 m3/h Total Differential Head 3.6 m Motor Power 11.2 kW
2BH18101HH37-Z G_2BH1	Additional option: K41 G-BH1 GAS RING COMPRESSOR VACUUM PUMP/COMPRESSOR INSULATION CLASS F, PROTECTION DEGREE: IP55 FOR VER. AND HOR. INSTALLATION MAIN MATERIALS: LID, BODY: CAST IRON IMPELLER: DIE-CAST ALUMINUM WITH 3-PHASE VOLTAGE RANGE MOTOR FOR 50/60HZ UL 1450 AND CSA 22.2 NO.68- 09 IP55 SUITABLE FOR STAR/TRIANGLE CONNECTION HIGH TEMPERATURE AND LONG TERM STABLE LUBRICANT NSF H1 REGISTERED LOW STORAGE TEMPERATURE MAY CAUSE NOISE RAL 9006: WHITE ALUMINUM 1-WAY COATING electrical data 11.0KW_50HZ 12.6KW_60HZ 345-415VD /600- 720VY_50HZ 380-480VD /660-720VY_60HZ 28AD /16.2AY_50HZ 29AD /16.7AY_60HZ print data -430 /600 MBAR (50HZ) -460 /600 MBAR (60HZ) -460 /600 MBAR (60HZ) Net Weight : 172,000 KG AL:N, ECCN:N
PİOVAN BLOWER 4182045 (2BH 1810-7HH37)	
2BE43002BY4-Z EXT_2BE4	Additional option: K95 2BE4 Net weight : 0 KG With the following configuration: MLFB complete 2BE43002BY4 .Text finding VACUUM PUMP WITHOUT DRIVE .Text finding WITHOUT A PARTITION .Text finding CAST IRON/STEEL .Text finding PACKING BOX WITH INTERNAL .Text finding BARRIER LIQUID WETTING .Text finding MADE IN CHINA CE/Atex documentation language English Sentences documentation 1 Material testing melt analysis 2.2 certificate for main parts Color RAL5005 signal blue Layer thickness 140 µm total layer thickness Balancing Static Water pressure test WITHOUT Vibration measurement WITHOUT Storage temp. measurement WITHOUT Nekaltest WITHOUT Noise measurement WITHOUT Layer thickness measurement WITHOUT Dimension control WITHOUT Test RPM STANDARD Test intake pressure STANDARD Test compression pressure STANDARD Additional sign with text WITHOUT Specials-1 WITHOUT Specials-2 WITHOUT Specials-3 WITHOUT Specials-4 WITHOUT Specials-5 WITHOUT AL: , ECCN: COMMERCIAL
WOB-LPISTON115ADC56/24	
WOB-LPISTON215ADC38/24	
TEE(GD-125T)	CONTINUOUS DUTY PLUNGER PUMP MATERIAL SPECIFICATIONS: SERVICE: TEEC TYPE: High pressure CYLINDER: ASTM A514 Block Steel PACKING: Buna-N Non- Adjustable Type STUFFING BOX: ASTM A536 Cast Nodular Iron Performance Ratings: Maximum Pressure: 249 Kg/cm2 Plunger size: 44mm
	Product description G-BH1 N GAS RING COMPRESSOR VACUUM PUMP/COMPRESSOR WITH IE3 / NP MOTOR INSULATION CLASS F, PROTECTION DEGREE: IP55,UL- NO.E225239 FOR VER. AND HOR. INSTALLATION MAIN

2BH15001AK16 G 2BH1	MATERIALS: DIE CASTING ALUMINUM WITH 3-PHASE MULTIVOLTAGE MOTOR FOR 50/60/70/85 HZ IE3 _NEMA PREMIUM, IP55 UL 1450 AND CSA 22.2 NO.68-09 SUITABLE FOR OPERATION WITH FREQUENCY CONVERTER RAL 9006: WHITE ALUMINIUM 1-WAY COATING electrical data 220-240VD/380-420VY_50HZ_IE3 50HZ_1.30KW(4.90AD/2.85AY) 220-240VYY/440-480VY_60HZ_IE3 60HZ_1.60KW(5.5AYY/2.75AY) 230VYY/460VY_60HZ_NP 60HZ_1.60KW(5.5AYY/2.75AY) print data -170 /170 MBAR (50 Hz) -150 /140 MBAR (60 Hz)
2BX1036	8623902141000 HOSE FLANGE FOR 2BH15. / 2BH16. (suction and pressure side connection) 2BH76...N (only suction side) Net Weight : 0.140KG Size/Dimensions : 100X74X53 mm Material : EN 1706 AC-46000, NBR, steel (Alu-Leg, rubber) AL:N, ECCN:N
2BX4010	8623910030000 ADDITIONAL SILENCER FOR 2BH12; 2BH14...0/1/2; 2BH149; 2BH15; 2BH16 (STARR)
G-BH1 2BH1430-8AH06-ZN00	
1021150101	gasket set for vca/vce 25
P2TFA-1.562-2.21-5 / 26018/26 018	Square Compression Packing (Serva 4x5) 1-9/16 x 2.21 TEFLON/ASB
1021150103	VCA 25(01)LOCKING PART KIT
APOGAA, serial number DA09110	VIN-1W9AB2929CM257396
412422,02	MPC 095 Z, 15l/min, 5mbar, 90-260V, 50/60Hz with AC/DC adapter, EU, UK and US plug leads
VC303 model vacuum pump oil separator	
filter element 2118342 -	
filter element 2118349	
separator 302EAU035	
2BH13007AV15	8641070115000 G-BH1 GAS RING COMPRESSOR VACUUM PUMP/COMPRESSOR INSULATION CLASS F, PROTECTION DEGREE: IP55 FOR VER. AND HOR. INSTALLATION MAIN MATERIALS: DIE CASTING ALUMINUM WITH 1-PHASE MOTOR (50/60HZ) UL 1450 AND CSA 22.2 NO.68-09 IP55 RAL 9006: WHITE ALUMINUM 1-WAY COATING electrical data 0.37KW_50HZ 0.45KW_60HZ 115/230V_50HZ 115/230V_60HZ 5.4/2.7A_50HZ 6.6/3.3A_60HZ print data -110 /110 MBAR (50 Hz) -130 /140 MBAR (60 Hz) Net Weight : 11,000 KG AL:N, ECCN:N
P2TFA-1.562-2.21-5 / 26018/26 018	Square Compression Packing (Serva 4x5) 1-9/16 x 2.21 TEFLON/ASB
MP FM10-AB-3036BCT	OBERDORFER SELF PRIMING PUMP 2", CONSTRUCTION: BRONZE MP FM10-AB-3036BCT (COMPLETE SET WITH

N994R-01-HN97	MOTOR) 2.5HP / 3450 RPM, 208 VAC/3 PH, 3HP TEFC MOTOR OBERDORFER PUMP WITH MOTOR, MATERIAL SS, SET TO 50PSI, MOTOR: 1HP, 1725 RPM, 3 PH, 60 HZ. 56 C, TEFC
109MB-01-T31	OBERDORFE AIR CONDITIONING SEA WATER COOLING PUMP, MATERIAL BRONZE
GDD5500AVP	1C011432500
200TDE (TAEAFF0008) model	We need the fluid end of this pump. There are pump and fluid end pictures in the appendices. The pictures show fluid end part number 55966-2.
2BH19001AK16 G_2BH1	Product description G-BH1 N GAS RING COMPRESSOR VACUUM PUMP/COMPRESSOR WITH IE3 / NP MOTOR INSULATION CLASS F, PROTECTION DEGREE: IP55,UL- NO.E225239 FOR VER. AND HOR. INSTALLATION MAIN MATERIALS: LID, BODY: CAST IRON IMPELLER: ALUMINIUM WITH 3-PHASE MULTIVOLTAGE MOTOR FOR 50/60/70/85 HZ IE3 _NEMA PREMIUM, IP55 UL 1450 AND CSA 22.2 NO.68-09 SUITABLE FOR OPERATION WITH FREQUENCY CONVERTER RAL 9006: WHITE ALUMINUM 1-WAY COATING electrical data 220-240VD/380-420VY_50HZ_IE3 50HZ_12.6KW(40.3AD/23.3AY) 220-240VYY/440- 480VY_60HZ_IE3 60HZ_14.5KW(46.0AYY/23.0AY) 230VYY/460VY_60HZ_NP 60HZ_14.5KW(46.0AYY/23.0AY) 72HZ_17.4KW(39.3AD) print data -290 /280 MBAR (50 Hz) - 270 /260 MBAR (60 Hz) -250 /240 MBAR (72 HZ) Net weight : 232,000 KG AL:N, ECCN:N
2BH14001AH06-Z G_2BH1	PROTECTION DEGREE: IP55 FOR VER. AND HOR. INSTALLATION MAIN MATERIALS: DIE CASTING ALUMINUM WITH 3-PHASE VOLTAGE RANGE MOTOR FOR 50/60HZ UL 1450 AND CSA 22.2 NO.68-09 IP55 SUITABLE FOR OPERATION WITH FREQUENCY CONVERTER UP TO 5000 RPM PTC thermistor motor protection (ONLY FOR 3PH MOTORS) WITH TEMPERATURE SENSOR FOR SHUTDOWN [155°C] RAL 9006: WHITE ALUMINIUM 1-WAY COATING electrical data 0.70KW_50HZ 0.83KW_60HZ 200-240VD /345-415VY_50HZ 220-275VD /380-480VY_60HZ 3.8AD /2.20AY_50HZ 3.75AD /2.15AY_60HZ print data -120 /120 MBAR (50 Hz) -130 /130 MBAR (60 Hz)
A2 Series - 73303AA8	
BLOWER SUTORBILT MODEL:GACMDİA 3050RPM	SERIAL NO:M88149, CATALOG NO:4 ML. Model: SUTORBILT (Positive Displacement) Type: 3MP Connection Diameter: 2# (inch) Accessories: Bare Blower
TEMPEST EK100-20003214	
WD15-7.5	
5x6 C-Pump	GD 5x6 Oil Seal Solid Packing P/N:11551
7314686000	AIR VENT OIL ELEMENT BAYONET COVER 40 m3/h, 80x102
3179006000	PATRONE M.-TOP

G-BH1- 2BH1300-7AH16 AIR BELLOW FAN COOLER	
2BX2110-Z	
2BH13001AH16 Side channel blower	108410 WITH 3-PHASE VOLTAGE RANGE MOTOR FOR 50/60HZ electrical data 0.40KW_50HZ 0.50 KW_60 HZ 0.69 KW_87 HZ 200-240VD /345-415VY_50HZ 220-275VD /380-480VY_60HZ 380VD_87HZ 2.4AD /1.4AY_50HZ 2.4AD /1.4AY_60HZ 2.4AD_87HZ Print data -120/130 MBAR (50HZ) -150/160 MBAR (60HZ) -90 /90 MBAR (87 HZ) Weight: 11kg
SC10358465005	
2BH1500-7AH06-Z	50Hz
2BH1500-7AH06-Z	60Hz
SEAL FOR OIL STOP HEAD	
5" LINER FOR GARDNER DENVER PAH BFB MUD PUMP	
105857	Vacuum relief valve for installation in pipeline 2BX4740-Z 400mbar The requested pump 2BH1810-7HH27 is no longer available. We offer you a successor as follows. To be on the safe side, please check whether the motor and pressure characteristics are suitable for your purposes, as these may differ slightly from the requested model.
107135	Side channel compressor 2BH18100HQ27 with 3-phase voltage range motor for 50/60HZ, IE3, IP55 electrical data 380-420VD/660-725VY_50HZ_IE3 50HZ_8.6KW(15.5AD/8.9AY) 440-480 VD_60 HZ_IE3 60HZ_9.9KW(15.3AD) 460 VD_60 HZ_NP 60HZ_9.9KW(15.3AD) Pressure data -420 /400 MBAR (50 HZ) -360 /330 MBAR (60 HZ) RAL 9006: WHITE ALUMINUM 1-COAT
DUPLEX POWER PUMP - 8" STROKE - FXX	FXX175
G-BH1 2B1600-7AH16-Z	
Cc1035708	
Bxpsb-008-089d	
70-74009-020	
24a157	
89837609	
20068175	
2eb412ar44	CONNECTION CENTER TERMINAL DUAL FAN GROUND
Gb108175	

74204aa7	
22333tc	
32x47x7tc	
Dclf-130-Dvvls	
2bx4011 8623910031000	
Z11937	
77203011	
12202tb	
28h98	
C20605	
54x68x9tc	
Apex5-15a	
2bh75100ah168	Product description G-BH7 GAS RING COMPRESSOR VACUUM PUMP / COMPRESSOR FOR VER. AND HOR. INSTALLATION MAIN MATERIALS: ALUMINUM WITH 3-PHASE VOLTAGE RANGE MOTOR FOR 50 / 60HZ UL 1450 AND CSA 22.2 NO.68-09 IP55 SUITABLE FOR OPERATION WITH FREQUENCY CONVERTER UP TO 5000 MIN-1 RAL 9006: WHITE ALUMINUM 1-FINE PAINTING electrical data 1.5 KW_50 HZ 1.75 KW_60 HZ 2,6 KW_87 HZ 200-240 VD / 345-415 VY_50 HZ 220-275 VD / 380-480 VY_60 HZ 380 VD_87 HZ 7,5AD / 4,3AY_50 HZ 7,6AD / 4,4AY_60 HZ 7.5 AD_87 HZ print data -310 / 360 MBAR (50 Hz) -340 / 320 MBAR (60 Hz) -290 / 240 MBAR (87 HZ) Net weight: 29,000 KG AL: N, ECCN: N Statistical commodity code: 84141089 Country of origin: DE
8500390	
70-74007	
Psb012-064	
201ats015	
304cbl199	
21161106	
2382028201000	Wheel Net weight: 5.350 KG Size / Dimensions: 400X400X53 mm Material: EN 1706 AC-47100 (Alu-Leg., Alloy, alliage, lega) AL: N, ECCN: N Statistical commodity code: 84149000 Country of origin: DE Pref: N ALL
77203016	
18x35x7tc	
2010759	

C/50c2ou10	
C11359/310	
65x100x10	
5292670007	LAMELLEN SATZ KTR 100/140 DTR 140 Nettogewicht : 0,010 KG
08142tb-H-Bx	
8d302-102	
20307tc	
Ggddada	INDUSTRIAL BLOWER
731023	
202gac732	
1028490116	VTN16 VACUUM PUMP (1PH)
Sce 250 Lv Ver St	
102851-0113	VTN41 VACUUM PUMP (3PH)
896069p	
896069	
35x47x7tc-Bx	
40x58x8tc	
2116717	
Vta140	
304092001000	
80-100-10-Tc	
Bn 10096571 004 /0311	
102855-0124	DTN41 BLOWER (3PH)
1654152102000 (Valve Plate For 2bv51310kh017s) Valve Plate	
45x68x12tc	
X1806-71	
10142tb-H	
102461-0119	VG D15 VACUUM PUMP (3PH)
2013696	

3016770000	R FILTER SCREW KNOB M 6 I-GE W. SF Net weight: 14.996 g
12gd17	
M-Pro-400	Operator Panel 3MM123
C20606120	
8501175	
8pp4257601	
102649-2068	VC50 VACUUM PUMP (3PH)
2109061	
8500289	
25x40x7tc	
Ltn10/2	
Vti2.0f	
45x-60x7tc	
06091vb	
30x50x8tc	
48x72x8vtf-Bx	
43783w	
73337ba6-Pos16+pos17	
A-6axfn-22220-P	
2eb412ar69	CONNECTION CENTER TERMINAL DUAL FAN GROUND
Bsr-400	
2116128 Oil Filter Element	
05081vc	
35x52x7	
464	
75g19	
91j140	
G-Bh12bh1910-7hp37	
Mfhjasxã246;Şlaz	
200cbI010a	

1871256001000 (Port Plate For 2bv51310kh017s) Steering Wheel	
Bxpsb-008-002d	
302cbI002	
6161350000	STIFTSHR DIN835 M 6X 30 2D 5.8 Nettogewicht : 0,380 KG
Or3p10	
2bh74100ah167	
2109116	
655ed04n	
Ct100uo125	
81166609	
037061vm	
40x52x7tc	
G200-2bh1600-7ah16-Zn00	VACUUM PUMP 10AMP 200220/240/270V 50/60HZ
81723059	
243324sa	
25x35x7tc	
2118314	
152x23x7sc	
240161	
D300rgd582r	
Ge001598	
2bh15107hh46	
Smk 3.0f	Gardner Denver PC Board SMK3.0F
730-500	
305rga786	
Tmh960902	SERVO DRIVE 220-240VAC INPUT 3PH DC
73337ba6-Pos30	
G-Bh1 2bg1410-7hh36	
111872tb	
2bh19307ah16 G 2bh1	

Gasringverdichter Vakuumpumpe/Kompressor	
1417I	
5292580000	GASKET CONNECTION BOX ASBFR
2bh1313-1hy99-Z	
6122076006	
8500145	
2bh1400-7av25	
73337ba6-Pos23	
75p57p	
101519-0201	
30403tb	
243354sa	
C/10de0025	
20x42x7tc	
2109464	
2bl2041-2ah50-4a	
30x42x7	
70x90x10tc	
102854-0116	DTN26 BLOWER (1PH)
00514006-0016	
Bse400-1.0f	
3cdI8I	BLOWER INDUSTRIAL ROTARY LOBE
C11545/41	
B2-12	
2660ce32-190	
Tm12	TIGHTENING MODULE SERVO DRIVE
90ar262	AIR CONTROL VALVE
35x47x7tc	
Fxx (Fc-Fxx)	
48x72x7tc	

8nak	
1.375x2.5441x.325tc	
Z1241	PISTON SET 120MM
7cdl11r	
172373tb	
8500253	
G&D Fxx 7 ½" X 8"	
10172tb	
2321023607000 (Casing For 2bv51310kh017s) Pump Housing	
2bv7070-2ah00-4s	
2be4420-8ey3-Z	
A213654	
2bh15107h156 G 2bh1	Product description G-BH1 E GAS RING COMPRESSOR VACUUM PUMP / COMPRESSOR WITH PTC SENSOR AND INTEGRATED FREQUENCY INVERTER 3PH, 400-480V, 47 ... 63HZ, IP55 FOR VER. AND HOR. INSTALLATION MAIN MATERIALS: ALUMINUM DIE CASTING NOMINAL SPEED 4200 MIN-1, RAL 9006: WHITE ALUMINUM 1-FINE PAINTING electrical data 4,0 KW_50 HZ 6.9 KW_84 HZ 370 VD_84 HZ 16.0 AD_84 HZ print data -390 / 440 MBAR (50 Hz) -460 / 410 MBAR (84HZ) Net weight: 44,000 KG AL: N, ECCN: N Statistical commodity code: 84141089 Country of origin: DE Pref: N ALL
S-530624	
Z259-6	
C11545/11	
8500036	
9vx6293	
21166110	
S-Vsi 300 (42) / 300 M3/H 7,5 Kw	
200asl188	
8mp-Gahmdpa	ROTARY AIR BLOWER 75HP
2bx2110-Z	
98262-199	
132123tc	

6160840000	STIFTSHR DIN835 M 6X 35 2D 5.8 DEL Net weight: 0.009 KG
7n302-101	
3.363e+143	
Sap300	
703115410a	
Tcm0390781ascw	
193537ta-H	
21273tb-H	
24ca2087	
2382036709000	
22x47x7tc	
8500292	
541031-8m	MEMORY INTERFACE CABLE
17x35x7vtc	
50x65x8tc	
24x40x7tc	
60dd630	
2bh76200ah368-Z G 2bh7 Zusatzoption: K31	
00704725-0096	
A200987	
Vlt25	
961900pt	
90ar1171	
2117156	
Gdder	
3182430000	BUILT-IN CARTRIDGE 28 1 1/4 1.5 BAR Net weight: 0.086 KG
75p6n	
35x55x10tc	
12274sa-H	

13172tb	
0042882w	
25x45x7tc	
Cl101	
22-33062	
7317190000	CARTRIDGE MICRO-TOP 98X 84 Net weight: 0.210 KG
D035n601-20	
200ats003	
8.6e+66	
50z12	
Vlr 401	
78w34	
2bh1930-7ah27	
5292590000	GASKET FILTER HOUSING ASBFR Net weight: 0.100 KG
108-130	
300ebc1173	
204053	
C11545/14-Fp	
2bh1200-7ah01-Zn03	
205x230x15sc	
5292740000	LEAF SPRING Net weight: 0 KG
Gd102882	
102409-0130	VGD10 VACUUM PUMP (1PH)
Tdf-121	
Bus400	
305cbl199	
202eaq247	
C11544/113	
301ebe797-A Check Valve	
150x180x15vsc	
Bls-3-4	

202eap1173	
55x70x8tc	
900881066401	
131872sb	
2bh18107hh27	
4506vt	
50x72x8sc	
3.335.756-5	
E02133	
960900	SERVO DRIVE TIGHTENING MODULE
19283tb-H	
40x50x8tc-Bx	
31-900116	
95b3	
3047	
511221	
17253tb-H-Bx	
98262-251	
8500414	
960090	
16223tb	
32.1811.080-94	
11162vtb-H	
Cc1028781	
2109125	
22-33063	
540325	
2fx4501-0ne00	
20x45x10tc	
B36	

Model:Gacmcrd Serial:S447609	
Catalog:4mr Max. Rpm 3600	
344946sa-H	
Ct040s0035a	
2109086	
104x125x10tc	
Vc0202-2010e	VC202 VACUUM PUMP (3PH)
H-0701601-0712	
G-12/02-Eb	
172443tbh	
Cc1011486	
Pp1014077	
Mb79603900000	
25x33x6sc-Bx	
X83813	
2-Bh1600-7ah16-Z/G 2bh1	
202ask715	
03498328	
215114	
027 F.2bh1610./Bn10060682002 Laufrad	
Wdr 40x 55x 8 Ptfе-St (6046870000)	
3130005	
70-74006	
193313tb-H	
2-28-795-03a	
101682tbh	
102224-0101	
007017010-180	
00903944-0046	
204ejb1173	
Blѕ-3	

8500388
7n502-101
960601
55x70x8sc
40494ta
60dd600
1457063220001 Lüfter
1ev3310
2bx4101 8623910061000
Avr71-43d1539
32494ta-H
30373tb
960393
112062tb-H
010ca26
C11545-7
40x80x8tc
X8635-61b
11152psl
65w19
283873ta-H
2750tghi52/48-455a
28h100
24ca1994
E43c
X8344-4g
525351dv
55550013
3n202.Nrv
1874255801000 (Washer For 2bv51310kh017s) Disc

25bc378	
102409-0120	VGD10 VACUUM PUMP (3PH)
14x25x5	
730517	
541605	
2fx4506-0ne00	
Bn 10030345 006/0208	
8m512.J52nam	
17x40x7sc	
200x240x15sc	
65-88-12tc	
202ejb1173	OPERATOR INTERFACE FRONT PANEL ASSEMBLY
Rotor Vc50	
Bls1-2w	SERVO CONTROL
2fx45010ne00	
240x270x15tc	
16243tb	
200eau1173	AUTO SENTRY AIR COMPRESSOR CONTROLLER
65am351	
115214tb-H	
2116273	
4512	BLOWER INDUSTRIAL GGDDADA
28g28	
28g23	
C11362/26	
0903943-016	
M-Pro-91e-03vu	
078122tb-H	
10x17x3vg	
8504493	

1606257	
524419	
Sc10148	
896067	
Dx2.406.70	
24x42x7tc	
88rsa-5cq	
95h46	
170x200x12vsc	
Tmh	SERVO DRIVE 3PH 220-240VAC
G-Bh1 2bh1810-7hh36	
8501174	
890214gd	
128203tbh	
00027709w	
Vp1005732	
900828gd	
P/N: Ps366	
2bh1400-7av25z	
73408aa6	
928483	
526160	
25363tb-H	
2010418	
15192tb	
Vp 1008518	
2118348	
J1520	
132563tb-H	
2bh1-510-7hh46	VACUUM PUMP ELMO G 3.45KW 12AMP 480VAC 3PH 3435RPM
P10886a	

Esm66049	
X8635-21	
1607380	
S-530602	
77203010	
731142	
102853-0112	
07122tb-H	
Lty10/1	
Bnc3p10	
Ps2197.4	
34423ta-H-Bx	
12x25x5tc-Bx	
65v13	
Ebeofb	AIR COMPRESSOR 25 HP
1609271	
28412-W	
CI-202	
Gacmcrd 4mr-Lhc Ls Dsl	
29395ta-H	
Sedpo/100bmf	
5270040000	CYLINDER PIN WITH THREAD 8 M5 22MM L Net weight: 6.692 g
8501269	
25393tb	
Art.Nr. 10265020ae V-Vc75-20ae/Ecw	
2bh15107hh46z	
300etk1173	
20x40x7tc	
95x125x12tc	

C11544/12	
C-Vlr400	
137259	
5292730000	HOUSING COVER'B SLOT BASE VENTILATION Net weight: 3,900 KG
60dd571	
Sc10213483001	
98262-219	
40x56x7tc	
70-74013	
Vp1012694	
2bh16107hh36/8641376136000	
007bdc19j	
2116128	
505415	
55x85x10tc	
28g45	
102220-0325	
24a119	
730-506	
A-Exgr275	
00543117-0044	
C11359-213	
206873	
Rel26020	
18x30x7sc	
1vb3067	
22x32x7sc	
14253tb-H	
60x95x8tc	
Model:Gacmdpa Sutorbilt Legend 4mr-Rhc	

Smk3.0f	PC BOARD
5010423	
60dd21	
60x75x8scbx	
28x42x8tc	
A0540301-1033	
78w55	
00600715-0273	
Typ-Vc 75 (20) Obsolete, Replacement By V-Vc75-20ae/Ecw!!!	
102651-2058	VC100 VACUUM PUMP (3PH)
8504817	
45x60x8tc	
526627	
213561	
301ebm6005	
2118384	
5I223	
74107	
115x140x12tc	
25x40x7sc	
Ssk90	
2008616	
22-33121	
65530	
2bh19307ah27	
Bxpsb-008-017	
2bh7620-0ah56-8	
90ar109	
3.335.756-17	
10142tb-Bx	

201ask2031	
2117161	
2010762	
Ps366	
2bh1940-7bh27-Z	
74d45	
1660583	
3121f	
1abl507	
42x52x8tc	
Zylinder	
131213tb	
2546c-02 (Ew-79204-25)	
469-Vc300	
200cth608	
5mr	GEARBOX 2850RPM 5IN DIA.
09172sb	
204-1311	
8500409	
413+433 Bn10049486001/2bh16007ah36z (Set) 354532453	
2010419	
A605-4w	
2bh16407gh46, G 2bh1 Vacuum Pump / Compressor	
3.335.756-3	
70-75343-020	
2117162	
F504g01ah	
21d264	
50k10	

5228320000	VENTILKOERPER 28 M 36X1,5 Nettogewicht : 37,488 G
102461-1301	
S-530604	
903729-29	
P05114b	
2bh1600-1af29	
3267728	
45x65x8tc	
30x55x7tc	
201vdh306a	
9n301-L205	
223063tb-H	
2bx4011 8623910031000 Silencer	
561630	
43795w	
8mm502-102	
90x110x10tc	
Tc02010-00008	
25353ta-H	
900881066201	
28h99	
Kugellager	
860000000000	
05071-Vm	
X8635-61	
202vdh307a	
2bx2060 8623901078000 Filter	
25x32x6tc	
2fc47521ne00	DRIVE
8m302.102	

Tc-48-72-7	
413+433 Bn10049486001/2bh16007ah36z (8692061703000).	
20x35x7tc-Bx	
Bxpsb-008-018	
77203012	
2bh1600-7ah26	BLOWER SINGLE STAGE
096184sb	
70-74353-206il05	
202ask2029	
28q47	
2bh18107hh37 G-Bh1 Compressor	
08142tb-H	
13ag670-4	
01228337-0020	
Mpro90b-02pu	
Bm11420-8	
896071	
20x35x7	
8d502-102	
10265020af	
111111	
22-33061	
10162tb	
2bh72200ah267-Z G 2bh7 Vacuum Pump	
102398-3700	
35x50x10sc	
918pn05	
701701-251	
201ask2029	

2041310	
88h242	
200pee008	
8500290	
S1960	
95b7	
01605076-0003	
00901069-0005	
118x150x12tc-Bx	
75175001	
213603	
Cnsk100	
926874	
102650-2067	VC75 VACUUM PUMP (3PH)
95h45	
202993ta	
221461	
73337ba6-Pos24+pos25	
317957	
00906266-0042	
2bl20611ak506b-Z	Alternative offer - successor to 2BL20611AH504A-Z Please note / check the new (engine) version. G_2BL2 Additional option: F54 Product description L-BL2 VACUUM PUMP, AIR COOLED WITH LIQUID RING PUMP L-BV7 (VERSION 2BV7061) INCL. CONNECTIVITY FOR ACCESSORIES STANDARD VERSION SYSTEM MATERIALS: COPPER / BRASS / EPDM VACUUM PUMP: CAST IRON / STAINLESS STEEL / BRONZE ELECTRIC LEVEL SWITCH (BUILT-IN) electrical data 220-240VD_50HZ_IE3 50HZ_1,40KW_SF = 1.57 50HZ_7,5AD 220-240VD / 440-480VY_60HZ_IE3 60HZ_1,8KW_SF = 1.42 60HZ_8.6 AYY / 4.3 AY 230 VYY / 460 VY_60 HZ_NP 60HZ_1,80KW_SF = 1.42 60HZ_7,3AYY / 3,65AY Net weight: 55.300 KG
91b70	
M-Pro-92-00pu	
30x47x7tc	

51360075
860249
01:Gs0k00920091
C11544-116
25769-W
40x65x8tc
88h359
17253tb-H
2k2a926880
Cc1073930
2382035601000 Laufrad
B1271
Bn 10141271 003/0612
30x45x7tc
655ee060
A10347-17
1608720
8501172
1760036
55x80x10tc
Gd100540
Zfp145
16233tbbx
200ebe1173
D033n406-20
200atp006
X8344-15c
50x80x10tc-Bx
242157
28g24
2010486

[C12de050](#)

[16x32x7tc](#)

[8500407](#)

[C11544/66](#)

[168233tb](#)

[Type : G-Bh1 2bh1590-7ah26](#)

[00527697-0007](#)

[01663742-0174](#)

[1.656x2.937x.375tc](#)

[205052](#)

[1248174](#)

[312850](#)

[50x80x8tc](#)

[156283tb-H](#)

[17x35x8tc](#)

[219tba045a](#)

[896070](#)

[8501597](#)

[100006224](#)

[P05119b](#)

[T60030-1cr](#)

[Rotor-Blade](#)

[2010433](#)

[01228337-0003](#)

[Bc3622010000](#)

[40x62x7sc-Bx](#)

[X8346](#)

[A04425274](#)

[55-32145-900](#)

[70806ta-H](#)

18313tb-H	
18263tb-H	
8500115	
K-25-B	
X8781-220	
201ats242	
S-531177	
P05050a	
70x90x12tc-Bx	
300cbl002	
Cc1016953	
62f4	
64eb803	
60dd595	
5n301-202	
2bh18107hh26z	
8500109	
Vgc-4	
1222941	
P05400880020	
Kta-80/1	
50020408	
8.6e+60	
A8r336m	
A0540326-0004	
16233-Tb	
13ag6304-Ea	
102851-0121	VTN41 VACUUM PUMP (1PH)
95n12	
13223tb-H	
1201-E1002	

100008868 Solenoid Valve	
C11545-6	
26444-W 1	
2eb408a137	DUAL FAN ASSEMBLY
027 Bn10080116009	
60dd54	
201tae092a	
00701701-0150	
30x40x7tc	
159212sb-H	
7cdl17r	
Vta	
Bsr4001.1	
13283tb-H	
89574409	
95b5	
2bh1500-7ah06	PUMP VACUUM
90ar1172	
P08691a	
Kta-100	
300cb16008	
4509-Vt	
202600	
211opb038	
306cb1199	
102219-A001	
8501084	
13203tb-H	
1246921	
18x28x7	

90j105	
213558	
CI-1003	
2014828	
301cbl002	
65v12	
47606ta	
Dx141670	
317984	
Eaq81999	COMPRESSOR CONVERSION KIT
2bv54108fp026s	
68x90x8tc	
25-75334	
2bh13007av15	
25ah13	
72x95x10tc	
101752vtl-H	
71321	
38x62x7sc	
77b18	
73337ba6-Pos17	
Laay10/1	
X8346-15c	
214565	
960800f	
A-Exgr6	
Pp1061011	
65v17	
Skg	
7003162	

5c7	
40x50x8tc	
Eaq80105	
98650-143	
27374vsa	
75lm13	
704038	
64aa3	
8501201	
Gds_Vc V-Vc150-7300	
H16rt07aam3	
2bh1500-7ac35-Z	
43-1017-1	
Lor10	
301ebm527	
156633	
1k2a	
60x82x12tc	
7311436000	CARTRIDGE MICRO-TOP 65X150 Net weight: 0.128 KG
Filter Cartridge For G200 2bh1600-7ah36-Z	
Dta 100 C (01)	
2fx45200er00	5190004520000 MMI handheld unit 2FX45200ER00 with connection cable 3,5 meters, for frequency converters 2FC4 ...- 1ST00 2FC4 ...- 1PB00 2FC4 ...- 1PN00 2FC4 ...- 1CB00 2FC4 ...- 1SC00 Net weight: 0.083 KG Size / Dimensions: 105X50X25 mm Material: (plastic, plastic, plastique, plastica) AL: N, ECCN: N Statistical commodity code: 85371098 Country of origin: DE Pref: N ALL
142137tc	
90ar1077	
16263tb-H	
Smk2.0	
2bh16101hk36z	

2bh18107hh27/8641671127000
2abl563
1562137tb-H
00910068-007
00543234-0003
12172vtb-H
731401
C11547-8
17x28x7tc
54c214
218283tb
90ar1082
Ce0258c
16087880019
7000907
16223tb-H
11182tc
61-2179a
22-33028
Vp1060775
50x62x7tc
8501091
2109463
Cc1040245
8n531-101
X8635-41b
2118342-P
1028510113
Sr25,2
45x62x9tc
40x62x7tc

202edp6013	
20801-01041	
L-901-Wg	
01228337-0021	
9n301-T102	
2118344-P	
75p12p	
25x42x7tc	
85062259	
00026187-W	
32x46x8tc	
29x45x7tg	
00514006-0009	
20x45x7tc	
6122076010	
08133tah	
A-Db275	BLOWER PACKAGE 115V 275CFM
12214sz	
F016365	
Cs040u50	
8501088	
Gd-2116150	
01228269-0012	
25443	
2bh16107hh36-Z G-Bh1 Gasringverdichter	
102853-0116	DTN16 BLOWER (1PH)
2ba-2k2a	
Vlf3p4-302	
Zrk-80-03	
Tcm12x19x3vc	

Ctm032	
25bc18	
6l3b	
X1806-70	
Bse400.1.0	
75p16	
8501624	
C2126130	
50z9	
50x72x8tc	
60am47	
G_2bh2_2bh205403aapp7aa	
102728-2012	VC303 VACUUM PUMP (3PH)
30x42x6tc	
2bh18107hh26 G-Bh1 Gasringverdichter	
1311031001000 (Cover For 2bv51310kh017s) Pump Cover 2bv5131	
Sap-1060	VACUUM PUMP AIR BLOWER 2850/3400RPM 50/60HZ
31d51	
2bh19107hh47-Z G_2bh1	
628010	
45x62x10sc	
152062vb	
2109411	
6180900000	MU DIN546 M5 8 Nettogewicht : 0,010 KG
101682tb-H-Bx	
16x24x4sc	
00-200867	
65-X-85-X-10-Tc	
102854-0110	DTN26 BLOWER (3PH)
25bc290	

2bx1041 8623901028000	2BX1041 8623901028000 THREADED FLANGE WITH PIPE THREAD TO DIN ISO 228, FOR 2BH15 / 16 (SUCTION AND PRINT SIDE CONNECTION) 2BH76 ..- N (SUCTION SIDE ONLY) Net weight: 0.500 KG Size / Dimensions: 112X80X30 mm Material: EN 10025-1.0035, NBR (Fe.Leg./Kautschuk) AL: N, ECCN: N Statistical commodity number: 73079100 Country of origin: CN Pref: N ALL
70060058	
701601-488	
102223-0101	
35x72x10tc	
A364-2	
2116713	
65x100x10tc	
301rga786	
2116110	
342-C-77	
7n502224	
60x80x10tc	
600734-252	
P05403270004	
8501090n	
413+433 Bn10049486001/2bh16007ah36z (8692061703000) Set	
2009589	
Aeon Pd	
205053	
1ba-1b050a-2/1k2a-1za	
35x45x7tc	
40x72x10tc	
P10113b	
Gacmdrd	UNIT
Cc1040275	

28g46	
2bh16007ah16	2BH1600 BLOWER/VACUUM (3PH)
200tde482	
65v16	
118202sb	
P05120b	
8500167	
13203vtb	
Km066	
504939	
Ltn10/1	
00701601-0980	
75p56n	
12x19x3	
118162sb	
204ats715	
731399-0000	
2109648	
542242	
071752vtl-H	
215314sa-H	
37916408	
7cdl14r	CYCLOBLOWER
38495ta-H	
25x32x7sc	
40x60x7tc	
91b70-2	
304rga786	
122064sa-H	
10591	

27300aa0	
100x140x13tc	
2eb612d30	
200ats015	
413+433	
Bn10049486001/2bh16007ah36z (Set Of 2 Pcs)	
Tba76004	
Ejbofb	AIR COMPRESSOR 25 HP
55x68x8tc	
960-023	
Vp4-13	
2010417	
Vp1028128	
5140060360	
40p45	
Sc10128662002/2012	
2bh1300-7ah16	
1ba-1b050a-2/1k2a-1za-946780a1	
2ev219	
8pp4456201	
923204-Kap50-Nm-3.87.03.001	
5cdi13k	
Vc 75(20)	
Lps10/2	
1-7455-4408 Quickly Connection Record	
48x62x8tc	
100x150x13tc	
102850-0110	VTN26 VACUUM PUMP (3PH)
00704725-0094	
2118730	
2bx1041 Gewindeflansch Mit	

Rohrgewinde	
204ask715	
7912	
25w46	
107cab18tfel	
3176f	
655ef060	
12233tb	
A6450-109	
2bh1384-Onu71-Z	
896071p	
5292620000	GASKET HOUSING ASBFR Net weight: 6.018 g
64eb804	
20x30x7tc	
Nsbp-859-004	
01228269-0021	
200ats505	
22x35x5tc	
Esm 22-7,5	
15x24x7sc	
61-2108a	
2bh1810-7hh36	
111872sb	
8501089	
24x35x7tc	
2109625	
1212500-01	
7078604001	
791220x30x7	
200gac6008	
W631497	

306eau6013	
39524ta	
09203sb	
1734051333000 (Tollerance Ring For Impeller For 2bv51310kh017s) Tolerance Ring Gardne	
160x190x15tc	
Fscm-03522	
102850-0114	VTN26 VACUUM PUMP (1PH)
655ee080	
731143	
02051vc	
621102	
168283tl	
08121sb	
601878-21	
09184sa-H	
00910069-0005	
95w25	
9n202-An401	
111	
Kta140/2	PRESSURE VACUUM PUMP
50x65x6tc	
213537	
106142sb-H	
3k1m-934300	
2bh13037aa01/G 2bh1	
P05226a	
71701400	
Lmg 9340310	
70-78004-300	

V-Vcb 20 (02)	Art nr. 10215302GA Rotary vane vacuum pump oil-flooded - air-cooled * DS motor 0.75 / 0.90Kw 2880/3460 / min 230 / 400V + -10% 50 Hz 265 / 460V + -10% 60 Hz Insulation class F Degree of protection IP 55 Energy efficiency class IE3 Version according to UL1004 with PTC thermistor sensor * including: - suction-side fine filter - integrated check valve - Oil mist separator - first oil filling * Suction capacity 50 Hz = 20 m3 / h Final pressure (absolute pressure) 2 mbar * further techn. Data and accessories according to data sheet D 159 Net weight: 21 KG Statistical commodity code: 84141025 DE
2116854	
F74g6anad3	
Nash-Elmo L200 2bv 7071-2ah00	
203ask715	
12ba135	
15x30x7tc-Bx	
Bn 10213695 007 /06 14	
2109093	
22-33064	
22x32x7tc	
01760260-0008	
28h97	
2bh13007av15 (8641070115000) Gasringverdichter	
Pp1005365	
8500389	
D2d133-Db08-27	
15x30x5tc	
73337ba6-Pos25	
896070p	
30x60x8tc	
301eaq6013	
731401-0000	
65531	
K040009	

77206006	
526311dvsub	
09132vvc	
5228340000	VALVE PLATE 28.0 D Net weight: 45.646 g
28g25	
22x35x7tc	
80x100x7tc	
2bh13107hp26	
0304003006000 (Mechanical Seal For 2bv51310kh017s) Mechanical Seal	
73337ba6-Pos15	
043122tf	
20x35x7sc	
200avs077	
75lm174	
22303tb	
2015du	
22463	
8501173	
14223sl	
Sgp-16-02	PRECISION MOTOR W/PUMP ASSEMBLY 42VDC/6AMP 0.12NM
07172vtl-H	
60300411d	
125x155x14tc	
2bv5161-8kh02-7s	
21d81	
50k6	
156253tb-H	
934283 [ex.926869]	
F016365 - Ct10 7,5 - 8 Ea - Screw Compressor - Dt820 Kompresor	

Z12937	
C10190-69	
7314680000	
Mil-5411c	
Gacmdra	
A10347/19	
89675429	
V-Vc 303 Oil Type Vacuum Pump	GD Elmo Rietschle Non-Return Valve with 2 "and GD Elmo Rietschle Dust Catcher Filter
00600743-0121	
7074353206la07	
32x52x7sc	
32424ta	
70x90x10sc	
Kta80/4	PRESSURE VACUUM PUMP
17393tb	
G-Bh1	
C11544-65	
3314543sa-H	
306tIs316	
89755919	
22x47x7sc	
22-80156	
7074353206le18	
506042	
22302ta-H-Bx	
Pp1052997	
132062tc	
518-943	
2fx45210er00	5190004521000 PC Adapter 2FX45210ER00 CABLE WITH USB PLUG AND THREAD PLUG, LENGTH 2 METERS for frequency converters 2FC4 ...- 1ST00 2FC4 ...- 1PB00 2FC4 ...- 1PN00 2FC4 ...- 1CB00 2FC4 ...- 1SC00

00514006-0384
C20606-130
Vte6230/1/50
2ev107
200ssk044a
28g44
1249173
910a018
24ca6430
20x47x7tc
8500033
00543117-0040
65am352
70pyes0033
73337ba6-Pos13