



## Gea Aseptomag

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Gea Aseptomag** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Gea Aseptomag Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">0951.50107</a>	Inner part NW40 OR Stroke 10mm, with metal bellows (KLF) Valve seat seal TEFASEP® 160°C Housing seal O-ring silicone 160°C Parts in contact with product made of AISI 316L, RA <= 0.8µm according to drawing no. V40-2137 statistical goods number 8481.9090 Country of origin CH Net weight /ST 0.520KG
<a href="#">0957.50084</a>	Inner part NW80 DK EA OR for double chamber shut-off valve (DK) Stroke 25mm, with metal bellows (KLF) Valve seat A NW65, B NW80 Valve seat seals TEFASEP® 160°C Housing seal O-ring silicone 160°C Parts in contact with product made of AISI 316L, RA <= 0.8µm For EA drive with individual lift for seats A + B according to drawing no. V80-2061
<a href="#">5050.51218</a>	Mounting spring PA100 from 1.4310 according to drawing no. V50-3006
<a href="#">0957.50003</a>	Seal set for pneumatic drive PA100 EA consisting of: 2 x O-ring ø 20x3 Viton 5050.51381 (V25-3009) 1 x O-ring ø 94x3 Viton 5050.51451 (V50-3005) 1 x O-ring ø 15x3 Viton 5050.51376 (V25-3048) 3 x O-ring ø 35x3 Viton 5050.50165 (L801-12) 1 x piston seal NBR 5050.51077 (V25-3010) 2 x

	piston seal NBR 5050.51078 (V50-3017)
<a href="#">0951.50573</a>	Seal set inner part NW15 OKF PA50 + LVD consisting of: 1 x housing seal O-ring silicone 5050.51389 (V15-1025) old 1 x housing seal O-ring silicone 5050.50166 (V25-1054/L642-59) new 1 x valve seat seal TEFASEP® 5050.52093 (V15-2007) 1 x piston rod seal Turcon 5050.51152 (V15-3084) according to drawing no. V15-2104 statistical commodity number 3926.9000 Country of origin CH
<a href="#">0957.50347</a>	Wear parts set DK OKF NW15 PA50 consisting of: 1 x housing seal O-ring silicone 5050.51389 (V15-1025) 1 x valve seat seals TEFASEP® 5050.52093 (V15-2007) 1 x seal set PA50OKF 0961.50004 (V15-3098) according to drawing no. V15-0202 statistical commodity number 8481.9090 Country of origin CH Net weight / ST 0.020 KG
<a href="#">0957.50110</a>	Pneumatic drive PA100/50 EA NC Spring closing / air opening (normally closed) Stroke 30mm, 3 x air connection G1/8" Clamp connection for valve housing NW50 for double chamber valve with individual lifting of valve seats A + B Connections: - Ventilation seat A: connection E - Ventilation seat B: connection C - Open valve: connection D Cylinder and piston rod made of AISI 304 ATTENTION when dismantling: Drive is under spring pressure according to drawing no. V50-3084 statistical commodity number 8481.9090 Country of origin CH
<a href="#">0957.50003+5050.51218</a>	Seal set for pneumatic drive PA100 EA consisting of: 2 x O-ring ø 20x3 Viton 5050.51381 (V25-3009) 1 x O-ring ø 94x3 Viton 5050.51451 (V50-3005) 1 x O-ring ø 15x3 Viton 5050.51376 (V25-3048) 3 x O-ring ø 35x3 Viton 5050.50165 (L801-12) 1 x piston seal NBR 5050.51077 (V25-3010) 2 x piston seal NBR 5050.51078 (V50-3017) according to drawing no. V50-3093 + Mounting spring PA100 from 1.4310 according to drawing no. V50-3006
<a href="#">BLOKSMA, S/N:101901,</a>	NR:972366, ZEIC H:P10-05-38, P:16/10 BAR (RING MILL 3-FLAP HYDRAULIC TANK)
<a href="#">V40-2137</a>	
<a href="#">V25-1062</a>	
<a href="#">V25-3019</a>	
<a href="#">V65-1072</a>	
<a href="#">V50-3252</a>	
<a href="#">V40-3119</a>	
<a href="#">V25-2007</a>	
<a href="#">V50-3006</a>	
<a href="#">V40-2007</a>	
<a href="#">V65-2007</a>	
<a href="#">V25-3014</a>	

[V25-3020](#)