

## Gf Signet

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Gf Signet** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Gf Signet Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*



rn	Aıklama
<a href="#">3-2724-10 pH Elektrot, Flat Yzey 3/4 " NPT</a>	
<a href="#">In-line preamplifier 2760-11, NPT</a>	159 001 367
<a href="#">pH/ORP Sensor Typ 3-2725-61</a>	159 001 562
<a href="#">199190305</a>	Electrical feedback ER 52-1 with 2 auxiliary switches AG,Ni DN15-50
<a href="#">3-9900-1P</a>	Transmitter type 3-9900-1P panel control cabinet assembly
<a href="#">3-2841-1VD</a>	3-2850-52-41VD PVDF conductivity electrodes type 2839-1V(GB)
<a href="#">3-27-24-01</a>	ph/ORP Sensoren
<a href="#">8550-3 DUAL CHANNEL FLOW</a>	
<a href="#">8860 DUAL CHANNEL CONDUCTİVİYT</a>	

<a href="#">FLOW İNDİK. 385501P 159000048</a>	
<a href="#">GF Signet 8550-3 Flow Transmitter</a>	
<a href="#">56561-00</a>	3-2724-00 pH Electrode, Flat Surface, Pt-1000 ATC, 3/4" NPT Threads
<a href="#">PADDLE WHEEL SENSOR 2540-2 DN40-600</a>	CODE:198840036
<a href="#">Flow - Transmitter 9900 SmartPro</a>	MFR 3-9900-1
<a href="#">Universal mounting set for transmitters</a>	
<a href="#">2751 pH/ORP Dry Loc® Smart</a>	sensor electronics 3-2751-1 159 001 804
<a href="#">pH/ORP Sensoren 3-2724-00</a>	159 000 545
<a href="#">3-2725-60 DryLoc pH/ORP electrodes</a>	
<a href="#">pH Electrode, Flat Surface, Pt-1000 ATC, 3/4" NPT</a>	56561-00 3-2724-00
<a href="#">3-2760-11</a>	
<a href="#">3-2724-10</a>	
<a href="#">525 METALEX FLOW SENSOR P525-2</a>	
<a href="#">9900 Transmitter</a>	Order code: 159001695 Panel mount Power supply: 12 – 32 VDC Ambient temp.: 10 ... 70 °C Input: 1 x 4-20 mA , 1 x Frequency 4 to 20 mA Output Module 3-9900-398-1 Relay Module dry contact 3-9900-393
<a href="#">3-2760-11 159001367</a>	
<a href="#">3-2551-T1-22 Flowmeter</a>	
<a href="#">3-2724-00 Flat Ph Electrode Pt1000</a>	
<a href="#">3-2536-P0 Paddlewheel Pp 1/2-4" Pipe</a>	
<a href="#">3-8550-1</a>	
<a href="#">3-2726-Lc-10</a>	
<a href="#">3-2725-60 159001561 Sensor</a>	
<a href="#">3-8550-2p - Obsolete</a>	
<a href="#">3-2350-2 Temperature Sensor</a>	
<a href="#">3-8512-T0 Integral Mnt Paddlewheel Nat P</a>	
<a href="#">3-2540-2</a>	
<a href="#">3-2822-1 Cond/Res Electrode</a>	
<a href="#">159001547 Sensor</a>	
<a href="#">3-2536-P5 Paddlewheel Pp 10-36" Pipe</a>	
<a href="#">3-2764-2</a>	
<a href="#">3-2724-10 159001547</a>	
<a href="#">3-2725-60 Orp Sensor</a>	
<a href="#">3-2541.260-1</a>	
<a href="#">3-2724-00 Ph Sensor</a>	

<a href="#">159001561 Sensor</a>	
<a href="#">3-8512-V0 Integral Mnt Paddlewheel Nat P</a>	
<a href="#">3-8512-P1 Integral Mount Paddlewheel Pp</a>	
<a href="#">3-2760-11</a>	
<a href="#">735.992.025</a>	LATERAL VALVE 20X20MM SYGEF
<a href="#">3-2750-1 In-Line Ph/Orp Preamp</a>	
<a href="#">159001442</a>	2582 MAGMETER FLOW SENSOR, 3-2551-TO-42 MAGMTR DISP PVDF/IT 8 4-20 (3-2551-T0-42)
<a href="#">198801620</a>	
<a href="#">3-8750-3</a>	3-8750-3 PH/ORP TRANSMITTER FIELD 2 OUT (159000057)
<a href="#">3-2551-P1-11</a>	2565 MAGMETER FLOW SENSOR, 3-2551-P1-11 MAGMETER PP/SS 8 FREQ (159001106)
<a href="#">159000876</a>	8900 MULTI INPUT CONTROLLER, 3-8900.401-7 4 INPUT 2 ACT OUTPUT 4-20MA (3-8900.401-7)
<a href="#">3-2551-V0-42</a>	2596 MAGMETER FLOW SENSOR, 3-2551-V0-42 MAGMETER DISP PP/HC 4 4-20 (159001281)
<a href="#">3-8512-P0</a>	
<a href="#">3-8512-Po Integral Sensor</a>	
<a href="#">3-8050</a>	
<a href="#">159000626</a>	2823 CONDUCTIVITY / RESISTIVITY ELECTRODES, 3-2821-T1 CR SANITARY 1.0 SANI, 1.0 S/C (3-2821-T1)
<a href="#">735.992.045</a>	LATERAL VALVE 63X32MM SYGEF
<a href="#">159001525</a>	2552 MAGMETER FLOW SENSOR, 3-2552-33-A-12 MAGMETER NPT 1 1/4 4-20 (3-2552-33-A-12)
<a href="#">159001344</a>	3-2850-51-40D COND ELECS DIGITAL 2840 (3-2850-51-40D)
<a href="#">3-2551-P2-11</a>	
<a href="#">3-2819-S1 Signet Cond/Res Electrode 001-1 Cell Co</a>	
<a href="#">19000051 8550-3</a>	
<a href="#">3-2536-P4 Paddlewheel Pp 5-8" Pipe</a>	
<a href="#">159001461</a>	(3-2551-T2-42) PVDF BODY, TITANIUM ELECTRODES, 10IN TO 36IN, DISPLAY, 4-20MA OUTPUT
<a href="#">3-2450-7I Pressure/Level Sensor 0-50 Psi</a>	
<a href="#">159000096</a>	2823 CONDUCTIVITY / RESISTIVITY ELECTRODES, 3-2821-S2C CR SAN CELL 1.0 CELL SS 2 (3-2821-S2C)
<a href="#">155.992.044f</a>	LATERAL VALVE 63X25MM
<a href="#">159001248</a>	3-2250-21U-1 HYDRO PRESSURE SENSOR 4-20 0.7BAR 1/2 (3-2250-21U)
<a href="#">159001108</a>	2577 MAGMETER FLOW SENSOR, 3-2551-TO-11 MAGMTR PVDF/IT

<a href="#">159001462</a>	UPTO 4FREQ (3-2551-T0-11) (3-2551-V2-41) PVDF BODY, HASTELLOY-C ELECTRODES, 10IN TO 36IN, DISPLAY, FREQ/S3L OUTPUT, USE WITH 8900 OR 9900
<a href="#">Dsr100/Fc/Ip65</a>	PNEUMATIC VALVE DIGITAL ELECTRO IP65
<a href="#">159001448</a>	2589 MAGMETER FLOW SENSOR, 3-2551-TO-11 MAGMTR PVDF/TT UPTO 36FREQ (3-2551-T2-11)
<a href="#">159001353</a>	3-2850-52-41D COND ELECS 4-20MA 2841 (3-2850-52-41D)
<a href="#">159000048 Flow Transmitter</a>	
<a href="#">159001257</a>	2591 MAGMETER FLOW SENSOR, 3-2551-V0-11 MAGMETER PP/HC UPTO 4 FREQ (3-2551-V0-11)
<a href="#">159001443</a>	2588 MAGMETER FLOW SENSOR, 3-2551-TO-42 MAGMTR DISP PVDF/IT 8 4.20 (3-2551-T1-42)
<a href="#">159001107</a>	2571 MAGMETER FLOW SENSOR, 3-2551-P0-11 MAGMETER PP/SS UPTO 4 FREQ (3-2551-P2-11)
<a href="#">159001343</a>	3-2850-51-39D COND ELECS DIGITAL 2839 (3-2850-51-39D)
<a href="#">159001274</a>	2568 MAGMETER FLOW SENSOR, 3-2551-P1-22 MAG DISPL PRE PP/SS 8 4-20 (3-2551-P1-22)
<a href="#">159001437</a>	2585 MAGMETER FLOW SENSOR, 3-2551-TO-21 MAG DIS REL PVDF/IT 8 FREQ (3-2551-T1-21)
<a href="#">3-2551-P0-12</a>	2559 MAGMETER FLOW SENSOR, 3-2551-P0-12 MAGMETER PP/SS UPTO 4 4-20 (159001110)
<a href="#">159 000 231 Lr 92369 For Pn3-8850-2p</a>	
<a href="#">198 840 036</a>	Signet 3-2540 DN40 bis 600 Paddlewheel sensor type 2540 Tube size: DN40-DN600 Material rotor: stainless steel Material axis: tungsten carbide Seal: FKM Measuring range: 0.1 - 6 m / s Specification PP: 17 bar @ 82 degrees C Connection: ISO 7/1 - R 1.5 MFR: 3-2540-2
<a href="#">159001521</a>	2552 MAGMETER FLOW SENSOR, 3-2552-33-A-11 MAGMETER NPT 1 1/4 FREQ (3-2552-33-A-11)
<a href="#">159000232</a>	3-8850-3 COND/RES TRANSMITTER FIELD 2 OUTPUT (3-8850-3)
<a href="#">175.319.625</a>	LATERAL VALVE 63X20MM ZERO-STATIC SYGEF
<a href="#">159000875</a>	8900 MULTI INPUT CONTROLLER, 3-8900.401-6 4 INPUT 2 PAS OUTPUT 4-20MA (3-8900.401-6)
<a href="#">3-2841-1v Conductivity Sensor</a>	
<a href="#">3-8850-3p</a>	3-8850-3P COND/RES TRANSMITTER PANEL 2 OUTPUT (159000233)
<a href="#">159001482</a>	3-2250-21U-1 HYDRO PRESSURE SENSOR 4-20 0.7BAR 1/2 (3-2250- 21U-1)
<a href="#">3-2551-P0-11</a>	
<a href="#">3-8550-2 Transmitter</a>	
<a href="#">159000678</a>	3-8860-AC DUAL CHANN CONDOC/RESIST CONTR (3-8860-AC)
<a href="#">159001446</a>	(3-2551-V2) REPLACEMENT TRANSDUCER, PVDF BODY, HASTELLOY-C ELECTRODES, 10IN TO 36IN
<a href="#">159001269</a>	2593 MAGMETER FLOW SENSOR, 3-2551-V0-21 MAG DSP REL PVDF/HC 4 FREQ (3-2551-V0-21)

<a href="#">159001011</a>	8150 BATTERY POWERED FLOW TOTALISER PROCESSPRO, 3-8150-T0 INTEGRAL BATT FLOW TOTALISER (3-8150-T0)
<a href="#">159000090</a>	2823 CONDUCTIVITY / RESISTIVITY ELECTRODES, 3-2820-S2 CR SANITARY 0.1 CELL SS 2 (3-2820-S2)
<a href="#">3-2536-P3 Paddlewheel Pp 1/2-4" Pipe</a>	