

Girpi

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Girpi Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Girpi T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
48553310	m tube 50mm outer diameter in 4m lengths
48115310	St angle 90 * 50mm
48100310	St sleeve 50 mm
48124427	St tee 90 * reduced 50-40 mm
48205310	st screw connection 50mm
48453339	St transition piece 50 x 1 1/2 "with brass AG (GAEAL)
48253341	St transition piece 50 x 63 x1 1/2 "GAMML
48253333	Transition piece 20 x 25 x 1/21 m. Brass internal thread (GAMML) ----- ----- Alternatif olarak 48124422 de ¼nermekteiler 48124422 St tee 90 * reduced 40-25mm
48422308	st T-piece 90 * with internal thread 25x3 / 4 "
CONCENTRIC REDUCER D63X32 MF HTA	(EXT.DIA=63X32)-GIRPI - HRD63/32-ND50X25 / DIA63X32-NP10

COUPLING PVC D32 FF HTA-HMA32-ND25 / DIA32-	
COUPLING PVC D90 FF HTA-HMA90-ND80 / DIA90-	
ELBOW 90DEG FF D32 HTA (EXT.DIA=32)-GIRPI -	H4M32-ND25 / DIA32-
ELBOW 90DEG FF D90 HTA (EXT.DIA=90)-GIRPI -	H4M90-ND80 / DIA90-NP16
LAPPED FLANGE D32-GIRPI - BVR25-ND25 / DIA32-NP10	
LAPPED FLANGE D63-GIRPI - BVR50B-ND50 / DIA63-NP10	
LAPPED FLANGE D90-GIRPI - BVR80B-ND80 / DIA90-NP10	
PIPE CPCV D32X2,4 (EXT.DIA=32)-GIRPI -	THT3216-ND25 / DIA32-NP16
PIPE CPCV D90X6,6 (EXT.DIA=90)-GIRPI -	TUBHT90-ND80 / DIA90-NP16
WELDING COLLAR D32 (EXT.DIA=32)-GIRPI -	- HCS32-ND25 / DIA32-NP10
WELDING COLLAR D63 (EXT.DIA=63)-GIRPI -	- HCS63-ND50 / DIA63-NP10
WELDING COLLAR D90 F (EXT.DIA=90)-GIRPI -	- HCS90-ND80 / DIA90-NP10
GLUE FOR PVC HTA - 1L-RERFIXB--	
P.6.2-047	UH-PVC-Klebstoff ged¼mpft Te ø 50 (504 00 050 2) PN16
P.6.2-048	UH-PVC-Klebstoff, ged¼mpftes İngal-T-Shirt ø 50 x 20 x 50 (508 00 050020 2) PN 16
P.6.2-049	UH-PVC-Haftkupplung ø 20 mit Innengewinde 1/2
P.6.2-027	UH-PVC-Klebstoff ged¼mpft 90 ° Winkel ø 50 (500 00 050 2) PN16
P.6.2-050	UH-PVC-Klebstoff ged¼mpft Te ø 63 (504 00 063 2) PN16
Ø250 mm. (Pipe)	
Ø250 mm. 90° Bend	
Ø250 mm. 45° Bend	
Ø250 mm. Sleeve	
Ø250 mm. Te Connection	

Gama32
F3p50
Gamml20
Gate032
Fb063
Tubf40
Gate32
Gama50
F3p63
Ftr6325
Gab025
Fcs40
Gatr5020
Ftr6320
Gab050
Fma63
Ga4m032
Fte50
Gafixb
Fcs32
Ga4m20
Ga3p032
Feal20
F3p063
Fte63
Ftr6332
Ga4m50
Feal25
Hckc25/6
Gama20

[Fmml25](#)

[F8m063](#)

[Tubga50](#)

[Fb020](#)

[Fma32](#)

[F3p40](#)

[Fma50](#)

[Hckc32/6](#)

[Hckcm6032](#)

[Ga3p25](#)

[Fma25](#)

[F3p20](#)

[999414000](#)

[Gama40](#)

[Tubga20](#)

[Fbo063](#)

[Ftr6350](#)

[Tubga032](#)

[Fte32](#)

[Fma063](#)

[Tubga25](#)

[Gab040](#)

[F4m63](#)

[Ftr6340](#)

[Gate25](#)

[Ga3p50](#)

[F4m25](#)

[Gate50](#)

[Tubf50](#)

[F4m020](#)

[Ga4m32](#)

Gatr5025
Gaeal25
Gars40
Ga3p40
Gars25
Frd6325
Tubf32
Gafixp
Fb050
Fb025
Fmml20
F3p32
Hckc20/6
F4m50
Tubga32
Tubf25
Feal020
Gfixga1l
Fcs50
Tubga020
Frd6332
Ftgrl6312
F4m40
Fte40
Gabo032
Ga4m020
Fma40
Tubf63
Frd6340
Tubf063

[Gatr3220](#)

[Gard5032](#)

[Gama032](#)

[Ga3p32](#)

[Gab032](#)

[Tubf020](#)

[Ct1263r](#)

[F4m063](#)

[Hckc63/8](#)

[Fte063](#)

[Fb032](#)

[Gard3220](#)

[Hckc50/8](#)

[Gamml25](#)

[Tubf20](#)

[Gars32](#)

[D171](#)

[Ga4m40](#)

[Gab020](#)

[Gate40](#)

[Fma20](#)

[Gars50](#)

[Ga3p20](#)

[Gard4025](#)

[Fmc25](#)

[Ctc110r](#)

[Gatr4025](#)

[F3p25](#)

[Hpfixp](#)

[Fb040](#)

Gaeal20
Gatr3225
F4m20
Gama25
Hckcm6063
Ct1240r
Fte25
Fcs63
Gaea020
Fmml63
Ga4m25
Hckc40/6
Tubga40
Hpfixb