

Grainger

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim süresi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Grainger Markası, tedarik süresi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Grainger T¼rkiye Distrib¼t¼r¼ veya temsilcisi deęildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
Item # 3KWD9	Mfr. Model # 5405 Catalog Page # 633 Bomb Sampler, 500 mL Capacity, 2 1/2 in Diameter, 11 Length
Item # 3KWL9	Mfr. Model # 5406 Catalog Page # N/A Bomb Sampler, 1,000 mL Capacity
Item # 3KWH9	Mfr. Model # 5370 Catalog Page # 633 Bomb Sampler, 16 oz Capacity, 2 1/2 in Diameter, 12 in Length
NEEDLE FILE SET, PATTERN, 5 1/2 IN SWISS,	- 23N601)
ADAPTER, SOCKET, SQUARE, FEMALE, DRIVE SIZE 1/2 IN	- 426H17)
RATCHET, QUICK RELEASE, 8 IN STEEL	- 38WF369)
VERNIER CALIPER, 0-6 IN, 1.6 IN D	- 4KU77)

VERNIER CALIPER, 0-12 IN, 2.5 IN D	4KU76
LOCKING PLIERS SET	4JA66)
HACKSAW FRAME, 16 INCH	2RXC6
STEEL RULE, 6 INCH (GRAINGER - 10F263)	
TAPE MEASURE, MM-CM & FT-INCHES	- 56735)
SIDE CUTTERS CHANNEL LOCK	USE 238577 - 5LJ43)
SWIVEL, UNIVERSAL (GRAINGER - 13X062)	
EXHAUST, REAR, STRAIGHT AIR DIE GRINDER,	1/4 IN COLLET, 25,000 RPM FREE SPEED, 0.4 HP (GRAINGER - 23Z013)
WRENCH, 1/2", COMBINATION WRENCH, SAE,	FULL POLISH FINISH, NUMBER OF POINTS: 12 (GRAINGER - 3XE97)
SET, KEYSTONE SLOTTED/PHILLIPS SCREWDRIVER SET,	MULTICOMPONENT,NUMBER OF PIECES: 6 (GRAINGER - 13G269)
STE, BUR, CARBIDE (GRAINGER- 2OUH85)	
External Retaining Ring Plier	Tip Angle 90° Tip Dia. 1.17mm (0.046 in) 4941A01 Grainger (3JXN2)
52NZ59 GREASE FITTING	1/8INCH-27-PTF 90° HEAD ANGLE 27/32INCH LENGTH
Tee 2" F NPT x 2" F NPT x 2" F NPT	
90 deg elbow 2" M NPT x ¾ M JIC	
2" M NPT x 2" M JIC	
2" M NPT x 2" F JIC	
1 ½" F NPT x 1 ½" F NPT	
1 ½" M NPT x ¾ M JIC	
Tee 1 ½" F NPT x 1 ½" F NPT x 1 ½" F NPT	
1 ½" M NPT x 1 ½" M NPT	
90 deg elbow 1 ½" M NPT x ¾ M JIC	
Hose ¾ F JIC x ¾ F JIC/ MM	MM
Hose ¾ F JIC x ¾ F JIC	MM
Hose ¾ F JIC x ¾ F JIC /MM	
Hose ¾ F JIC x ¾ F JIC / MM	

YTMC35061 555-1352 MAPA	
Mfr. Model 101-010-344-G100	Weld Stud: CFL, 3/8"-16 x 1 1/4", 18-8 Stainless Steel, 100 PK Item 12A891 Material 18-8 Stainless Steel
U51050.011.0025	Item # EBP6XA41
NUT, SPOTWELD SGL W M5	9672407
NUT SPOTWELD SGL W M8 X 1.25	9672409
TAB SINGLE WELD M10X1.5	86511044
2tvu6	
1dmd2	
5c859	
1r424a Parts Kit	
40I724	
1dxl6	
10d457	
4zh13	
3lx89	
1nyc3	
10m819	
5naw6	
1a532	
5c909	
4ja66	
1g474	
1nyb2	
4rtv7	
2w282	
2da93 Alternative	
3ja23	
2ejx1	
1ekb1	
5epp0	

1aw12
21yc32
5u679
1ary1
1ejz2
52jg37
29an12
1ezj3
1nu46
2v706
4pm09
5tzd9
2cb34 Alternative
3r387
1lmy6
45jw95
21795 4c448a (Blower Pole)
5ewn5
6c667
3r110
1clf7
4ujl2
6d048
1ny95
1ua95
3kh17
14c127 10m
3lx90
21yc21
5lm82
2xy38

6a541	
21a249	
5mf73	
31105 (6a653)	
2dpe6	
3r732	
5tze0	
2zb28	
1nb50 Alternative	
1ly64	
1ah61	
2tvx1	
2dzg8	
1dlz4	
1dlz3	
6a651	
2xy34	
3z002	DUST COLLECTOR PORTABLE 115/230VAC W/O DRUM
1lmy2	
1fd45	NDT Portable Cart
1hnl6 (Ex 4x795)	
1jy33	
5a284	
3r390	
1ax65	
2hap6	
11x260	
4cw42	
1aw11	
3r380	

1taj3
2hlg9
3ku69
1z907
2hlg3
4yu69
40I734
2ajI2
449n98
2wzv8
12t581
19xy44
2xy23
3r792
1lbe6
2xkd2
2ra35 (Ex 2klx1)
2dpe4
1ax66
6w010
1arv6
4pl96
10e752
29an41
3wb35
5r858
J190 (3r177)
5mf72
20at87
1dmd1
1vmk1 (Ex 18443)

[5ptv8](#)

[2fe61](#)

[5r856](#)

[1nya7](#)

[2dzg6](#)

[4fma6\(Ex.5wz41\)](#)

[2ddh6](#)

[1am21](#)

[1ekd1](#)

[1ua94](#)

[1rxj7](#)

[1ezj4](#)

[2g592](#)

[1p894](#)

[2131pex](#)

[11g076](#)

[1zru7](#)

[1xdy9](#)

[17661b](#)

[1huc6](#)

[1dlz2](#)

[2dpd9](#)

[2dzg7](#)

[24z036](#)

[3up40](#)

[1mue8](#)

[1ky16](#)

[2tvq7](#)

[4nb53](#)

[2tvr1](#)

[2mv15](#)

[6uaf6](#)

[2wzv7](#)

[5a462](#)

[2ddg3](#)

[19g979](#)

[5lz87](#)

[4zf22](#)

[1ap26](#)

[22c737](#)

[1avr4](#)

[12d206](#)

[1nya8](#)

[2nxa5](#)

[12d287](#)

[54ry25](#)

[6a650](#)

[12850](#)

[6al89](#)

[4zy93](#)

[21a265](#)