

## Grindex

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Grindex** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Grindex Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*



rn	Aıklama
<a href="#">5166605</a>	ENGINE PROTECTION, GRINDEX 5166605 ART. 770 09 00 Replaces Art 5003401 and 5003402 ***** Technical information 42-2011_V2 ** send with the goods ****
<a href="#">Grindex</a>	
<a href="#">Grindex</a>	
<a href="#">Grindex</a>	
<a href="#">Grindex</a>	
<a href="#">073451,10</a>	Grindex Master H, 400V/ 50HZ/3PH 10KW 4"ISO AG Type no. 8105.1981-0008 to device no. 1340000, type 8105.182-0027 AB device no. 1340001, Y/D start integrated in the pump head Safe to run dry thanks to the integrated air cooling valve 20 meter cable with CEE plug 32A, smart motor protection
<a href="#">036000,00</a>	fixed coupling storz A/4"IG
	Salvador W, 230V/ 50 Hz/ 1 PH /1,5 kW ; 3" ISO AG TYPE NO. 8109.281-0011 UP TO DEVICE NO.: 1340000, TYPE 8109.282-

<a href="#">073041,10</a>	0011 AB NO.: 1340001 20 METER CABLE WITH SCHUKO PLUG, INTEGRATED START RELAY + MOTOR PROTECTION DRY-RUNNING SAFE THROUGH INTEGRATED AIR COOLING VALVE DEVICE NUMBER
<a href="#">036001,00</a>	Fixed coupling storz B/3"IG
<a href="#">073451,10</a>	Master H, 400V 50HZ/3PH 10 KW 4"ISO AG 8105.181-0008 up to device no. 1340000, 8105.182-0027 device no. 1340001, Y/D start integrated in the pump head Dry-running safe thanks to integrated air cooling valve 20 meter cable with Cee plug 32A smart motor protection
<a href="#">036000,00</a>	Fixed coupling storz A/4"IG
<a href="#">GRINDEX MASTER N TYPE 8105.181-0041</a>	GRINDEX MASTER N TYPE 8105.181-0041 UP TO DEVICE NO: 1340000, TYPE 8105.182-0084 FROM DEVICE NO: 1340001, 6" ISO AG, 400 V/50Hz/3 PH/10 kW; Y/D START INTEGRATED IN THE PUMP HEAD, DRY RUNNING PROTECTION THANKS TO INTEGRATED AIR COOLING VALVE, 20 METER CABLE; SMART MOTOR PROTECTION; WITH CEE PLUG 32A DEVICE NUMBER:
<a href="#">6330705</a>	
<a href="#">MINI 220 V 1PH 50HZ</a>	
<a href="#">8102/171-0013</a>	
<a href="#">Minor-H Bsp 3</a>	
<a href="#">Mechanical Seal Medium Side For Pump 11.01 Nr.744210</a>	
<a href="#">Matador H</a>	
<a href="#">5166605(Part No 5151105)</a>	
<a href="#">Minette Ss</a>	
<a href="#">11.01 Nr.744210</a>	
<a href="#">Motor Power: 11.7 Kw (380 V, 3p, 50hz) Engine Speed: 2900 R / Min Check- Mouth: 6ã39;Å39; Mak. Compression</a>	
<a href="#">073084,00 Mini Typ 8122.211-0002 Ohne Schwimmerschalter</a>	
<a href="#">O-Ring Set For Pump 11.01 Nr.744210</a>	
<a href="#">Mechanical Seal Motor Side For Pump 11.01 Nr.744210</a>	
<a href="#">5166605</a>	
<a href="#">073009,10 Grindex Minette D</a>	
<a href="#">5114801</a>	
<a href="#">073019,20</a>	

<a href="#">036001,00</a>
<a href="#">Typ Nr 8102.171-0013 Bis Nr: 1340000</a> <a href="#">073010,10</a>
<a href="#">036001,20</a>
<a href="#">Impeller For Pump 11.01 Nr.744210</a>
<a href="#">Major N - Cee 16a 400v</a>
<a href="#">036001,00 Festkupplung Storz</a> <a href="#">B/3quot;Iq</a>
<a href="#">Pumping Coat For Pump 11.01</a> <a href="#">Nr.744210</a>
<a href="#">H 2522</a>
<a href="#">Platte</a>
<a href="#">8101.171-0013</a>
<a href="#">036002,00 Festkupplung Storz</a> <a href="#">C/2quot;Iq</a>
<a href="#">Matador N</a>
<a href="#">Minette Ss Max. 17 L/S Max. H = 18m</a> <a href="#">2/2,6 Kw 2715upm 600v/50hz 31a</a>
<a href="#">8104.181 3? 7,5 Kw</a>
<a href="#">Major ?H? 2840 Upm</a>
<a href="#">Master N</a>
<a href="#">8104.180-0002.4quot;Ag</a>
<a href="#">073084,01 Mini Typ 8122.211-0004 Mit</a> <a href="#">Schwimmershalter</a>
<a href="#">4quot;Iq</a>
<a href="#">Wq15-110/3-9.2 G</a>
<a href="#">Major N</a>
<a href="#">000030,59 Minette D</a>