


Groschopp

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Groschopp Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Groschopp Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
Igl 90-60,D633	400/230 V, 50/60 Hz, n 2840/3400, 350 WL, B 14, IP 54, terminal box AK-2 above, With
G184	E4 transmission 17: 1, Max. permissible torque 13 Nm
Wk 5033604	
Wk-Nr.: 17814-01-23	IGKU 80-60, D805 Execution according to UL / CSA 380-440 / 220-254 V, 50 Hz, n 2750, 160 watts 380-480 / 220-277 V, 60 Hz, n 3350, 160 watts when connected to 1-phase 230 V, 105 Watt (10µF) WK-No .: 17814-01-23, circuit diagram S 61-0701-30 Type B 14 with foot holes, protection class IP 65, with phase insulation, with heat monitor 140 ° (NC contact) guided on WAGO terminal, with terminal box AK-2 above, Paintwork: blue With Z841 Motor foot for IG80-60 on MG90-60 Item no .: 2238616962 + 4X1032747 for VE31 / Z3 gearbox mounting

Pm8014-Ra3080t	
WK 1641904	230V AC 50Hz
WK 1680004	
Type: PM1 48-25 ,WK1177102,	Volt:160V DC, Watt:16 W, Amp:0.17, Watt- 16 W, Rpm: 4000m/m ² Gearbox Details:Type: SG20, Md max:200Ncm, i:24
(11791279) IGLU65-40	
(WK 1781401) IGKU 80-60	
05.MOT.001.0	
0797824	
0847404	
0919421	
0920702	
0WK 80-60 WK 1009601	
100136 TYP: IGK 80-40 0,066 KW 47,9 NCM 1320-1620 U/MIN	
100362	
10078689	
10078689 oem	
1009601	
10129083	
10129083 WK 1695001 oem	
1014 PM6013	
10207911	
10270116	
1028214	
104162103T	
10441647	
10441647 WK 5000102 OEM	
10457453	
1054702/PM1	
10605601	
10623285	
10644508	

10669940
10740161
10749355
1083502
11033446
11049415
11049415 oem
11090658
11103102
11252573
11255162
11334458
11370045
1137501
11442994
11491062
11550892
11639527
11641312
1177102
1177988 WK 5031404
1182265
11911911
11918423
1193802
1195502
11955-02-01
12006301
12093093
12129219
12179060
1224404
12MA
1380D/D

[1383902](#)

[1388102](#)

[1565102](#)

[1633704](#)

[1634002](#)

[1641904](#)

[1665801](#)

[1671604](#)

[1694701](#)

[1723701](#)

[1726909](#)

[1745409](#)

[1777901](#)

[1781301](#)

[17813-01-20](#)

[1781401](#)

[1788501](#)

[1794709](#)

[1805204](#)

[200205](#)

[200396619](#)

[2168227](#)

[2168944](#)

[2172844](#)

[2216043](#)

[22M1](#)

[2341395-4704](#)

[25M1](#)

[2670196](#)

[3948736](#)

[396374064](#)

[3AP1FI](#)

3AY1511-2F
3AY1511-2F ,230VDC NR
4471888
4654333
500040
500761
5011904
5012104
501437
501437 WK 1440202
501485
501719
501722
501852
501852 TYP: KM 58-20
501974
502199
5025324
5031304
5038972
5069939
5069939 WK 1382501 OEM
5282553
5289036
532088
5742930 OEM
5744114
5749217
58365
6012805
6021905
6072595
6130469
62577

[6282196](#)

[630 4693](#)

[6343038](#)

[6353422](#)

[6422639](#)

[6601-06](#)

[6937915](#)

[700 5910 WX MOT FM 50-40 220/180V 140/50MA 15 W](#)

[70083](#)

[7031756](#)

[7054540](#)

[7054540 WK 1680004 OEM!!](#)

[7070242](#)

[7121228](#)

[7121228 TNR .854113-028](#)

[7123146](#)

[7194330](#)

[7260131](#)

[730255](#)

[7355315](#)

[7411777](#)

[7417219](#)

[7417219 TNR .854113-023](#)

[7448610](#)

[7499194 1008000](#)

[7505450](#)

[7566853](#)

[7601718](#)

[7675365](#)

[770306](#)

[7729343](#)

[7778261](#)

7825984
7828919
7838344
7852848
7913-5011
8052737
8068823
810013
8135162-WK487302
8217-07
8272328 oem
8276216
8282196
8282196 WK 1082102 OEM for Max Power propeller
8294337
83380401
8435806
8489397
8516271
8517557
8561348
8561348 OEM
8595731
8595731 WK1745409
870001
8728227
8728227, WK 5025404 OEM
8739851
8755579
8755579 WK 1639402 oem
890394
890395
890435
890435 am Regler RBD 325 4/6-S 5-polige

Schraubsteckleiste
890495
890608
8926142
8944478
8976229
8978980
8985635
9015-0006-00
9070881
910-40-0122-9
910-40-0126-6-3
910-40-0126-6-3 oem
911-30-1350-11
9135812
9194127
9208890
9210793
9227290
9232481 WK5000102 OEM
93055385
930-64-9050
931-55-9013-13 oem
A1296
AC 3 PH 6540 TEFC
AGSH3302-01
AGSI09878-01
ARI 205
ARI 605 IP65
BGK 65-40 NC VE31-K-L-32-S
BGK 80-60 NR
Brush for PMI48-25WK1054702 3000
C16-3

C301018
C301336
COAL BRUSH for engine?EM 70-30
COAL FOR EM87-60 230VAC 400W
DIVERSE
DM100-80
DM2 65-20 OEM
DM90-60
E1 I 10
E3 56:1
E4 17:1
E4 56:1
E7 20:1
EGK/BGK
EGK48-30NR
EGK48-60
EGK48-60NR
EGK48-60NV
EM 120-80
EM 70-30
EM 78-45
EM 87-30 001
EM 94-60K
EM 94-60K IP 00 220-250 V(DC)AC-50/60 HZ S2:2min OEM
EM/KE 70-30, 48 V DC, 4000 U, 170 W S2 1S, B14, IP00,
für EM87 180V/EM94 230V, 8 x 6 x 22
GCE0940150P0116
GPFX052143P0003
GPFX052143P0010
HC1009, 8950
IGK 65-40
IGK 80 60 90W 1130Y/D

IGK 80-40
IGK 80-40 (11522250) OEM!!
IGK 80-40 105W Z20
IGK 80-40 V011
IGK 80-40-B3-VE31-D-B-2
IGK 80-60 90W S 1400
IGK 80-60 V029 + VE31-K-L-S
IGK 80-60B.
IGK100-80
IGK100-80 370W Z20
IGK65-60/E1
IGK80-60
IGK80-60/VE31-K-R-31
IGK90-60B
IGKU 65-40
IGKU 65-40 006
IGKU 80-40 004
IGKU 80-60
IGKU 80-60 001
IGKU 80-60 100373
IGKU 80-80 Getriebe Z20 i=250:1
IGKU80-40
IGKU80-40/Z20
IGKU80-40B
IGKU80-60/Z20 WK1695101
IGL 65-40
IGL 80-60 + E3
IGL 90-60
IGL 90-60 V014
IGL 90-80 230/400V
IGL 90-80, 400/230 V, 50 Hz (501729)
IGL80-60-3000-VE31-15
IGLU 65-40 001 2630U,65W ,B14,IP65,f.VE31

IGLU 80-60 004
IGLU80-60
KE 70-40 24 V DC, SG80/B5 I=25:1, (NO 699002261)
KE120-80
KE70-40
KE-7040 699002261 (24V DC)
KG 94-60
KG87-60
KG87-60 V001
KM 58-20 (i= 900:1)
KM 80-30
KM-58-20
KM58-20 V009
KM58-20 V012
KM58-20/Z21
KM87-60/VE31-D-L-2-S
KM87-60/Z5
KOMMUTATOR-EINBAU-KE 70-40, 220-250 V, 0-60 HZ 5000 U, 380 W S2 10S, B14, IP00.
MEC S3 65-60 W3
Model: SK8104 115VAC P/N: 910-40-0126-6 (proprietary)
Model: SK8104 230VAC P/N: 910-40-0124-6 (OEM FOR Signode)
Model: SK8104 PN: 910-40-0124-8 oem
NR 11370045 WK 1813205 MOT PGM-63-40 3000 MIN-1 24V DC 3.8A 66W
Nr. 7459265 WK 0086701
Nr: 8435806 WK 1746501
Nr-11006602
NR8563617
NR8618878
NR8676031
NR8780414
NR8780414 WK 1634002 OEM!!

ODM 90-40 V001
ODM 90-40 V002
ODM90-40/Z14
OEM 10442380 WK 5016502
P/N 910-40-0122-6 for SIGNODE P/N 518770 oem
PGK 63-60 V001
PLG 52/B14-2 i= 45,56:1
PM 72-35
PM1 48-25 V012
PM1 48-25 V013
PM1 48-25/Z21
PM1 48-55
PM1 48-55 V004
PM1 60-30
PM1 60-30 V027
PM1 60-30/SG20
PM1 60-30T
PM1 60-30T/ SG20
PM1 72-35
PM1 72-35 V016
PM1 72-35 V020
PM1 72-35, 30 V DC
PM1 85-40
PM1 85-40 V002
PM1 85-40 V014
PM1 85-40 V034
PM1 85-40 V042
PM1 85-40/SG80
PM1 85-40/SG80/B5 (7.8:1)
PM1 85-40T
PM1-48-25
PM6 93-50 V001
PM6 93-50 V003

PM6015-ps1905
PM8014 24 VDC 5.7 oem
PM8018-RA4020M
PM8018-RA4020M(obsolete)
RBD 325-4/6-S-DP
RBD-325-4/6-S
RPM90-60
RPM90-60 IP 23
RPM90-60/VE31-D-L-25
RPM90-60/VE31-D-L-25-S
S/N AHA-S-3081528
S/N: GT074,GT075&GT076 CIRCUIT BREAKER
S61-0701-30
SF6-3AP1-FG3
SG80/B5(I=25:1)
SK8104
Typ Z 20
TYP: DM2 65-20, 230 V, 100 HZ,
Typ: IGKU 80-80 (Getribe Z20 i=375:1)
Typ: IGKU 80-80 (No.11540612)
Typ: IGKU 80-80.
TYP: IGL 80-60 SCHALTPLAN: S61-0101-19 WICKLUNG: WK 1778001
Typ: KM 58-20
TYP: KM 80-30,
TYP: PM1 60-30T, 160 V DC 501437
Typ: PM1 85-40T
Typ: PM6 93-50, 160 V DC
TYP: RPM 90-60, 220 /110 V, 50/60 HZ,
Typ: VE 31-K-RH
V0000010
V0000013
VE 31-D-B-2-S OEM

VE31-D-B-2
VE31-D-B-2 55:1
VE31-D-B-25
VE31-D-B-25 38:1
VE31-D-R-25-S
VE31-F-H 75:1
VE31-G-R-5 7:1
VE31-K-L-32
VE31-K-L-32 22:1
VE31-K-L-32 30:1
VE31-K-L-32-S
VE31-K-L-H 15:1
VE31-K-L-H 55:1
VE31-K-R-31
VE31-K-R-31 22:1
VE31-K-R-31 50:1
VE31-K-R31 ratio 15 – 1 OEM!!
WK 024–02 NO 3135989
WK 0920702 (0212 7463)
WK 0920802
WK 1137501
WK 1253704 OEM
WK 1651824 oem
WK 1665701 oem
WK 1671604
WK 1695201
WK 1700101
WK 1777901
WK 17813-01-20
WK 1788501 OEM
WK 17958-09
WK 1805204
WK 9208 (Typ: KM 58-20)

WK0086701
WK0341501
WK0543702
WK0844501
WK0844501 7004397
WK0936502
WK0936502 8796863
WK1153302
WK1177102
WK1195502
WK1195502 OEM
WK1440202
WK1487302
Wk1540201IP44
WK1636802
WK1695001
WK1700401
wk1708801
wk1708801 Nr 8893843 oem
WK1745409
WK1758204
WK178401
WK1812602
WK5021104
WK5021104 8553465 KG 87-60
WK5031304
WK995502
Z14
Z14 35:1
Z20 190:1
Z5 1050:1
Z5 266:1
KM 80-30

Nr. 2347357
886-115-128
12727569
SG 150
12054260
SK8104
11498980
6569238
Nr. 12999655
8991084
Iglu 65-40 001
Pm1 72-35 V020 3000u,190vdc,54w,B14,Ip55, F.Ve31/Z5/E42
Ari 205
2238616
Igku 80-40 002
2172844 Fuss V004 Bg 80 Motoren Igk/Iglmontiert An Pos.1
Pm1 72-35 V020 Permanentmagnet-Motor 3000u,190vdc,54w,B14,Ip55, F.Ve31/Z5/E42
11345636
3ay1511 2f
Nr:10669940 Wk 1782201 Iek 90-60 Ip 00
Ve31-G-R-5 Einfach-Schneckengetriebe Vario Max.Md.900 Ncm, Max.Pv.37 W
7194330 0927400
10850545 Motor
Pm1 85-40 V002 3000u,160vdc,110w,B14,Ip54, F.Ve31/Z5/Z20permanentmagnet-Motor
Wk 5000614
Ve31-D-B-2 I= 75:1 / 300351
G2, 32w
380103o
Iglu 65-40
IGLU 65-40 D868 IGLU 65-40 in UL-compliant design 380-440 / 220-254 V, 50 Hz, n 2630, 65 watts, 380-480 / 220-277 V, 60 Hz, n 3200, 65 watts Type B 14, protection class IP 65, terminal box AK-2 top, with

	phase insulation. Heat guard 140 ° C normally closed led to WAGO terminal for VE31 - gearbox mounting
Kg 94-60, 160/200 V Dc Ne,4000 U, 170 W, B14, Ip44, Motor Gewickelt Nach Wk5045404	
Ve31-K-R-31 22:1 Einfach-Schneckengetriebe Vario Max.Md.900 Ncm, Max.Pv.34 W Montiert An Pos. 1	
Motor Fur L-Tri 5/24/630/275	
11345636 - Motor	
Kg 87-60, 160/190 V Dc Ne, 3000 U, 110 W, B3, Ip54, Motor Gewickelt Nach Wk 5031304	
Motor-/Bremsen-/Geberleitung Fur Servomotoren Fur Motor Bgk .?. Nr	
Dw+9904353	
Pm1 72-35 V023	
Pm1 48-25 , By Typ G321 (Pm1 85-40)	
63001	
Pm1 85-40 V043	
T028	
5418888	
Pm1-48-25 12w 24vdc 3000rpm 2p Ip54	
Ra1100	GEAR BOX
Ew2 90-60 V001	
Km120-80	
Km94-40	
10085255	
Pm1 48-25,160 V Dc, 12 W,3000 U/Min	
Wk1781301	
Motor:Em 94-60 K Ip 00 ,No:630 4693 Wk 1494304	
8229839	
5290498	
Pm 8014-Ra3080t	
Wk0920702	KM 58-20 230 V 2W max. 0,14 A 0-60 HZ 2700 min
G807	G807 1 pc. 80.30 / 1 80.30 VE31-D-B-2 - Gearbox 55: 1, Max. permissible torque 12 Nm, Shaft with groove + spring
Ari 605 Ip65	

Pm1 85-40 V027 Getriebe	
4149134 Getriebe	
Kg94-60 V005	
794230	
Km120-65	180/200V DC, 300W, 4000RPM, IP44
11050261 Wk 0920802 Elektrischer Antrieb Mot Km 58-20 24v 2vt 2700 Um/Min, 50hz	
Ra130691-13-0001	GEAR REDUCERS
6765349/Wk1082002	
10360074 Getriebemotor	
80-60 005	
10749355 Motor. Igk65-40 Leistung - 18 Watt 1270 - 1640 U/Min Wk1699801	
8859642	
Wk1680601	S/N 6167208 Please see attached Photo
Rbd 325 4/6-S	
4757468	
Nr8676031 Wk1694301 Igk80-60	
501604	
Pmi85-40	
Ra130885-11-0007	GEAR REDUCERS
Iglu 80-60 002	
Pm1 60-30, Montiert Mit: Ve31-K-L-32	
Kommutator-Einbau-Ke 70-40, 220-250 V, 0-60 Hz 5000 U, 380 W S2 10s, B14, Ip00,	
Wk 18054-09	No: 1231096 EGKU 65- 60 NI
Owh8060	
532088 Kommutator-Einbaumotor Ke50-40 001230v Ac,80w,7000u,Ip00 Mit Stg 200	
Wk 0847404	
Em-120-80	
Pm1 48-25	
Odm 90-40 V001 Kombiniertes Dreh-Wechselstrommotor2800u,400/230v,190w,B14,Ip65,Br.5 Mit Z14 75:1	
870001 10 X 32 X 2,7/5,5 Mm	

Mot:Em 94-50 Ip 00
Km94-60
E3 56:1 Einfach-Schneckengetriebemax.Md.800 Ncm, Max.Pv.35 Wmontiert An Pos. 1- Anbaulage Standard
Igak 90-80 V012
Igku 65-40 002
Km94-60 V021
Km58-20 V005
Pm1 60-30 V020
Za2.207-563-01-00
Pm1 85-40 V023
Nr8618878 Wk1099702 Pm160-30
2168200-3506 Elektromotor Idh 722390003757
Mot Em 87-60 Ip00, Nr 6343038
Igku 65-40 006 Motor
V0000010 Groschop-Motor Pm 72-35 Getriebe 75:1 (Aks+af Rei
Kommutator-Einbau-Motor In Reihenschluss-Schaltung Nach Zeichnung: K8141quot;Equot; Typ: Ke50-40
Km87-60/Ve31-D-B-2
Wk 1054702/Pm1 18-25/24v, 0.8a, 12w
7602579
Km58-20 V006
E4 56:1 Einfach-Schneckengetriebemax.Md.800 Ncm, Max.Pv.45 Wmontiert An Pos. 3- Anbaulage Standard
Ra130885-12-0014
GEAR REDUCERS
8475610
Pm14825
Ve31-K-L-32 30:1einfach-Schneckengetriebe Variomax.Md.900 Ncm, Max.Pv.34 W
Pm1 48-55 V004 Permanentmagnet- Motor4000u,24vdc,24w,B3,Ip44,F.E1
12121366 Getriebemotor
Odm 90-40 V001 Driver
Igku 90-80 003
Rbd 325-4/6-S + Rbd V001

4412096	
Pm1 85-40 V027	
Gce0940150p0116 Gleichstrommotor 220v Mit Getriebe	
Motor Gewickelt Nach Wk 1440202,	
Ve31-D-B-25 I= 7:1	
Iglu 90-60 002	
Ids-310/2s	
3-Fazli Motor - Iek 80-80 380/220 Vac 50 Hz	
E3 32:1	
Ve31-G-R-5	
Km 58-20	
For Wk1012604 Brush	
92925	
Z14 Getriebemotor	
730255 Motor-Getriebe-Kombinationigk100-80/Bsn3bhfl	
Km 87-60 Getriebemotor	
Pm 1 60-30	
Iglu 80-60 001	
100316	
Pm1 48-25 V013 3000u,24vdc,12w,B14,Ip54, Sg80 Mit 25:1pm1 48-25 V013permanentmagnet-Motor (Bst)	
Pm1 72-35, 190 V Dc, Wk 1100102 / Pm1 72-35, 160 V Dc	
11699307	
Nr:9194127 Wk 1634102 Motor With Reducer	
Ra1300	GEAR BOX
8276216 Getriebemotor	
Nr.11491062 Wk 5010704	
Pm1 60-30, 24 V Dc,	
500040 1680601	
P198	PM1 85-40 160 VDC, n 4000, 125 watts, Type B14, protection class: IP 44 for VE31 - gearbox mounting ATTENTION: voltage now 160 VDC
Igku 80-60 003	
7097945	

Wk 1224404
Wk 1137501 - (By Igl 65-60)
32m3
Kit-Em-120-80
Iglk 100-80 V014
Wk 020702 Mot. Km 58-20
Ve31-K-R-31 50:1 Einfach-Schneckengetriebe Variomax.Md.800 Ncm; Max.Pv.34 W
Z5 315:1
Kg87-60/Z5
Nr. 8739851 Wk 1695501 155 W 1400 Rev/Min
Km 58-20, 230 V Ac/Dc, 0 - 60 Hz, 2700 U, 2 W, B3, Ip44, Motor Gewickelt Nach Wk 920702
Mot Pm1 85-40 Ip44
501743
Ve31-D-B-2 Einfach-Schneckengetriebe Vario *10:1max.Md.900 Ncm, Max.Pv.25 Wmontiert An Pos. 1
Iglu 80-40 004
Iglu 80-60 D805
Version according to UL / CSA 380-440 / 220-254 V, 50 Hz, n 2750, 160 watts 380-480 / 220-277 V, 60 Hz, n 3350, 160 watts when connected to 1-phase 230 V, 105 Watt (10µF) WK-No .: 17814-01-23, wiring diagram S 61-0701-30 Type B 14 with foot holes, protection class IP 65, with phase insulation, with heat guard 140 ° (normally closed) on WAGO clamp, with terminal box AK-2 above, Paint: blue with terminal box AK-2 above
Ids-310/2sr
Pm1 72-35 / Wk 5026504
E3 7:1
Nr.:6422639 Wk 1572202 V:110, A:0.52, Watt:40, 8000 Min -1 - Mot Pm1 48-55 Ip 44
Iglu 65-40 001+ Ve31-K-L-32 22:1
Iglu 80-80 003
11408982
Pm1 60-30 V020 4000u,160vdc,32w,B14,Ip54 Mit Sg20 24:1
Ve 31-D-B-25 Getriebe I=38
Kg 87-60, 160/190 V Dc Ne, 3000 U, 110 W, B3, Ip54, Motor Gewickelt Nach Wk 5031304 Nur Motor
Pm1 72-35 V016 3000u,160vdc,54w,B14,Ip54,

F.Ve31/Z5	
Igak 80-60 V029+ve31-K-L-32-S 22:1	
Wk 024?02 No 3135989	
5012010038	
Pm1 60-30 V027 4000u,160vdc,32w,B14,Ip54 Mit Sg80 25:1permanent-Magnetmotor (Woywod)- Mit Tacho Kt3	
Wk 1788501	10143848 Please see attached Photo
5196945	
Ra130691-13-0002	GEAR REDUCERS
?? 80-30	
Iglu 90-60	D631 without gear Version according to UL / CSA 380-440V / 220-254V, 50Hz, 2800rpm, 350W, 380-480V / 220-277V, 60Hz, 3400rpm, 350W, Wiring diagram S61-0701-30, WK 17822-01-17, Type B 14, protection class IP 65, with phase insulation, with heat guard 140 ° (NC), guided on WAGO clamp, with terminal box AK-2 left, Circuit diagram in the terminal box for E7 - gearbox mounting without gear
Wk1339201	
Rep-Ids-310/2s	
Z548	Speedometer KT3, 5.2 VWS / 1000 rpm (+/- 10%) Only the bobbin completely Item number: 1751018
Pm1 60-30, 190 V Dc	
Pm1 85-40 V034 4000u,160vdc,125w,B14,Ip44 Mit Sg80 7,8:1	
Igku 65-40 001	
Dm8060	
V005	
Pm1 72-35, 24 V Dc, 3000 U, 54 W, B3, Ip54	
Wk5031304 Motor	
Bgk-Nv-15	
Igak 90-80 V014	
11160066	
502657 Motor Igku 80-60	
Pm1 60-30/Sg20 , Pm1 85-40/Sg80	
098167	GEAR MOTOR
Kg (Km) 94-60	A: 180 VDC, F: 200 VDC, n 5000, 180 WL, B 14, IP 54, flange brush holder, Terminal box K1 left for VE31 gearbox mounting

10207911_Serveantrieb_Pm1_48-25_V012	
Kg87-60_V002	
Km94_60_180vdc_4000d_D_170w	
Wk_0213301	Nr. 8349230
Km58-20_V011	
Nr_11370045_Wk_1813205_Mot_Pgm-63-40_3000_Min-1 24v_Dc_3.8a_66w	
10438743	
Pm1_60-30_24_V_Dc_3000_U_25_W_B14_Ip54_Motor Gewickelt_Nach_Wk_1099702	
Gpfx052143p0003_Compound-Motor_Em94-60k-220- 250vdc	
Igku_65-40_001_Motor	
Pm1_85-40-Encoder	Groschopp PM1 85-40 dazu einen Encoder
Igku_80-60_002	
Z5_266:1_Zweifach-Schneckengetriebe_N+p_A4x4x20	
Wk_0919421_Nr:8804664_Ip54_220v_400watt_50hz	
Wk_1177102	Nr. : 9066854 Mot PM1 48-25 İP44 160V 0.17A 16W 4000min-1 Typ : SG 20
Igk_80-60_90w_S_1400_Elektromotor	
11536263	Please look at the attachment
Sve4_310-5/10	
12138359_Motor_Wk_1695101	
Ve_31-D-B-2-S	
Ve31-D-B-2_I= 7:1	
Wk_1193802	
Pm1_60-30_160_Volt_Dc	
11330320	
Pm1_85-40_V002_3000u_160_Vdc_110w_B14_Ip54_ F.Ve31/Z5/Z20_Permanentmagnet-Motor	
Igk_80-60_V020	
8517557_Motor	
Wk5033604	380W, 6A, NR.11296381
Km87-40_V010	
Igku_80-40_003	
Pm1_48_?_25_24vdc;_12_W;_3000_D/D	

Gros.11699307	
Wk 1028214	
Pm1 60-30t, 160 V Dc, 4000 U, 32 W, B3, Ip44	
Wk 0797824	
Kommutator-Gehã196;Use-Motor Km 58-20	
Pm1 48-25 3000 3,8 12 24v Dc Ip 44	
Wk 0723604 Nr.7515816	
Nr 8976229	
Pm 72-35 Motornur Motor	
Km 58-20, 230 V Ac/Dc, 0-60 Hz, 2700 U, 2 W, B3, Ip44	
8804664 - Wk 0919421- Motor	
Wk 1009601	
05.Mot.001.0 Motor For Trim Rewinding, Type Tm 111se, W: 650mm	
Nr. 7825984 Wk 0086701, 3 - Mot ,Dm 90-60 Ip55,	
Ve 40-D1-Hn / I 40 / 2448777010 / No. 12038692 - 3~mot - Iglu 90-60 / Ip65	
Z841	Motor base for IG80-60 on MG90-60 Item number: 2238616962 + 4X1032747
Wk 1565102	
Odm 90-40 V002 Kombiniertes Dreh- Wechselstrommotor2800u,400/230v,190w,B14,Ip65,Br.5 Mit Z14 44,3:1	
Wk1619204	Nr. 10415768
Pm6015-Ps1905 Motor P/N 50790, 90 Vdc, 0,89 Amps, 55 Watts, 500 U / Min	
E4 56:1 Einfach-Schneckengetriebemax.Md.800 Ncm, Max.Pv.45 Wmontiert An Pos. 1	
D840	IGLU 90-60, 380-440 V / 220-254 V, 50 Hz, 2750 rpm, 420 watts 380-480 V / 220-277 V, 60 Hz, 3300 rpm, 420 watts WK 17822-01, according to wiring diagram S61-0701-30 Type B 14 with holes for screw base, Degree of protection IP 65, with phase insulation, with Heat detector 140 ° (normally closed) on WAGO terminal, with terminal box AK-2 above Circuit diagram in the terminal box for VE40 - gearbox mounting
D868	IGLU 65-40 in UL-compliant design 380-440 / 220-254 V, 50 Hz, n 2630, 65 watts, 380-480 / 220-277 V, 60 Hz, n 3200, 65 watts Type B 14, protection class IP 65, terminal box AK-2 top, with phase insulation. Heat guard 140 ° C normally closed led to WAGO terminal for VE31 - gearbox mounting

[Nr.58365](#)

[G892](#)

VE40-D1-HN - Transmission 40: 1 Hollow shaft design
Diameter 20 mm max.zul. Torque 45 Nm

[412.13330.004](#)

[Km 58-20, 230 V Ac/Dc, 0 - 60 Hz, 2700 U, 2 W, B3,
Ip55](#)