



Gvision Touch Monitors

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Gvision Touch Monitors Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Gvision Touch Monitors T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Gpos15-A23b-42r	1MB
Gpos15-F23a-42p	3MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Gpos15-D23a-42p	2MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Gpos15-D23b-42p	2MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
K17bh-Fb-0670p	GVISIONK17BHMONTOR17 LCD MONITOROPEN FRAMETOUCH SCREENSAW TOUCH SCREENUSBSXGAVGADVI INPUT
Gpos15-F23d-42p	3MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Ds42ad-Oo-45lg	GVISION, 42IN LARGE FORMAT TOUCH SCN, SURFACE LIGHT WAVE 6-POINT TOUCH, LED, TEMPERED GLASS, FULL HD 1920 X 1080, 400 NITS, 4000:1 CONTRAST, VGA, DVI,
Gpos15-C13d-42p	1MB, DDR2 1GB, 320GB HDD, 10/100/1000, RJ11 CASH

Ma19bh-Ae-1220	GVISION, 19IN, LCD TOUCH MONITOR, W/ ELO 5-WIRE RESISTIVE TOUCH SCREEN, MEDICAL-UL60601, SXGA 1280X1024, SERIAL, 15-PIN VGA/DVI/COMPOSITE-RCA/S-VIDEO,
K32ac-CI-4970	GVISIONK32ACMONITOR32 LCD MONITORTOUCH SCREENALL METALGTOUCH SCREEN SAW USBW XGA 1366X768FREIGHT QUOTE REQUIRED
Cp19bh-Ap-42rg2	GVISION, PCOIP ZERO CLIENT CLOUD, 19 IN LCD TOUCH SCREEN, SXGA 1280X1024, 400 NITS, ALUMINUM L-STAND, BLACK, 5-WIRE RESISTIVE TOUCH, ETHERNET, 4 USB P
S29af-Ob-400g	GVISION, 28.9IN SUPER WIDE LCD DISPLAY, TFT ACTIVE MATRIX WITH SUPER MVA, LED, 1920 X 592, 500 NITS, 6000:1 CONTRAST, VGA + DVI INPUT, SLIM BEZEL, BLA
Cp19bh-Ap-12rg3	GVISION, 19IN PCOIP ZERO CLIENT TOUCH SCN, ETHERNET, SXGA 1280X1024, 400 NITS, WHITE, 5-WIRE RESISTIVE TOUCH, 4 USB PORTS, DVI OUT (2ND DISPLAY) UP TO
Cp19bh-Ap-42rg3	GVISION, 19IN PCOIP ZERO CLIENT TOUCH SCN, ETHERNET, SXGA 1280X1024, 400 NITS, BLACK, 5-WIRE RESISTIVE TOUCH, 4 USB PORTS, DVI OUT (2ND DISPLAY) UP TO
Ds55ad-Oo-45lg	GVISION, 55IN LARGE FORMAT TOUCH SCREEN, SURFACE LIGHT WAVE 10-POINT TOUCH, LED, TEMPERED GLASS, FULL HD 1920X1080, 380 NITS, 4000:1 CONTRAST, VGA, DV
Gpos15-E23a-42p	3MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Cp15bx-Ap-42rg	GVISION, PCOIP ZERO CLIENT CLOUD, 15 IN LCD TOUCH SCREEN, XGA 1024X768, 225 NITS, ALUMINUM L-STAND, BLACK, 5-WIRE RESISTIVE TOUCH,SPEAKERS
Cp19bh-Ap-400g2	GVISION, PCOIP ZERO CLIENT CLOUD, 19 IN LCD MONITOR, SXGA 1280X1024, 400 NITS, ALUMINUM L-STAND, BLACK,ETHERNET, 4 USB PORTS, SPEAKERS
Gmed15-C13n-12p	1MB, DDR2 1GB, 320GB HDD, 10/100/1000, 4
S38ae-Ob-400g	GVISION, 38IN SUPER WIDE LCD DISPLAY, TFT ACTIVE MATRIX WITH SUPER MVA, LED, 1920 X 540, 800 NITS, 5000:1 CONTRAST, VGA + DVI INPUT, SLIM BEZEL, BLACK
I32zd-Ov-K5p0	GVISION, 32IN LCD TOUCH SCN, PCAP 10 POINT TOUCH (USB), INTERACTIVE DIGITAL SIGNAGE, LED, VGA+DVI+HDMI, FULL HD 1920X1080, 350 NITS, 3000:1 CONTRAST,
Ds70ad-Oo-45lg	GVISION, 70IN LARGE FORMAT TOUCH SCN, SURFACE LIGHT WAVE 6-POINT TOUCH, LED, TEMPERED GLASS, FULL HD 1920 X 1080, 350 NITS, 4000:1 CONTRAST, VGA, DVI,
I42zd-Ov-K000	GVISION, 42IN LCD DISPLAY, LED, VGA+DVI+HDMI, FULL HD 1920X1080, 350 NITS, 3000:1 CONTRAST, 75 100MM VESA, SILVER/BLACK
	GVISIONS5HXMONITOR15 LCD MONITORPANEL

S5hx-Ta-0140	MOUNTTOUCH SCREEN3M CAPACITIVESERIAL
Cp19bh-Ap-100g2	GVISION, PCOIP ZERO CLIENT CLOUD, 19 IN LCD MONITOR, SXGA 1280X1024, 400 NITS, ALUMINUM L-STAND, MEDICAL WHITE, ETHERNET, 4 USB PORTS, SPEAKERS
Gmed15-C13c-12p	1MB, DDR2 1GB, 320GB HDD, 10/100/1000, 4
Ds46ad-Oo-45lgw	GVISION, 46IN TOUCH SCREEN W/ WIRELESS PRESENTATION GATEWAY, SURFACE LIGHT WAVE 6-POINT TOUCH, LED, 1920 X 1080, 400 NITS, 4000:1 CONTRAST, VGAX1, DVI
Ds65ad-Oo-45lg	GVISION, 65IN LARGE FORMAT TOUCH SCN, SLW 6-POINT TOUCH, LED, TEMPERED GLASS, FULL HD 1920 X 1080, 360 NITS, 4000:1 CONTRAST, VGA, DVI, HDMIX2, USBX2,
K26ac-CI-4970	GVISIONK26ACMONITOR26 LCD MONITORTOUCH SCREENALL METALGTOUCH SCREEN SAW USBWXGA 1366X768FREIGHT QUOTE REQUIRED
Bdl-Gvision-Pos	QUICK START POS STARTER KIT, INCLUDES GVISION 17 TOUCH MONITOR, BEMATECH SB9100 PC, STAR PRINTER, ID TECH MSR, APG CASH REGISTER, PCAMERICA CASH REGI
Ds70ad-Oo-45lgw	GVISION, 70IN TOUCH SCREEN W/ WIRELESS PRESENTATION GATEWAY, SURFACE LIGHT WAVE 6-POINT TOUCH, LED, 1920 X 1080, 350 NITS, 4000:1 CONTRAST, VGAX1, DVI
W5zx-Te-S220	GVISION, 15 TFT LCD MONITOR, OPEN FRAME, TOUCH SCREEN, 5-WIRE RESISTIVE, SERIAL, XGA 1024X768, 15-PIN LCD MONITOR, VGA, 250 NITS, 100MM VESA, CHROME,
Gpos15-F23n-42p	3MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
I42zd-Ov-K5p0	GVISION, 42IN LCD TOUCH SCN, PCAP 10 POINT TOUCH (USB), INTERACTIVE DIGITAL SIGNAGE, LED, VGA+DVI+HDMI, FULL HD 1920X1080, 350 NITS, 3000:1 CONTRAST,
Gpos15-F23c-42p	3MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Gpos15-D23n-42p	2MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Cp19bh-Ap-12rg2	GVISION, PCOIP ZERO CLIENT CLOUD, 19 IN LCD TOUCH SCREEN, SXGA 1280X1024, 400 NITS, ALUMINUM L-STAND, MEDICAL WHITE, 5-WIRE RESISTIVE TOUCH, ETHERNET,
Ds70ad-Oo-45lgm	GVISION, 70IN LARGE FORMAT TOUCH SCREEN, SURFACE LIGHT WAVE 4-POINT TOUCH, LED, FULL HD 1920 X 1080, 350 NITS, 4000:1 CONTRAST, VGAX1, DVIX1, HDMIX2,
Gpos15-A23a-42r	1MB CAC
Ds46ad-Oo-45lg	GVISION, 46IN INTERACTIVE DIGITAL SIGNAGE DISPLAY, SURFACE LIGHT WAVE 6-POINT TOUCH, LED, FULL HD 1920 X 1080, 400 NITS, 4000:1 CONTRAST, VGAX1 + DVIX

Gpos15-E23d-42p	3MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
S28ag-Ob-400g	GVISION, 28IN SUPER WIDE LCD DISPLAY, TFT ACTIVE MATRIX WITH SUPER MVA, LED, 1920 X 360, 500 NITS, 6000:1 CONTRAST, VGA + DVI INPUT, SLIM BEZEL, BLACK
Gpos15-E23b-42p	3MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Gpos15-C13b-42p	1MB, DDR2 1GB, 320GB HDD, 10/100/1000, RJ11 CASH
I46zd-Ov-K5p0	GVISION, 46IN LCD TOUCH SCREEN, PCAP 10 POINT TOUCH (USB), INTERACTIVE DIGITAL SIGNAGE, LED, VGA+DVI+HDMI, HD 1920X1080, 500 NITS, 4000:1 CONTRAST, SP
Gpos15-C13c-42p	1MB, DDR2 1GB, 320GB HDD, 10/100/1000, RJ11 CASH
Ds-Mts-Wmk-Mot	GVISION, ACCESSORY, MOBILE TABLE STAND + WALL MOUNT KIT FOR DS SERIES LARGE FORMAT TOUCH SCREENS, DURABLE METAL, 4 WHEELS (2 W/ BRAKES), UP TO 150KGS,
Gpos15-E23c-42p	3MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Ds55ad-Oo-45lgw	GVISION, 55IN TOUCH SCREEN W/ WIRELESS PRESENTATION GATEWAY, SURFACE LIGHT WAVE 6-POINT TOUCH, LED, 1920 X 1080, 380 NITS, 4000:1 CONTRAST, VGAX1, DVI
Ds42ad-Oo-45lgw	GVISION, 42IN TOUCH SCREEN W/ WIRELESS PRESENTATION GATEWAY, SURFACE LIGHT WAVE 2-POINT TOUCH, LED, 1920 X 1080, 400 NITS, 4000:1 CONTRAST, VGAX1, DVI
Gpos15-D23d-42p	2MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Gpos15-A23d-42r	1MB CACH
S38ae-Ob-45ig	GVISION, 38IN SUPER WIDE TOUCH SCREEN DISPLAY, TFT ACTIVE MATRIX WITH SUPER MVA, OPTICAL TOUCH SCREEN, LED, 1920 X 540, 800 NITS, 5000:1 CONTRAST, VGA
I55zd-Ov-K5p0	GVISION, 55IN LCD TOUCH SCREEN, PCAP 10 POINT TOUCH (USB), INTERACTIVE DIGITAL SIGNAGE, LED, VGA+DVI+HDMI, HD 1920X1080, 500 NITS, 4000:1 CONTRAST, SP
Ma19bh-Ae-1230	GVISION, 19IN, LCD TOUCH MONITOR, W/ ELO 5-WIRE RESISTIVE TOUCH SCREEN, MEDICAL-UL60601, SXGA 1280X1024, USB, 15-PIN VGA/DVI/COMPOSITE-RCA/S-VIDEO, 30
Gmed15-C13d-12p	1MB, DDR2 1GB, 320GB HDD, 10/100/1000, 4
I32zd-Ov-K000	GVISION, 32IN LCD DISPLAY, LED, VGA+DVI+HDMI, FULL HD 1920X1080, 350 NITS, 3000:1 CONTRAST, 75 100MM VESA, SILVER/BLACK

Gpos15-C13n-42p	1MB, DDR2 1GB, 320GB HDD, 10/100/1000, RJ11 CASH
Ds65ad-Oo-45lgw	GVISION, 65IN TOUCH SCREEN W/ WIRELESS PRESENTATION GATEWAY, SURFACE LIGHT WAVE 6-POINT TOUCH, LED, 1920 X 1080, 360 NITS, 4000:1 CONTRAST, VGAX1, DVI
Gpos15-D23c-42p	2MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Cp17bh-Ap-42rg	GVISION, PCOIP ZERO CLIENT CLOUD, 17 IN LCD TOUCH SCREEN, SXGA 1280X1024, 350 NITS, ALUMINUM L-STAND, BLACK, 5-WIRE RESISTIVE TOUCH, SPEAKERS
Ds84ai-Oo-45lgw	GVISION, 84IN TOUCH SCREEN W/ WIRELESS PRESENTATION GATEWAY, SURFACE LIGHT WAVE 4-POINT TOUCH, LED, 1920 X 1080, 350 NITS, 1600:1 CONTRAST, VGAX1, DVI
K26ac-CI-4000	GVISIONDISPLAYLDC NON-TOUCH26 ALL METALOPEN FRAMEWXGA 1366 X 76815-PINVGA/DVI FREIGHT QUOTE REQUIRED
Ds32ad-Oo-45lg	GVISION, 32IN LARGE FORMAT TOUCH SCN, SURFACE LIGHT WAVE 6-POINT TOUCH, LED, TEMPERED GLASS, FULL HD 1920 X 1080, 400 NITS, 3000:1 CONTRAST, VGA, DVI,
K42ac-CI-4970	GVISIONK42ACMONITOR42 LCD MONITORTOUCH SCREENALL METALGTOUCH SCREENSAWUSBWXGA 1366X768FREIGHT QUOTE REQUIRED
S7fh-Ta-0260	INTELLITOUCH 17INCH OPEN FRAME
Gpos15-F23b-42p	3MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Ds70ad-Oo-45lg-Openbox	GVISION, 70IN INTERACTIVE DIGITAL SIGNAGE DISPLAY, SURFACE LIGHT WAVE 6-POINT TOUCH, LED, FULL HD 1920 X 1080, 350 NITS, 4000:1 CONTRAST, VGA + DVI +
Gpos15-E23n-42p	3MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Gpos15-C13a-42p	1MB, DDR2 1GB, 320GB HDD, 10/100/1000, RJ11 CASH
Ds84ai-Oo-45lg	GVISION, 84IN LARGE FORMAT TOUCH SCN, SURFACE LIGHT WAVE 6-POINT TOUCH, LED, ULTRA HD 3840 X 2160, 350 NITS, 1600:1 CONTRAST, VGA, DVI, HDMIX2 (HD), H
S5hx-Ta-0260	GVISIONS5HXMONITOR5 TFT LCD MONITORTOUCH SCREENOPEN FRAMESAW TOUCH SCREEN-SERIALXGA 1024X76815-PIN LCD MONITORVGA250 NITS600:1 CONTRASTINTERNAL POWER