

Gw Instek



Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye ii kapı teslim fiyat ve teslim s¼resi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Gw Instek Markası, tedarik s¼resi iin l¼tfen bizimle iletiŐime geiniz.

Firmamız Gw Instek T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	Aıklama
Gw-Gpe-4323	
Psb 1800m Dc Power Supply	
GPT-9603	Dielectric strength tester 2000 MOhm 50V
GCT-9040	AC earth connection tester
GPT-9903A	Country of origin Taiwan (TW) Manufacturer GW Instek Gross weight (including packaging) 26300.0 grams Dimensions (incl.packaging) 620 x 300 x 470 MM Customs number 9030390000 UNSPSC (v5.03) 41113630
GPT-9904	Dielectric strength tester 50000 MOhm 50 Country of origin Taiwan (TW) Manufacturer GW Instek Gross weight (including packaging) 44200.0 grams Dimensions (incl.packaging) 710 x 460 x 300 MM Customs number 9030390000 UNSPSC (v5.03) 41113630
SPS-606	Laboratory power supply 1 ch. 360 W
PSH-3630A	DC-Netzteil + Ethernet-Anschluss
10A, 32-36	DC Netzteil + Ethernet-Anschluss
ASR-2050-EURO	ACDC Power Source 500VA Euro socket opt2
GPS-4303	30 V/3 AX2 \ 3-6V/1AX1 \ 8-15V/1AX1
Gw Instek	
Gw Instek	
GPT-9603	Dielectric strength tester 2000 MOhm 50V 300-88-362
GPT-9903A	300-88-366 Dielectric strength tester 50000 MOhm 50
PCS-1000i precision current shunt	

GDS-11028	
SFG-1003	
GPS-3303	
GHT9904	
GHT9804	
GHT118	
GPT-9804	Dielectric strength tester 9500 MOhm 50V
GOM-804	Milliohmmeter/1 µOhm-5 MOhm 5 MOhm
GPT9803	
LCR916 LCR	
LCR-6200	300-88-375 Precision LCR meter 100 Ohm 1 F 100
GPD-3303S	
GW-9804	
GPT-9803	
MFG-2120 ma	
Gct-9040	40A Ground Bond Test(must use GPT-98 or 99)
Gom-805	DC MilliOhm Meter w/Handler RS-232C/USB Device/GPIB
Gds-3154	(PRICE/EA) 150MHZ, 4 CH, VISUAL PERSISTENCE DSO [SPECIAL ORDER -CONTACT GWI FOR DETAILS]
Gw-Lcr-829	
Gpc-3060d	
Psw30-108	(PRICE/EA) POWER SUPPLY, ADJ, 1 O/P, 108A, 30V, 1.08KW, POWER SUPPLY OUTPUT TYPE:PROGRAMMABLE, NO. OF OUTPUTS:1 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT
Gsp-830opt.07	AM/FM DEMODULATOR 10KHZ, 100KHZ RBW
Psw 30-36	Multi-Range DC Power Supply
Gds-2074a	(PRICE/EA) DIGITAL STORAGE OSCILLOSCOPE, 4CH, 70MHZ, 2GSPS, PRODUCT RANGE:GDS-2000A SERIES, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:70MHZ, SAMPLING RATE:
Psw160-14.4	(PRICE/EA) POWER SUPPLY, ADJ, 1 O/P, 14.4A, 160V, 720W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT VO
Gpd-4303s	Programmable Linear D.C. Power Supply

Gom-802gprs	(PRICE/EA) TESTER, RESISTIVITY, 4-WIRE, 0.03-3M OHM, WIRE CONNECTION:4-WIRE, RESISTANCE MEASUREMENT RANGE:0.030OHM, 0.3OHM, 3OHM, 30OHM, 300OHM, 3KOHM
Gds-1102-U	
Gds-2202a	(PRICE/EA) DIGITAL STORAGE OSCILLOSCOPE, 2CH, 200MHZ, 2GSPS, PRODUCT RANGE:GDS-2000A SERIES, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:200MHZ, SAMPLING RAT
Gds-1052-U	
Gpi625	
Gpr-30h10d	300W DC Linear Power Supply 0-300V, 0-1A
Gds-820s	Digital Oscilloscope, 150 MHz, Mono
Psw 80-13.5	Multi-Range DC Power Supply 360W/0-80V/0-13.5A
Grf-1300 2-Rf	
Gds-310	Compact Digital Oscilloscope 100MHz, 2-Channel, Touch Screen
Gkt-008	EMI Near Field Probe Set [GSP-730/830/9300/9330]
Gmp-8212	
Plr 36-20	Hybrid Linear, Low Noise 0-36V/0-20A, 720W
Gds-2104a	(PRICE/EA) DIGITAL STORAGE OSCILLOSCOPE, 4CH, 100MHZ, 2GSPS, PRODUCT RANGE:GDS-2000A SERIES, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:100MHZ, SAMPLING RAT
Gds-3354	350MHZ, 4 CH, VISUAL PERSISTENCE DSO
Gds-806c	OSCILLOSCOPE DIGITAL 60MHZ
Pel-2020	DUAL CHANNEL MODULE (180V, 20A, 100W) X 2
Psm-3004	Programmable Power Supply
Gut-6000b	(PRICE/EA) DIGITAL IC TESTER, 28PIN SOCKET, DESK TOP, IC TESTER TYPE:DIGITAL, SUPPLY VOLTAGE MIN:100V, SUPPLY VOLTAGE MAX:240V, INPUT SIGNAL FREQUENCY
Pst-3201gp	(PRICE/EA) WITH GPIB, ROHS COMPLIANT: NA
Exc-1553pcmcia/Px Excalibur Pcmcia 1553 Module	
Gpt-9802	(PRICE/EA) SAFETY TESTER, AC/DC, PRODUCT RANGE:GPT-9800 SERIES, TESTER FUNCTIONS:AC/DC WITHSTANDING VOLTAGE, AC WITHSTANDING VOLTAGE:0.1KV TO 5KV, DC
Lm200-300 Gds	

Gw-Gag-810	
Gpr-7550dcaldu	TEST AND MEASUREMENT
Gsp-730	(PRICE/EA) SPECTRUM ANALYZER, 150KHZ TO 3GHZ, SPECTRUM ANALYZER TYPE:BENCH, TEST FREQUENCY RANGE:150KHZ TO 3GHZ, SENSITIVITY DBM:-, EXTERNAL HEIGHT:10
Psm-6003	(PRICE/EA) 0+30V/6A, 0+60V/3.3A, ROHS COMPLIANT: NA
Gds-2102a	(PRICE/EA) DIGITAL STORAGE OSCILLOSCOPE, 2CH, 100MHZ, 2GSPS, PRODUCT RANGE:GDS-2000A SERIES, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:100MHZ, SAMPLING RAT
Gpc-3030d	DC Digital Power Supply, Triple Output
Pst-3201	(PRICE/EA) POWER SUPPLY, 3CH, 32V, 1A, PROGRAMMABLE O/P, POWER SUPPLY OUTPUT TYPE:PROGRAMMABLE, NO. OF OUTPUTS:3 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT
Gpt-9803	(PRICE/EA) SAFETY TESTER, AC/DC/IR, PRODUCT RANGE:GPT-9800 SERIES, TESTER FUNCTIONS:AC/DC WITHSTANDING VOLTAGE, INSULATION RESISTANCE, AC WITHSTANDING
Gos-635g	35MHz, 2-Channel Oscilloscope
Gds-2304a	(PRICE/EA) DIGITAL STORAGE OSCILLOSCOPE, 4CH, 300MHZ, 2GSPS, PRODUCT RANGE:GDS-2000A SERIES, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:300MHZ, SAMPLING RAT
Mfg-2260mra	60MHz Arbitrary Generator Dual Channel with Pulse Gen
Gla-1032	PC BASED LOGIC ANALYZER 32 CH 4MBITS/128KBITS
Mfg-2230m	30MHz Arbitrary Generator with Pulse Gen, Dual Channel
Gw-Aps-1102a	
Gpd-3303d	
Gpi-826	100VA, Electrical Safety Tester AC + IR
Gw-Gfg-8020h	
Pws-06	USB Power Sensor
Aps-7100	1000VA Output, AC Power Source
Gpt-9602	Value Hi-Pot Tester, AC/DC 100VA
Gds-840scaldu	DIGITAL STORAGE OSCILLOSCOPE
Gw-Gdm-8245	
Lcr-821	(PRICE/EA) LCR METER, BENCH, 322X149X433MM, 5.5KG, LCR TYPE:HAND HELD, TEST FREQUENCY MAX:200KHZ, INDUCTANCE MEASURE MAX:65H, CAPACITANCE MEASURE

MAX:	
Gcm-403	
Gkt-006a	EMI PROBE KIT SET FOR GSP-810, 830 AND 930 MODELS
Gpr-11h30d	
Pel-300	(PRICE/EA) DC ELECTRONICS LOAD, 60A, 60V, 300W, PRODUCT RANGE:PEL-300 SERIES, POWER RATING:300W, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE MIN:3V
Gdm 452	
Gos-6103c	(PRICE/EA) OSCILLOSCOPE, BENCH, 2CH, 100MHZ, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:100MHZ, CALCULATED RISE TIME:3.5NS, SCOPE DISPLAY TYPE:CRT, WARRANTY
Gps-3303	
Ds2-16la	(PRICE/EA) LOGIC ANALYZER, 16 CHANNEL, GDS-2000A SERIES DSO, ACCESSORY TYPE:LOGIC ANALYZER MODULE, FOR USE WITH:GDS-2000A SERIES DIGITAL STORAGE OSCIL
Lcr-8101g	(PRICE/EA) LCR METER, BENCH, 330X170X340MM, 5KG, LCR TYPE:BENCH, TEST FREQUENCY MAX:1MHZ, INDUCTANCE MEASURE MAX:100KH, CAPACITANCE MEASURE MAX:1F, RE
Gpt-9902a	Performance Hi-Pot Tester AC/DC
Gds-2202e	200MHz Digital Oscilloscope 1GS/s, 2 Ch, 10Mpts, USB/LAN, VPO
Pfr-100I	Multi-Range DC Power Supply (0~50V/0~10A/100W) Fanless
Gsp-830	(PRICE/EA) SPECTRUM ANALYZER, BENCH, 9KHZ-3GHZ, SPECTRUM ANALYZER TYPE:BENCH, TEST FREQUENCY RANGE:9KHZ TO 3GHZ, SENSITIVITY DBM:-, EXTERNAL HEIGHT:17
Gtl-108a	
Gsp-9330tg	Spectrum Analyzer 3.25 GHz with Tracking Generator, (factory)
Gpr-6030d	
Gpr30h10d	
Gw-Afg-2125	
Gds-2102e	Oscilloscope, 100MHz, Color 2-Channel
Gds-2204a	(PRICE/EA) DIGITAL STORAGE OSCILLOSCOPE, 4CH, 200MHZ, 2GSPS, PRODUCT RANGE:GDS-2000A SERIES, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:200MHZ, SAMPLING RAT
Gpr-0830hd	(PRICE/EA) POWER SUPPLY, 1CH, 8V, 30A, ADJ O/P, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1

	OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT VOLTAGE MA
Lcr-817	(PRICE/EA) LCR METER, BENCH, 322X149X433MM, 5.5KG, LCR TYPE:HAND HELD, TEST FREQUENCY MAX:10KHZ, INDUCTANCE MEASURE MAX:65H, CAPACITANCE MEASURE MAX:6
Gds-2302a	(PRICE/EA) DIGITAL STORAGE OSCILLOSCOPE, 2CH, 300MHZ, 2GSPS, PRODUCT RANGE:GDS-2000A SERIES, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:300MHZ, SAMPLING RAT
Glc-9000	(PRICE/EA) LEAKAGE CURRENT TESTER
Psw30-72	(PRICE/EA) POWER SUPPLY, ADJ, 1 O/P, 72A, 30V, 720W, POWER SUPPLY OUTPUT TYPE:PROGRAMMABLE, NO. OF OUTPUTS:1 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT VOL
Gds-2104e	100MHz Digital Oscilloscope 1GS/s, 4 Ch, 10Mpts, USB/LAN, VPO
Lcr-8110g	(PRICE/EA) LCR METER, BENCH, 330X170X340MM, 5KG, LCR TYPE:BENCH, TEST FREQUENCY MAX:10MHZ, INDUCTANCE MEASURE MAX:100KH, CAPACITANCE MEASURE MAX:1F, R
Gpi-735a	
Gos-6103	(PRICE/EA) OSCILLOSCOPE, BENCH, 2CH, 100MHZ, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:100MHZ, CALCULATED RISE TIME:3.5NS, SCOPE DISPLAY TYPE:CRT, WARRANTY
Front Cover For Gi-745a	
Gsp-9330	Spectrum Analyzer 3.25 GHz
Gsp-930opt.01	TRACKING GENERATOR FOR GSP-930 [FACTORY INSTALLED ONLY]
Aps-003	
Gpt-9801	(PRICE/EA) SAFETY TESTER, AC, PRODUCT RANGE:GPT-9800 SERIES, TESTER FUNCTIONS:AC WITHSTANDING VOLTAGE, AC WITHSTANDING VOLTAGE:0.1KV TO 5KV, DC WITHST
Pel-2030	DUAL CHANNEL MODULE (180V, 5A, 30W) + (180V, 40A, 250W)
Gds-207	Compact Digital Oscilloscope 70MHz, 2-Channel, Touch Screen
Psw160-21.6	(PRICE/EA) POWER SUPPLY, ADJ, 1 O/P, 21.6A, 160V, 1.08KW, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT
Gpd-3303s	
Gw-Lcr-6100	
	(PRICE/EA) SPECTRUM ANALYZER, BENCH, 3GHZ, SPECTRUM

Gsp-930	ANALYZER TYPE:BENCH, TEST FREQUENCY RANGE:9KHZ TO 3GHZ, SENSITIVITY DBM:20DBM, EXTERNAL HEIGHT:100
Grs-6052a	50MHZ, 100MS/S (ANALOG/DIGITAL)
Gps-4303	
Gcp-206p	POWER SUPPLY FOR CURRENT PROBE (2 INPUT CHANNEL)
Afg-3051	(PRICE/EA) SIGNAL GENERATOR, ARB/FUNCTION, 50MHZ, PRODUCT RANGE:AFG3000 SERIES, NO. OF CHANNELS:2 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTION
Gsp-810-Rent1	150 kHz to 1 GHz Spectrum Analyzer FLV \$2375
Gpt-9903	(PRICE/EA) SAFETY TESTER, AC/DC/IR, PRODUCT RANGE:GPT-9900 SERIES, TESTER FUNCTIONS:AC/DC WITHSTANDING VOLTAGE, INSULATION RESISTANCE, AC WITHSTANDING
Gds-2072a	(PRICE/EA) DIGITAL STORAGE OSCILLOSCOPE, 2CH, 70MHZ, 2GSPS, PRODUCT RANGE:GDS-2000A SERIES, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:70MHZ, SAMPLING RATE:
Gds-840scal	DIGITAL STORAGE OSCILLOSCOPE
Gw-Gps-4303	
Lcr-8105g	(PRICE/EA) LCR METER, BENCH, 330X170X340MM, 5KG, LCR TYPE:BENCH, TEST FREQUENCY MAX:5MHZ, INDUCTANCE MEASURE MAX:100KH, CAPACITANCE MEASURE MAX:1F, RE
Gps-3030dd	
Sps-1820	Switching Power Supply, 18V/20A NC/NR
Gpt-9904	(PRICE/EA) SAFETY TESTER, AC/DC/IR/GB, PRODUCT RANGE:GPT-9900 SERIES, TESTER FUNCTIONS:AC/DC WITHSTANDING VOLTAGE, INSULATION RESISTANCE, GROUND BOND
Gds-3352	(PRICE/EA) 350MHZ, 2 CH, VISUAL PERSISTENCE DSO
Gpr-6015hd	
Pel-2004	4-SLOT MAINFRAME
Afg-3081	(PRICE/EA) SIGNAL GENERATOR, ARB/FUNCTION, 80MHZ, PRODUCT RANGE:AFG3000 SERIES, NO. OF CHANNELS:2 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTION
Gpt-9804	(PRICE/EA) SAFETY TESTER, AC/DC/IR/GB, PRODUCT RANGE:GPT-9800 SERIES, TESTER FUNCTIONS:AC/DC WITHSTANDING VOLTAGE, INSULATION RESISTANCE, GROUND BOND
Mso-2104ea	Digital Storage Oscilloscope 100MHz, 4-channel, 16-channel
Gdm-8351	Digital Bench Multimeter RS-232, USB

Gdm-825	
Psw80-40,5	Power supply, multi-range, 1080W
Psh-3620a	
Gpr-7550dcal	TEST AND MEASUREMENT
Psw30-36	(PRICE/EA) POWER SUPPLY, ADJ, 1 O/P, 36A, 30V, 360W, POWER SUPPLY OUTPUT TYPE:PROGRAMMABLE, NO. OF OUTPUTS:1 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT VOL
Gos-653g	Analog Oscilloscope, 50MHz
Gds-3254	(PRICE/EA) 250MHZ, 4 CH, VISUAL PERSISTENCE DSO [SPECIAL ORDER -CONTACT GWI FOR DETAILS]
Gsp-830tg	(PRICE/EA) DWO SPECTRUM ANALYZER 3GHZWITH TRACKING GENERATOR
Gpi-745a	
Gw-Gpt-9903a	
Psm-2010	(PRICE/EA) 0+8V/20A, 0+20V/10A
Gw-Afg-2025	
SPD-3606	Laboratory Power Supply, 30V, 3A, 375W, Adjustable, GW Instek
Gw-Gds-2074a	
Mso-2204ea	Digital Storage Oscilloscope 200MHz, 4-Channel
Gds-220	
Psw80-13.5	Power supply, multi-range, 360W
Pst-3202	(PRICE/EA) POWER SUPPLY, 3CH, 32V, 2A, PROGRAMMABLE O/P, POWER SUPPLY OUTPUT TYPE:PROGRAMMABLE, NO. OF OUTPUTS:3 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT
Psw80-27	(PRICE/EA) POWER SUPPLY, ADJ, 1 O/P, 27A, 80V, 720W, POWER SUPPLY OUTPUT TYPE:PROGRAMMABLE, NO. OF OUTPUTS:1 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT VOL
Mdo-2102ex	100MHz Spectrum Analyzer 2-channel, DSO, power supply
Gcp-1030	100MHZ/30A CURRENT PROBE
Gfg-3015	FUNCTION GENERATOR 15MHZ
Pel3031e	Programmable Electronic Load 0-150V, 300W
Gw-Gdm-8342	
Gom-802	DC Milli-Ohmmeter

Mfg-2160mr	60MHz Arbitrary Generator Single Channel with Pulse Gen
Pel-2041	SINGLE CHANNEL MODULE (2.5500V, 10A, 350W)
Gom-804	DC MilliOhm Meter w/Handler RS-232C/USB Device
Mdo-2072ex	70MHz Spectrum Analyzer 2-channel, DSO, power supply
Gpt-9903a	Performance Hi-Pot Tester AC/DC/IR
Gfg-1015g	
Lcr-6100	Precision LCR, 10Hz to 100kHz
Gom-802gp	(PRICE/EA) CONNECTOR
Gtl 1o8a - Ew Instek Gtl 1o8a Kelvin Iclips - Test Leads & Cable	
Aps-9501	
Lcr-816	(PRICE/EA) LCR METER, BENCH, 322X149X433MM, 5.5KG, LCR TYPE:HAND HELD, TEST FREQUENCY MAX:2KHZ, INDUCTANCE MEASURE MAX:65H, CAPACITANCE MEASURE MAX:64
Pcs-1000i	High Precision Current Shunt DC/AC Current w/Isolated Output
Gpr-3510hd	0-35V
Gds-2062-Obsolete!! Replaced By Quot;Gw-Gds-2072aquot; Or Quot;Gw- Gds-2074quot;	
Gpc-6030d	(PRICE/EA) POWER SUPPLY, BENCH, ADJ, 30/P, 60V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, FIXED, NO. OF OUTPUTS:3 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT VOL
Gdm-8342gp	Dual Measurement Multimeter
Gla-1132	PC BASED LOGIC ANALYZER 32 CH 32MBITS/1MBITS
Psw160-7.2	(PRICE/EA) POWER SUPPLY, ADJ, 1 O/P, 7.2A, 160V, 360W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT VOL
Pph-1503	Dual Range DC Power Supply (0-15V/0-3A or 0-9/0-5A)
Gds-1000-U	
Pfr-100m	Multi-Range DC Power Supply (0~250V/0~2A/100W) Fanless
Psu 300-5	Programmable 300VCD-5A 1U High 1500W
Aps-7050	Programmable AC Power Source 500VA
Gos-620fg	20MHz Oscilloscope

Pel-3111	1050W Programable Electronic Load
Gds-2204e	200MHz Digital Oscilloscope 1GS/s, 4 Ch, 10Mpts, USB/LAN, VPO
Pel-2002	2-SLOT MAINFRAME
Pel-2040	SINGLE CHANNEL MODULE (180V, 70A, 350W)
Gw-Lcr-819	
Sps-606	DC Power Supply, 60V/6A
Gpd-2303s	
Gpib	
Gcp-530	(PRICE/EA) 50MHZ/30A CURRENT PROBE
Gds-122	HANDHELD DSO, 20MHZ, 100MS/S WITH USB
Gds-1072a-U	
Gw-Glc-9000	
Ght-113	
Gw-Gds-2072a	
Gsp-810tg	SPECTRUM ANALYZER 150KHZ-1GHZ WITH TRACKING GENERATOR