

Hameg

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Hameg Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Hameg T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunulmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
Hm400 - Obsolete, Replaced By Hmo722	
Hmf2525	ARBITRARY FUNCTION GENERATOR, 25MHZ, SIGNAL GENERATOR TYPE:ARB / FUNCTION, BANDWIDTH:25MHZ, MODULATION TYPE:AM / FM / FSK / PM / PWM, SUPPLY VOLTAGE R
204-2	
Hz 99	
Hmo1022	
934-095-100	
934-095-101	
23-2030-0000	TRIPLE POWER SUPPLY 0 32V 5A, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:3, OUTPUT VOLTAGE:32V, OUTPUT VOLTAGE 2:5.5V, OUTPUT VOLTAGE 3:32V
Headphone For Hms-H	

Rep-Hm1004-3	
Hm8115-2eucal	HM8115-2 EU CALIBRATED BY TRANSCAT
Hms-X	
Complete Set Of Connection Cables For Hms-H	
Hz 547	
Hms3000	3GHZ SPECTRUM ANALYZER HMS3000, SPECTRUM ANALYZER TYPE:BENCH, FREQUENCY MEASURING RANGE:100KHZ TO 3GHZ, EXTERNAL HEIGHT:175MM, EXTERNAL WIDTH:285MM, E
Hmf2550	ARBITRARY FUNCTION GENERATOR, 50MHZ, SIGNAL GENERATOR TYPE:ARB / FUNCTION, BANDWIDTH:50MHZ, MODULATION TYPE:AM / FM / FSK / PM / PWM, SUPPLY VOLTAGE R
Hm8150	
Hms1010	1GHZ SPEC. ANALYZER WITH TG HMS1010, SPECTRUM ANALYZER TYPE:BENCH, FREQUENCY MEASURING RANGE:100KHZ TO 1GHZ, EXTERNAL HEIGHT:175MM, EXTERNAL WIDTH:285
Hz530	PROBE, NEARFIELD, ACCESSORY TYPE:PROBE SET, FOR USE WITH:HAMEG SPECTRUM ANALYZERS, BATTERY SIZE CODE:4 X AA (NOT SUPPLIED) , FREQUENCY MEASURING RANGE
Hmo722	
Usb Cable For Hms-H	
Hms3010	3GHZ SPEC. ANALYZER WITH TG HMS3010, SPECTRUM ANALYZER TYPE:BENCH, FREQUENCY MEASURING RANGE:100KHZ TO 3GHZ, EXTERNAL HEIGHT:175MM, EXTERNAL WIDTH:285
Kit Adapters Or Hms-H	
Rs-232.	
Hms-Emc	
Hz 575	
Hm8115-2eucald	HM8115-2 EU CALIBRATED W/ DATA
N3300a-902	
Hm8143	
Hms 1010	
Hm 303.6 - Obsolete (Replaced By Hm400)	

Hm8118	
Hm 400	
Hms-Tg	
Hm8112-3	
Main Board For Hmo1002	
3hm2005-2	
Hmo-1524 , By Rtb2004 + Rtb-B242	
Software For Hms-H	
330030	
Hm8135	
330337	
Hm8123	
Main Board For Hm400	
Rtb2004 + Rtb-B242	
Power Cable For Hms-H	
972-405-100	
Hm8115-2eucaldu	HM8115-2 EU CALIBRATED W/ DATA + UNCERT
300479	
Hmo2024 (3593.1758.02)	
Hmo-1024 , By Rtb-B242 + Rtb-B241	
Hmsx	
Hmf 2525	
Hms-3g	
Hmf2550 50mhz Å209; Usb/RS232	
330935	
Drivers For Hms-H	
23-2020-0000	DUAL POWER SUPPLY 0 32V 10A, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:2, OUTPUT VOLTAGE:32V, OUTPUT VOLTAGE 2:0V, OUTPUT CURRENT:10A, OUTPU
Hm7042-5	
Hm1004	OSCILLOSCOPE 100MHZ

Hmp2030	
Rtb-B242 + Rtb-B241	
300480	
Hm8115-2eu	POWER METER, 8KW, ANALYZER FUNCTIONS:FREQUENCY / POWER / VOLTAGE, VOLTAGE RANGE RMS:50V / 150V / 500V, BANDWIDTH:1KHZ, ACCURACY:VAC:0.4%+5DIGIT, VDC:0
Hmo3524	350MHZ 4 CHANNEL DSO HMO3524, SCOPE TYPE:BENCH, SCOPE CHANNELS:4, BANDWIDTH:350MHZ, METER DISPLAY TYPE:LED, SAMPLING RATE:4GSPS, RISE TIME:1NS, INPUT