

## Hatlapa

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Hatlapa** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Hatlapa Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">Ersatzteile / Spare Parts</a>	
<a href="#">Part number : 84.05</a>	Brake lining. Lower Part Drawing No.: 1.72068 Pos 84.05
<a href="#">Part number : 84.02</a>	Drawing No.: 1.72068 Pos. 84.02.
<a href="#">Part number: 69-42-**</a>	Machine screw cross recessed, brass, countersunk head, M8, Length --- 100pcs. 40mm with nuts
<a href="#">See list / Spare parts</a>	
<a href="#">Air Compressor HATLAPA Type L 80II</a>	Double compressor control TD 200
<a href="#">COMB SUCTION AND PRESS V/V 1ST STAGE</a>	20.20.10
<a href="#">COMB SUCTION AND PRESS V/V 2ND STAGE</a>	20.20.20
<a href="#">PISTON RING 20.30.10.40</a>	
<a href="#">SCRAPER RING 20.30.10.50</a>	
<a href="#">DOUBLE BEVELLED OIL CONTROL RING</a>	20.30.10.60
<a href="#">SCRAPER RING</a>	20.30.20.40
<a href="#">FACED COMPRESSION RING</a>	20.30.20.50
<a href="#">GASKET 20.10.20</a>	
<a href="#">GASKET 20.20.50</a>	
<a href="#">GASKET 20.20.60</a>	
<a href="#">PACKING RING 20.20.30</a>	

<a href="#">PACKING RING 20.20.40</a>	
<a href="#">SPARES FOR GEAR BOX</a>	DRAWING NUMBER 320112 PINION SHAFT 318609 1pcs CYLINDER ROLLER BEARING 085676 2pcs
<a href="#">758160</a>	
<a href="#">1.1. Cylinder head 1st stage</a>	(code 03.3) 20.10.30 in catalogue
<a href="#">1.2. Cylinder head 2nd stage</a>	(code 03.6) 20.10.60 in catalogue
<a href="#">113327 Partno :11</a>	
<a href="#">Laying .07, 01.34 HATLAPA L 80 II</a>	
<a href="#">Oil pumps .07, 07.1 HATLAPA L 80 II</a>	
<a href="#">AIR PISTON COMPRESSOR HATLAPA L-20</a>	, ser #:18.5805-ON (19,5M3/H // 40 bar // 1450 RPM // 5,5 kW)
<a href="#">20.20.20</a>	COMB. SUCTION A PRESS. VALVE 2 STAGE
<a href="#">180619</a>	
<a href="#">10.20.10.10</a>	crankshaft Kurbelwelle for serial-no.: 04.4081-0 suitable for: compressor L35
<a href="#">Main Starting Air Compressor: L14</a>	Duty: Main Starting Air Compressor Type: 1 x L14 Description: 2 stage, 2 cylinder air cooled, single acting compressor Capacity: 14 m3/h FAD (+/- 5%) Customer FAD required: As above Working Pressure: 30 bar G Speed: 1450 rpm Shaft Power: 3.5 kW Control Voltage: 220 / 230 V Lubrication: Splash Heat to be dissipated: 2.8 kJ/sec Cooling air flow rate: 17.2 m3/min Inspection: DNV GL on compressor portion only Standard Compressor Features: · Flywheel and flexible coupling: Fitted · Mounting Arrangement: Flexible (AV Mounts) · Air intake filter with silencer · Inter and after cooler · Air Pressure gauges on all stages: Supplied fitted, glycerine filled · Condensate unloading - Manual & Automatic (Auto 2nd stage only) · Safety valves on all stages · Pipe connection for compressed air outlet · Crankcase breather · Oil level inspection glass · Fusible plug Additional features: · Flexible Air Hose: Supplied loose with tube connection · Air temperature measurement: T
<a href="#">028674</a>	
<a href="#">20.30.10.50</a>	napier ring Nasenring for serial-no.: 04.4081-0 suitable for: compressor L35
<a href="#">161181</a>	
<a href="#">002055</a>	
<a href="#">10.30.10</a>	cover for oil pump Ölpumpendeckel for serial-no.: 04.4081-0 suitable for: compressor L35
<a href="#">Parts List For Attached List</a>	
<a href="#">62mmk3/120</a>	

<a href="#">10.30.40</a>	gear wheel for oil pump Ölpumpenzahnrad for serial-no.: 04.4081-0 suitable for: compressor L35
<a href="#">10.30.70</a>	sealing ring Dichtscheibe for serial-no.: 04.4081-0 suitable for: compressor L35
<a href="#">20.20.50</a>	PACKING RING
<a href="#">20.40.20.20</a>	con. rod bearing shell / 2 pcs.= 1 set Pleuellagerschale / 2 Stk. = 1 Satz for serial-no.: 04.4081-0 suitable for: compressor L35
<a href="#">314716-44065</a>	Drawing SINGLE CONTROL COLUMN 3-0-3 Blatt1,2 pos.S1
<a href="#">30.20.10</a>	separator Abscheider for serial-no.: 04.4081-0 suitable for: compressor L35
<a href="#">135725</a>	
<a href="#">Coupling Tire</a>	From L35 compressor Please look at the attachement
<a href="#">161179</a>	
<a href="#">20.20.30</a>	PACKING RING
<a href="#">20.20.40</a>	PACKING RING
<a href="#">10.10.10.10</a>	crank case L for serial-no.: 04.4081-0 suitable for: compressor L35
<a href="#">10.30.50</a>	gear wheel of oil pump Ölpumpenzahnrad for serial-no.: 04.4081-0 suitable for: compressor L35
<a href="#">L35 With Motor</a>	Main Starting Air Compressor Technical Specification - 1143518R.1 Duty: Main Starting Air Compressor Type: 1 x L35 Description: 2 stage, 2 cylinder air cooled, single acting compressor Capacity: 19,5 m <sup>3</sup> /h FAD (+/- 5%) Customer FAD required: 19.5 m <sup>3</sup> /h Working Pressure: 30 bar G Speed: 950 rpm Shaft Power: 4 kW Control Voltage: 220 / 230 V Lubrication: Force fed by pump Heat to be dissipated: 3.3 kJ/sec Cooling air flow rate: 19,5 m <sup>3</sup> /min Inspection: Works test on compressor portion only
<a href="#">20.20.10</a>	COMB. SUCTION A. PRESS. VALVE 1 STAGE
<a href="#">10.30.20</a>	radial packing ring Wellendichtring for serial-no.: 04.4081-0 suitable for: compressor L35
<a href="#">10.10.20.20</a>	crankshaft bearing Kurbelwellenlager for serial-no.: 04.4081-0 suitable for: compressor L35
<a href="#">10.10.70</a>	o-ring O-Ring for serial-no.: 04.4081-0 suitable for: compressor L35
<a href="#">V105</a>	hatlapa V105 compressor pressure valve / Verdichterdruckventil
<a href="#">20.40.10.20</a>	con. rod bearing shell / 2 pcs.= 1 set Pleuellagerschale / 2 Stk. = 1 Satz for serial-no.: 04.4081-0 suitable for:

compressor L35	
<a href="#">002058</a>	
<a href="#">10.30.30</a>	o-ring O-Ring for serial-no.: 04.4081-0 suitable for: compressor L35
<a href="#">Serial No. 07.7714.3.1</a>	
<a href="#">20.20.60</a>	PACKING RING
<a href="#">020346</a>	
<a href="#">008792</a>	