

## Hiquel

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Hiquel** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Hiquel T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



¼r¼n	A¼ıklama
<a href="#">Tcm-Lc2.230vac</a>	TCM-LC2 230VAC, PTC tripping device, 2 Changer, wire break detection, Short-circuit detection, housing width 22.5 mm, clampable, LED display TCM-LC2 230VAC, thermistor relay, 2 DPCO, Broken wire detection, short circuit detection, Module width 22.5 mm, LED status
<a href="#">22008145</a>	
<a href="#">60202</a>	
<a href="#">60205</a>	
<a href="#">61022</a>	
<a href="#">63007</a>	
<a href="#">63100</a>	
<a href="#">63801</a>	
<a href="#">99159</a>	
<a href="#">TA04</a>	

<a href="#">TCL3 (TCL3.24VAC)</a>	
<a href="#">TCS-H.230VAC</a>	
<a href="#">TI01</a>	
<a href="#">TM01</a>	
<a href="#">DGR.24VDC</a>	DGR standstill monitoring, 6 selectable Time ranges, 1 changeover contact, housing width 22.5mm, 24VDC auxiliary voltage DGR Standstill Monitoring, 6 selectable time range, 1 DPCO, module width 22.5mm, 24VDC Auxiliary voltage
<a href="#">Ta 02-S 230vac</a>	
<a href="#">Itm16</a>	
<a href="#">Icp300...500</a>	
<a href="#">Pcl V3.02</a>	
<a href="#">61070</a>	
<a href="#">Dgr.24vdc</a>	
<a href="#">Tlc-Cl2-F</a>	
<a href="#">En 60947-5-1 Vde0435</a>	
<a href="#">Ta04k- Oem</a>	
<a href="#">Tcl115vac</a>	TCL, Hilfsspannung 115VAC Niveauekontrollrelais, klemmbar, 45mm, 2 Wechsler,
<a href="#">Tcl24vac</a>	TCL, Hilfsspannung 24VAC Niveauekontrollrelais, klemmbar, 45mm, 2 Wechsler,
<a href="#">K4s-24p</a>	
<a href="#">Tr12</a>	
<a href="#">Sls-500-Pt1000c</a>	
<a href="#">Ts05</a>	Star-delta starting, 2 NO contacts, Housing width 22.5mm, auxiliary voltage 115VAC, 2 selectable start-up times, 4 selectable turnaround TS05, Star Delta Starting, 2 NO, module width 22.5mm, Control voltage 115VAC, 2 selectable starting time, 4 selectable switch over time
<a href="#">Tcl-Lc-F.230vac</a>	
<a href="#">Sls-500-S</a>	
<a href="#">Tm01 Zeitrelais</a>	
<a href="#">Hiquel En 60947-5-1 Vdc 0435</a>	
<a href="#">Tcl230vac</a>	TCL, Hilfsspannung 230VAC Niveauekontrollrelais, klemmbar, 45mm, 2 Wechsler,

<a href="#">Ta-04k</a>	
<a href="#">Icp-Sc - 3x380-575vac 3-Phase - Oem For Charter Controls</a>	
<a href="#">Puzsi Mn</a>	
<a href="#">Sls-500-Can-R</a>	
<a href="#">Ta 02 S</a>	HIQUEL timing relay TA 02 S, delayed-release without auxiliary voltage, 230VAC operating voltage, can be clamped, 1 changeover contact, time range 0.1 sec. to 3 min, with RESET function HIQUEL Timer TA 02 S, off delay without control voltage, 230VAC control voltage, 1 changeover contact, Time Range 0.1 sec to 3 min, with RESET Function
<a href="#">Ti01</a>	
<a href="#">Tcl24vdc</a>	TCL, Hilfsspannung 24VDC, ohne galvanische Trennung Hilfsspannung -- Meßkreis,
<a href="#">Ta02-S</a>	
<a href="#">Sls-500term-4b</a>	