

Horner Electric

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Horner Electric Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Horner Electric T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
He6930iu277f	
He-Acc103	
He550dqm601	
He-Xw1e3-10	
He693adc415e	MODULE INPUT ISOLATED ANALOG CURRENT 4-20MA 10VDC
He693ad0420b	
He800mix902	
He693kpd157	
He190ibsr muc	OPERATOR INTERFACE PANEL
He-XI102-44	
He-Mc1	
He-Xt100-44	

He500ocs980	DEMONSTRATION CASE OF OCS250
He500tiu110	
He6930iu150a175	MODULE
He200rcm508	
He610set005	
He800cbl019	
He800cbl112	
He579mix105	
He-Xtdemo-33	
He-Xpc	
He-Xe105-33	
He-Diq712	
He500ocs063	
He69301u157c	
He610rly110a	
He-Xt100	
He693pbs105	PROFIBUS DP SLAVE MODULE FOR SERIES 90-30.
He559diq816	
He693rly160	
He-Xc1e4-33	
Hesmpcbl	
Hediq716	
He359adc120	
He599dac101	
He100thm800	
He693oiu057f	
He610asc118	
He599trm009	
He200rcm504	
He579mix977	

He6930iu177	
He500ocs100	
Hedim210	
He569dqm209	
He800mix211	SMARTSTACK, 14-BIT ISOLATED, 4 CHANNEL VOLTAGE (+/-10VDC) INPUTS, 2 CHANNEL VOLTAGE (+/-10VDC) OUTPUTS
He200cgm200	
He-XI1m2-14	
He693oiu357a	OPER INTF UNIT
He500rcs066	
He579diq880	
He693thm665	
He-Xc1e4-10	
Hemix912	
He500ocs036	
He359rtd100	
He550dqm606	
He579acm300	
Hemix963	
He190ibsrmu	OPERATOR INTERFACE INTERBUS-S
He500rcs075	14 DC INPUTS (12/24VDC), 10 RELAY OUTPUTS (3.0A EA.)
He500tiu150	OPERATOR INTERFACE
He200ccu288-01	
He500ocs083	
He6930iu050	
He693cdc300	CAN DATA CONCENTRATOR FOR SER300, REQUIRED FOR CONNECTIVITY TO MULTIPLE I/O RACKS OR TO PLC RACK.
He800dqm303	
He800dac106	
He-Crv	
He300gen250a	

He-Xdia	QX COLOR-TOUCH OCS UNIT WITH BUILT-IN BACKPACK CAPABILITY.10.4 TFT DISPLAY, 640X480 RESOLUTION, 256K LADDER, 32KB REGISTERS, 2 SMARTSTACK MODULES SUP
He-Qx501	
He800dac102	
He-Acx102	
He500cbl301	
He500ocs053	
He693oiu907	GENIUS OPERATOR INTERFACE (184MM X 298MM X 70MM) WITH 2 LINE X 20 CHARACTER VF DISPLAY WITH 12 LEDS.
He-Xldemoe	XL6E DEMO KIT.INCLUDES HE-XL1E2 UNIT MOUNTED ON A TABLETOP STAND, IN A PORTABLE PLASTIC CASE WITH A 2GB MEMORY CARD AND A PLUG-IN DC POWER SUPPLY.NO P
He-Xl106-33	
He-Qx651-16	12.1 TFT TOUCH OCS W/O I/O CONNECTIVITY (NO BACKPACK REQUIRED)
He5000cs100v	MODULE
He500acc303	
He200cnm100	
He-Xc1e2-33	
He800cbf010	
Hedac102	
He660ser160	EVENT RECORDER
He693kpd357	
He800diq712c	
He500ocs551	SVGA COLOR-TOUCH OCS W/10.4 TFT DISPLAY, 256K LADDER, 32KB REGISTERS, ON-BOARD ETHERNET, COMPACTFLASH SLOT, 3 PORTS, FOX I/O EXPANSION
He800diq624	
He-Xt105-33	
He200pwr024-01	
He693oiu057	
He500ocs082	8 DC INPUTS (12/24VDC), 8 POSITIVE LOGIC DC OUTPUTS (5/12/24VDC, 0.5A WITH ESCP), 4 ANALOG INPUTS (0-5VDC, +/-5VDC, 0-10VDC, +/-10VDC, 12 BIT), 2 ANAL
He500ocs077	14 AC INPUTS (120VAC), 10 RELAY OUTPUTS (3.0A EA.)

Hec-Adc-80	
He800adc110	
He-Xe105-44	
He693stp310	THREE AXES (MULTIPLEXED) STEPPER POSITIONING MODULE FOR SERIES 90-30 WITH INCREMENTAL ENCODER FEEDBACK.
He-Xv1e2-14	
He693stp113	ONE AXIS STEPPER POSITIONING MODULE FOR SERIES 90-30 WITH INCREMENTAL ENCODER FEEDBACK, OPTICAL ISOLATION, INDEPENDENT ACCELERATION/DECELERATION AND I
He-Qx551al-16	
He693trc050c-24	DATA ACCESS MODULE LCD 24VDC 8KEY
He-Xc1e2-14	
He800mix904	
He693bem310sds	
He693oiu157g-01	OPER INTF UNIT
He500ocs029	LOCAL STEPPER INDEXER MODULE
He69301u360	INTERFACE
He800pbs600	
He610rly110	
He500ocs250m-32	
He-Xw1e4	
He300gen200ax	
He693hhp232	
He693oiu297f	
He-Xtdemo	
He800dac002	
He800cbl119	
He599esw401	
He693hdc200	
He100rtd400	
He693mix800	

He500vim400	
He610adc120a	
He800adc920	
He693dac410c	ANALOG OUTPUT
He800acm200	
He-Mr1	
He800dqm202	
He693510357	
He693stp111	ONE AXIS STEPPER POSITIONING MODULE FOR SERIES 90-30 WITH INCREMENTAL ENCODER FEEDBACK, OPTICAL ISOLATION AND INDEPENDENT ACCELERATION/DECELERATION.
He660cgm224	C PROGRAMMABLE COPROCESSOR WITH TWO RS-232 PORTS FOR GENIUS.
He200cnc000	
He300ibs100b	
He200cgm750	
He-Xldemo5-33	
He693oiu300	OPER INTF UNIT
He690hpl100	
He693oiu057-24	
He693dac420a	OUTPUT MODULE
He800mix111	
He300rsl100	
He599cbe002	
He45c-Adc-88	
He693thm446c1591	
He-Ctd5005	
He-Xl1e2-10	
He-Bp43	
He693calkit	
He698oiu190	KEYPAD OPERATOR INTERFACE
He550dqm701	

He-Xpbs	
He693thm882	
He693snp232a	
He670adc840c	FIELD CONTROL INPUT MODULE 8CHANNEL 4-20MA ANALOG
Hemix905	
Hexe102np	
He300gen251	GENIUS INTERFACE BOARD FOR NEW GENERATION AV300/DV300 DRIVES (EXTERNAL MOUNT)
He800thm200	
He800adc020	
He800dnt450a	
He693dnt250	
He693rtd660	6 CHANNEL RTD INPUT MODULE FOR SERIES 90-30 WITH 700VDC BUS-ISOLATION AND 0.05C RESOLUTION.
He693thm449b	
He-Rx371-44	
He800diq622	
Hecgv3dnf	BOARD
He693asc900	ASCII BASIC MODULE FOR SERIES 90-30 WITH 32K EEPROM, 32K NVRAM, 2 RS-232 PORTS AND 1 RS-485 PORT.
He300rsl130	
Hedqm202	
He500ocs056	8 DC INPUTS (12/24VDC), 6 RELAY OUTPUTS (3.0A EA.), 4 ANALOG INPUTS (0-20MA, 0-5V, THERMISTER), 2 ANALOG OUTPUTS (0-20MA, 0-10V)
He550dqm706	
He-Xe100-22	
He550dim610	
He5000cs300j	
He693dac410	4 CHANNEL +/-10VDC ANALOG OUTPUT MODULE FOR SERIES 90-30 WITH 2000VDC ISOLATION AND 14-BIT RESOLUTION.
He500ocs062	
He-Xt106-22	

Helx280c100ab	
He800pdc250	
He599thm100	
He800inp935	
He800diq935	
He500ocs042	16 DC INPUTS (12/24VDC), 12 NEG LOGIC DC OUTPUTS (5/12/24VDC, 0.5A W/ESCP)
He200fwf500	
He-Xe102	
Hedac001	
Heqx551aa	OPERATOR CONTROL SCREEN 10.4 SVGA TFT
He693stp111e	INDEXER STEPPER MOTOR
Hediq935	
He693oiu327	OPERATOR INTERFACE (184MM X 298MM X 70MM) WITH 2 LINE X 20 CHARACTER VF DISPLAY.
He-Xkit45	
He6930iu36cf10	
He500rcs086	8 DC INPUTS (12/24VDC), 6 RELAY OUTPUTS (3.0A EA.), 4 ANALOG INPUTS (0-20MA, 0-5V, THERMISTER), 2 ANALOG OUTPUTS (0-20MA, 0-10V)
He500rcs077	14 AC INPUTS (120VAC), 10 RELAY OUTPUTS (3.0A EA.)
Henx251c103-01	
Fe610adc120	
He559mix977	
He800dst935	
He-Xl1e2-33	
He610dac081	
He693stg884g	INPUT MODULE 8CHANNEL 16BIT RES 25/50/100MV
He-Xe104	
He200fwm100	
He693thm400c	
He-Acc006	

He500ocs034m-07	OPERATOR INTERFACE 200MA 24DC LIQUID BATCH CONTROL
He599mix116	
He200gps183	
He800cbl222	
He599cnx100	
He-Pbs600	
He693rtd665	6 CHANNEL RTD INPUT MODULE FOR SERIES 90-30 WITH 700VDC BUS-ISOLATION, 0.05C RESOLUTION AND 50HZ FILTERING.
He6930iu177c	
Hec-Dac-45	OUTPUT MODULE ANALOG
He610asc118c	
Insq08bsb2g01000	
He-Xrj509	
He-Xl1e2-14	
He500ocs451	
Hedqm406	
He693cbl222	
He693pidnet	
He-Xl1m5	FOUR INPUTS CAN BE USED FOR 10KHZ HIGH SPEE
He500ocs351	COLOR-TOUCH OCS W/5.7 TFT DISPLAY, 256K LADDER, 32KB REGISTERS, ON-BOARD ETHERNET 10-BASE-T, 3 PORTS, FOX I/O EXPANSION
He800trm016	
He-Xt102	
He-Xrc9	
He359adc107	
Hec-Gv3-Dn	
He693thm800b	INPUT MODULE THERMOCOUPLE
He-Xl1m3	
He579acm302a1	
He693tcucbl	
He693oiu297	

He599cbl237	
He800cbl212	
Helx300	5.7 QVGA OCS WITH STN COLOR.REPLACE WITH HE-XL6
He800etn250	
He610set010	
He-Xcdemo	
He693oiu197	GENIUS OPERATOR INTERFACE(140MM X 197MM X 54MM) WITH 2 LINE X 20 CHARACTER VF DISPLAY AND NUMERIC KEYPAD, POWERED BY 24VDC.
He5000cs200x	
He-Xw1e4-22	
He800cbl219	
He359adc207	
He-Xl1e6	
He-Csp	
He-Rly12	
He559dim710	
He693xtadp	
He693oiu360c485	
He693thm886f	
He500tiu050f	
He5000cs033l	
He610dpc164a	
He359diq512	
He-Xv1e4	FOUR (4) INPUTS CAN BE USED FOR 10KHZ HIGH SP
He-Xv1e0	XL10E SERIES OCS WITHOUT I/O.
He693thm880	
He693rly110	
He693snp306ax	
He-Qx651	QX COLOR-TOUCH OCS BASE UNIT W/12.1 TFT DISPLAY, 256K LADDER, 32KB REGISTERS, ON-BOARD ETHERNET, COMPACTFLASH SLOT AND 3 SERIAL PORTS

He693thm806d	
Hec-Dac-40	
He200ccu288	
He800trm008	
He-Fox30	
He693tcu400a	
He500ocs047	14 AC INPUTS (120VAC), 10 RELAY OUTPUTS (3.0A EA.)
He693stp300h5v	
He500rcs087	8 DC INPUTS (12/24VDC), 8 POSITIVE LOGIC DC OUTPUTS (5/12/24VDC, 0.5A WITH ESCP), 4 ISOLATED ANALOG INPUTS (0-20MA, 4-20MA, 12 BIT), 2ISOLATED ANALOG
He693ibs100	INTERBUS-S SLAVE MODULE F
He-Xw1e0-22	
He693ibmou-57b	
Hedac002	
He500ocs100y	
He-XI100-44	
He500ocs052	8 DC INPUTS (12/24VDC), 8 POSITIVE LOGIC DC OUTPUTS (5/12/24VDC, 0.5A WITH ESCP), 4 ANALOG INPUTS (0-5VDC, +/-5VDC, 0-10VDC, +/-10VDC, 12 BIT), 2 ANAL
He500ocs085	8 DC IN WITH 8 DC OUT (NEG), 4 ANALOG IN (CURRENT) AND 2 ANALOG OUT (CURRENT)
He-Xc1e3cc	
He5000cs065n-07	OPERATOR INTEREFACE LIQUID BATCH CONTROLLER
He500bat005	
He599trm010	
He693snp900ax	SLAVE MODULE FOR SERIES 90-30
He693stp100e	
He693adc816/C	MODULE 8POINT +/- 10VDC HS 16BIT RESOLUTION
He-Rx371	RX RUGGEDIZED COLOR-TOUCH OCS UNIT.HIGH-BRIGHTNESS 5.7 QVGA DISPLAY WITH 32000+ COLORS, MICROSD SLOT, CSCAN, USB MINI-B (PROGRAMMING) AND USB-A, FULL
He693pcc341c	

He693thm166	
He-Xe105-22	
He693thm166b	
He500ocs024	
He693stp101e	
Hec-Dac-80	
He-Sq1	
He-XI103	FOUR INPUTS CAN BE USED FOR 10KHZ HIGH SPEED COUNTING.TWELVE (12)
He-Nx222	NX SERIES OCS W/128X64 MONO LCD DISPLAY (BACKLIT).TWO SERIAL PORTS AND CSCAN PORT STANDARD.SUPPORT FOR PLASTIC SMARTSTACK, FOX I/O, AND SMARTSTIX I/O
He-Jcm205	CAN-BASED J1939 COMMUNICATIONS SMARTSTACK MODULE WITH ENHANCED MESSAGE CAPABILITIES.REQUIRES OCS110/210/250/HIGHER OR RCS250.
He200kgm571	
He485iso232	
He693oiu190	
He800ocs100	
He800acc114	
He693stp104	ONE AXIS STEPPER POSITIONING MODULE FOR SERIES 90-30 WITH NORMALLY CLOSED LIMIT INPUTS
He500ocs057	8 DC INPUTS (12/24VDC), 8 POSITIVE LOGIC DC OUTPUTS (5/12/24VDC, 0.5A WITH ESCP), 4 ISOLATED ANALOG INPUTS (0-20MA, 4-20MA, 12 BIT), 2ISOLATED ANALOG
He-XI106	
He-Dns600	
He-Xe106	
He200acc520	
He800diq612-02	
He693oiu277	
He693tcu400	
He200mj2trm	
Pb10551p1500	

Hemix906	
He-XI102	FOUR (4) INPUTS CAN BE USED FOR 10KHZ HIGH SPEED COUNTING.SIX
He693oiu157b/177b	
He-Xe104-33	
He-Pbm650	
He-Xc1e4-44	
He693oiu910	
He800mix126	
He800diq612c	
Ic3000cs100h	
He800hsc60105	
Heasc100	
He-XI1e6-22	
He-Qx751-16	15 TFT TOUCH OCS W/O I/O CONNECTIVITY (NO BACK PACK REQUIRED)
He-Xt106-200	
He599fwm090	
He660bgm424	BASIC PROGRAMMABLE COPROCESSOR WITH RS-232 PORT AND RS-485 PORT FOR GENIUS.
He599esw800	
He693adc405	4 CHANNEL +/-10VDC ANALOG INPUT MODULE FOR SERIES 90-30 WITH 700VDC ISOLATION AND 14-BIT RESOLUTION.
He800wcm802	
He800fox104	
He693adc800	
He-Ctb505	
He-XI1e0-44	
He693thm809	8 CHANNEL THERMOCOUPLE INPUT MODULE FOR SERIES 90-30 WITH 0.5C RESOLUTION.
He693cbl250	
He200cnc010	
He550dqm602	

He693oiu360g10	
He693oiu357f	
He800cbl044	
He693thm809a	INPUT MODULE THERMOCOUPLE
He693oiu157a	
He800diq612	
He800trm014	
He693adc406	
He-Bp41	
Diq711	
He500ocs301	COLOR-TOUCH OCS W/5.7 STN DISPLAY, 256K LADDER, 32KB REGISTERS, ON-BOARD ETHERNET 10-BASE-T, 3 PORTS, FOX I/O EXPANSION
He693thm400	
He693stg883	8 CHANNEL +/-20MV, +/-25MV, +/-30MV STRAIN GAGE INPUT MODULE FOR SERIES 90-30 WITH 16-BIT RESOLUTION AND WEIGHING FUNCTIONS.
He-Xedemo	
He500ocs100t	
He500tiu112c-002	OPERATOR INTERFACE
Hestp100	
He450rmu200	
He610asc108	
He599dim610-03	
He-Xt102-33	
He693thm406	
He670adc810	
He559dqm602b	
He800acc544	
He579rtd100	
Hertd100	
He-Zx7demo	

He-Acc102	
He693thm884j	INPUT MODULE ANALOG THERMOCOUPLE 8 POINT
He693thm666b	
He697bem600	
He670ibu100	FIELD CONTROL INTERBUS S BUS INTERFACE UNIT
He-Nx250	NX SERIES OCS W/240X128 MONO LCD DISPLAY (BACKLIT).TWO SERIAL PORTS AND CSCAN PORT STANDARD.SUPPORT FOR PLASTIC SMARTSTACK, FOX I/O, AND SMARTSTIX I/O
Headc110	
He693oiu900	
He500rcs065	
He6930iu157b177b	OPERATOR PANEL
He-Xe103-33	
He500ocs350	COLOR-TOUCH OCS W/5.7 TFT DISPLAY, 256K LADDER, 32KB REGISTERS, 3 PORTS, FOX I/O EXPANSION
He-Xe103-44	
He800diq722	
He599trm011	
He-Cbx401	
He69301u177a	
He5000cs210	
Hmi-Cab-C53	
He-XI102-14	
He579diq881	
He-XI103-10	SAME AS HE-XL103 WITH TWO (2) THERMISTER TEMPERATURE INPUTS AND ZERO (0) 10-BIT GENERAL PURPOSE ANALOG INPUTS.
He500ocs064	8 POS LOGIC DC INPUTS (0-24VDC), 8 NEG LOGIC DC OUTPUTS (5/12/24VDC, 0.5A W/ESCP).TWO INPUTS CONFIGURABLE AS HIGH SPEED COUNTERS 500KHZ EA.TWO OUTPUTS
He-XI1e5-44	
He599cbl037	
In85aegsh4a00	

He670adc830	
He800adc010	
He-Xldemo5	XL6 DEMO KIT.INCLUDES HE-XL105 UNIT MOUNTED ON A TABLETOP STAND, IN A PORTABLE PLASTIC CASE WITH A 2GB MEMORY CARD AND A PLUG-IN DC POWER SUPPLY.NO PR
He-Xt103-10	
He800diq937-20	
He800acc006	
Hediq715	
He200cgm560	
He800com650	CANOPEN MASTER SMARTSTACK MODULE.REQUIRES OCS110/210/250/HIGHER.
He693adc816d	ANALOG INPUT MODULE 5VDC 200MA
He45c-Rly	RELAY MODULE ISOLATED OUTPUT
He200dim420	
He693thm400d	
He-Xe102-200	
He599cbe010	
He200acm530	AC POWER-LINE MONITOR. SUPPORTS CONNECTION TO THREE CTS (5A) AND THREE PTS (120VAC). PROVIDES A VARIETY OF POWER DATA TO THE OCS/RCS AND FEATURES ANSI
Diq816b	
He693rtd666	6 CHANNEL RTD INPUT MODULE FOR SERIES 90-30 WITH 700VDC BUS-ISOLATION, 0.05C RESOLUTION AND 60HZ FILTERING.
He200tim100	GPS TIME SERVER FOR SER300, FOR TIME SYNCHRONIZATION BETWEEN SEPARATE RACKS OR LOCATIONS.
He200rcf104	
He569dqm205	
He800cbl244	
He69301u057f	
He800dqm201	

He599cnx100-1mb	
He693rtd600	6 CHANNEL RTD INPUT MODULE FOR SERIES 90-30 WITH 0.5C RESOLUTION FROM -100 TO 850C.
He-Xl1e0	XL6E SERIES OCS WITHOUT I/O.
He-Nx252	NX SERIES OCS W/240X128 MONO LCD DISPLAY (BACKLIT). TWO SERIAL PORTS AND CSCAN PORT STANDARD.SUPPORT FOR PLASTIC SMARTSTACK, FOX I/O, AND SMARTSTIX I/
He200cnc005	
He693adc415c	
10300dio624b	
He610asc132	
Hedac101	
He-Xl1m2-10	
He-Xw1e2-22	
Hedqm303	
He693oiu157e01	
He693stp110	ONE AXIS STEPPER POSITIONING MODULE FOR SERIES 90-30 WITH INCREMENTAL ENCODER FEEDBACK.
Hedim310	
He-Xe100-33	
He800acc106	
He500ocs200x	
He693oiu327f	
Hemix126	
He-Xt105-44	
He6930iu36ca485	
He-Xc1e0	
He693th809b	THERMOCOUPLE INPUT MODULE
He800dns600	DEVICENET SLAVE SMARTSTACK MODULE.REQUIRES OCS110/210/250/HIGHER.
He693adc816	8 CHANNEL +/-10VDC HIGH SPEED ANALOG INPUT MODULE FOR SERIES 90-30 WITH 16-BIT RESOLUTION.
He-459dim710	
He800cbl122	

He-Xe103-200	
He69301u177f	
He610vac115	
He693tcu402a	
He599trm008	
He-Xe103-10	
He-Sq0	
He500tiu100	
He693oiu177d	
Mic-121k30	
He660bgm224	BASIC PROGRAMMABLE COPROCESSOR WITH TWO RS-232 PORTS FOR GENIUS.
He-XI102-10	FOUR (4) INPUTS CAN BE USED FOR 10KHZ HIGH SPEED COUNTING.SIX
He200cbl100	
He693snp900	SNP SLAVE MODULE FOR SERIES 90-30 WITH 1 RS-232 PORT AND 1 RS-485 PORT.
He693oiu057d-24	
He693thm409	
He500tiu050d	
He6930iu360f10	
He693adc420	4 CHANNEL 4-20MA (OR +/-20MA) ANALOG INPUT MODULE FOR SERIES 90-30 WITH 2000VDC ISOLATION AND 14-BIT RESOLUTION.
Hediq616	
He-Cx251	
He693rtm705	
He-Xt100-200	
He800pwr024	
He-Xe100-200	
He800acc016	
He300gen100	GENIUS INTERFACE BOARD FOR AF300E\$ DRIVES.
Hertd100c	

He610bac115c	
He-Xkit	
He693pif104	
He800diq616b	
He200ccu300	
He550dim710	
He-Nx251	NX SERIES OCS W/240X128 MONO LCD DISPLAY (BACKLIT). TWO SERIAL PORTS AND CSCAN PORT STANDARD.SUPPORT FOR PLASTIC SMARTSTACK, FOX I/O, AND SMARTSTIX I/
He800mix902c	
He800acc519	
He500ocs200	
He700gen200	INTERFACE MODULE FOR VME DUAL-CHANNEL GENIUS 5VDC
In3012ar42a40900	
He579thm200	
He200rcm104	
He500vqm100	
He693aec360	
He-Xrj003	
Hertd000	
He693oiu177g	
He800cbf005	
He500rcs063	
He800rcs210	
He-Xl1e4-33	
He-Xl103-44	
He200acc512	
He-Xt103-44	
He-Ssr04	
He-Gsm04	
He-Xpy	

He-Xt103-22	
He800mix901b	
He693oiu157	OPERATOR INTERFACE (140MM X 197MM X 54MM) WITH 2 LINE X 16 CHARACTER LCD DISPLAY AND NUMERIC KEYPAD.
He500ocs300	COLOR-TOUCH OCS W/5.7 STN DISPLAY, 256K LADDER, 32KB REGISTERS, 3 PORTS, FOX I/O EXPANSION
He693oiu150d	OPER STATION
He-Xe104-10	
He-XI105	FOUR (4) INPUTS CAN BE USED FOR 10KHZ HIGH S
He-Xt102-44	
He693thm449	4 CHANNEL THERMOCOUPLE INPUT MODULE FOR SERIES 90-30 WITH 0.5C RESOLUTION AND DIGITAL OPEN CIRCUIT ALARM INPUTS.
He670adc840	8 CHANNEL 4-20MA ANALOG INPUT MODULE FOR FIELD CONTROL WITH 750VDC ISOLATION.
He-XI1e3	FOUR (4) INPUTS CAN BE USED FOR 10KHZ HIGH SPEED COUNTING.TWELVE
He500cs082m	
He-Xt104-10	
He500ocs071	16 DC INPUTS (12/24VDC), 12 POS LOGIC DC OUTPUTS (5/12/24VDC, 0.5A W/ESCP)
He620oiu027	
He800cbl126	
Ic300ocs100h	
He-Opc500	
He409dqm606	
Helx280c100be	
He693dac420	4 CHANNEL 4-20MA (OR +/-20MA) ANALOG OUTPUT MODULE FOR SERIES 90-30 WITH 2000VDC ISOLATION AND 14-BIT RESOLUTION.
He-Zx452	ZX SERIES OCS WITH 7 WVGA (800X480) DISPLAY AT 800NITS.CONNECTIVITY INCLUDES EVERYTHING LISTED ABOVE, WITH 1 RS-232 PORT, 1 RS-485 PORT AND 2 USB POR
He500ocs-052m	
He800acc108	

He69301u190f	OPERATOR
He-Xw1e4-10	
He693stp101	
He800acc112	
He693thm400a	
He559dqm606	
He-Xv1e2	FOUR (4) INPUTS CAN BE USED FOR 10KHZ HIGH SPEED COUNTING.SI
He100rly110b	
He-Xt106-33	
He800thm100	
He599rly037	
He800dim210	
He-Xc1e6-33	
He800jcm205	CAN-BASED J1939 COMMUNICATIONS SMARTSTACK MODULE WITH ENHANCED MESSAGE CAPABILITIES.REQUIRES OCS110/210/250/HIGHER OR RCS250.
He800asc100	
He693thm889c	INPUT MODULE THERMOCOUPLE
He-Zx752	ZX SERIES OCS WITH 15 XGA (1024X768) DISPLAY AT 350NITS.CONNECTIVITY INCLUDES EVERYTHING LISTED ABOVE, WITH 2 RS-232 PORTS, 1 RS-485 PORT, 4 USB PORT
He200ccu288f-01	
He450rmu201	OPERATOR INTERFACE PROFIBUS 2X POWERMATE 4X20VFD
He579dac207	
Hedim410	
He-Wcm900	
He-Xe104-200	
He693stg884d25	INPUT ADAPTER
He-Xl104-10	SAME AS HE-XL104 WITH TWO (2) THERMISTER TEMPERATURE INPUTS AND ZERO (0) 10-BIT GENERAL PURPOSE ANALOG INPUTS.
He693thm400e	
45c-Rtd	

He-Xc1e5	
He800gcm911	
He-Xtdemo1-33	
He800acc014	
He800dim410a	
He693stg883d	
He599dqm606	
He500cs053m	
He-Xt103	
He6930iu360e10	
He500tiu100n	
He693adc816/B	MODULE 8POINT +/- 10VDC HS 16BIT RESOLUTION
He-XI104	FOUR (4) INPUTS CAN BE USED FOR 10KHZ HIGH SPEE
He693rtd601m	RTD INPUT MOD
Hec-Gv3-Dnk	
He800mix912	
He599cbl240	
He-Xc1e6	
He500cbl304	
He200acm400	POWER MONITOR AC DUAL
He200ccu288d-01	
He-Xw1e0	
He693thm889	
974689	
He660cgm424	C PROGRAMMABLE COPROCESSOR WITH RS-232 PORT AND RS-485 PORT FOR GENIUS.
He693snmpx	
He-Qx551-16	10.4 TFT TOUCH OCS W/O I/O CONNECTIVITY (NO BACKPACK REQUIRED)
He599rcf090	
He500usb600	

He-Xc1e2-200	
He693cpu700	
He300rsl120	
He-Ssr05	
He693oiu187	GENIUS OPERATOR INTERFACE(140MM X 197MM X 54MM) WITH 2 LINE X 16 CHARACTER LCD DISPLAY AND NUMERIC KEYPAD, POWERED BY 24VDC.
He500rcs082	8 DC INPUTS (12/24VDC), 8 POSITIVE LOGIC DC OUTPUTS (5/12/24VDC, 0.5A WITH ESCP), 4 ANALOG INPUTS (0-5VDC, +/-5VDC, 0-10VDC, +/-10VDC, 12 BIT), 2 ANAL
He693oiu357g	
He693dnt750	DEVICENET SLAVE MODULE FOR SERIES 90-30.
Heqx351cl	
He-Xdqa	
He-Xl102-33	
He800etn300	
Hediq622	
7512001000200	
He800acc019	
He-Xl1e2-44	
He670rly168	
He800rtd100	
He800diq937	
He300gen200	
He599rtd100	
He599cbe030	
He500ocs100p	
He500rcs083	8 DC INPUTS (12/24VDC), 8 POSITIVE LOGIC DC OUTPUTS (5/12/24VDC, 0.5A WITH ESCP), 4 ANALOG INPUTS (0-20MA, 4-20MA, 12 BIT), 2ANALOG OUTPUTS (4-20MA).
Henx222	
He800adc920b	
He200plc288	

He500ocs086	8 DC INPUTS (12/24VDC), 6 RELAY OUTPUTS (3.0A EA.), 4 ANALOG INPUTS (0-20MA, 0-5V, THERMISTER), 2 ANALOG OUTPUTS (0-20MA, 0-10V)
He-Xc1e5-44	
Hemix901	
He800rcs250e	
He500cbl300	
He-Xmc	
He-Cfx	
He200tim100-02	GPS TIME SERVER FOR SER300, FOR TIME SYNCHRONIZATION BETWEEN SEPARATE RACKS OR LOCATIONS.
He610vac100	
He-Xt102-10	
He800dnt450	DEVICENET SCANNER SMARTSTACK MODULE.REQUIRES OCS110/210/250/HIGHER.SUPPORTS ONLY POLLED AND EXPLICIT CONNECTIONS.SUPERSEDED BY DNM650 (ABOVE).REPLACEM
He5000cs035n-07	OPERATOR INTEREFACE LIQUID BATCH CONTROLLER
Hext103cl	
Hedac202	
He693adc400	
He359adc220	
He500ocs300kb	
He610dpc164	
He693thm802g	
He500rcs079	TEMPERATURE CONTROL I/O.4 TEMPERATURE INPUTS (THERMOCOUPLE OR RTD), 2 ANALOG OUTPUTS (4-20MA), 2 RELAY OUTPUTS (10A), 2 SOLID STATE OUTPUTS (15MA, POS
He610ttl100	
He6930iu057d	
He200dqm302	
He599cbl040	
He500tiu201	
He693thm809b	THERMOCOUPLE INPUT MODULE

He-Acx103	
He800dqm406	
He693thm446e	
Helx280	5.7 QVGA OCS WITH 16-SHADES OF GRAY.REPLACE WITH HE-XL6M
He800dqm902b	
He693pbm100	PROFIBUS DP NETWORK MASTER MODULE FOR SERIES 90-30
He800ocs210	
He-X24-AI	
He670acc100	
He800thm200a	
He-Xt104-44	
He599dim710	
He693oiu360e-10	OPER INTF UNIT
He693snpchl	
He800dim410	
He-Qx551	
He693src844	SOURCE CODE FOR PIF104 AND PIF300 C LIBRARIES.REQUIRES SIGNED AGREEMENT PRIOR TO PURCHASE.
He200bgm424	MODULE
He693cbl815	
He300gen250	GENIUS INTERFACE BOARD FOR NEW GENERATION AV300/DV300 DRIVES (INTERNAL MOUNT).
He500ocs072	16 DC INPUTS (12/24VDC), 12 NEG LOGIC DC OUTPUTS (5/12/24VDC, 0.5A W/ESCP)
Headc140	
He697rtm701	RTU MASTER/SLAVE MODULE.
He693rtu900	
He693oiu360	
He693cdc200	
He5000cs110e	
He800adc140	

He693dac410a	OUTPUT MODULE 4POINT 10VDC ANALOG
He693snp232	
He599rsf090	
He693adc816/A	MODULE 8POINT +/- 10VDC HS 16BIT RESOLUTION
He500ocs075	14 DC INPUTS (12/24VDC), 10 RELAY OUTPUTS (3.0A EA.)
He693adc406a	
He559dac207	
He569dqm204	
He500ocs053m07	
He693adc420a	ANALOG INPUT MODULE ISOLATED 4-20MA 4 POINT
He693bem310	SDS™ MASTER INTERFACE WHICH SUPPORTS 64 ADDRESSES AND MIMO DEVICES.
He800trm005	
He693acq235	
He599adc170	
He660idt110	
He450rmu200a	REMOTE MESSAGE UNIT DISPLAY APG PROFIBUS W/KEYPAD
He-Xe102-44	
He-Qx651a1	
He579dac107	
He693adc410	4 CHANNEL +/-10VDC ANALOG INPUT MODULE FOR SERIES 90-30 WITH 2000VDC ISOLATION AND 14-BIT RESOLUTION.
He559diq811	
He693stp300	THREE AXES (MULTIPLEXED) STEPPER POSITIONING MODULE FOR SERIES 90-30.
He359thm100	
He359dim610	
He-Xe100ed	
He693rly100a	
He800cbf002	
He-Xl1e4-10	
He800acc512	

He500rcs072	16 DC INPUTS (12/24VDC), 12 NEG LOGIC DC OUTPUTS (5/12/24VDC, 0.5A W/ESCP)
He693thm166f	
He6930iu157b	
He693thm406a	
He693oiu360485	
He5000cs100p	
He500ocs451d	
He5000cs100j	
He-Xc1e6-44	
Hethm100	
He-Xedemo5	
He190ibsrub	OPERATOR INTERFACE PANEL
He693snp306	
He800acc008	
He-Xl1m0	
He-Xt106	
He693thm446	
He693oiu150	OPERATOR INTERFACE PROGRAMMABLE LCD
He610inp100	
He-Xt106-44	
Hemix902	
He800hsc601	
He800pbm650	
He5000cs033	
He300gen100j	
300b0018r10	
He6930iu177g	
He599dqm602	
Helx300c100	5.7 QVGA OCS WITH STN COLOR.REPLACE WITH HE-XL6
He200acm501	POWER MONITOR DUAL LINE 200VAC

He500ocs066	8 AC INPUTS (120VAC), 8 AC OUTPUTS (80-250VAC 0.5A PER POINT).
He693cbl150	
He-Cx250	
He-Xe105ee	
He200cgm301	
Hemix122	
He-Xt103-33	
He-Zx1152	ZX SERIES OCS WITH 22 HD (1920X1080) DISPLAY AT 300NITS.CONNECTIVITY INCLUDES EVERYTHING LISTED ABOVE, WITH 2 RS-232 PORTS, 1 RS-485 PORT, 4 USB PORT
He599etx200	
He660elb100d	
He-Xw1e2-14	
He500ocs067	8 AC INPUTS (120VAC), 6 RELAY OUTPUTS (3.0A PER POINT).
He599diq512	
Heqxbata	
He599dac106	
He-Qx451-16	8.4 SVGA TOUCH OCS W/O I/O CONNECTIVITY (NO BACKPACK REQUIRED)
He693oiu157h-01	
He500ocs079	TEMPERATURE CONTROL I/O.4 TEMPERATURE INPUTS (THERMOCOUPLE OR RTD), 2 ANALOG OUTPUTS (4-20MA), 2 RELAY OUTPUTS (10A), 2 SOLID STATE OUTPUTS (15MA, POS
Hethm200	
He800diq611	
He200pwr024b-01	
Hediq627	
He200cnc001	
He800mix906	
He693rtu940	RTU / MODBUS SLAVE MODULE FOR SERIES 90-30 WITH 1 RS-232 PORT, 1 RS-485 PORT, AND A 14.4 KBAUD MODEM, SUPPORTS REPORT BY EXCEPTION.
He800dac101	

He-Xc1e3	
He300dnt100	DEVICENET INTERFACE BOARD FOR AF300E\$ DRIVES.
He693rtd660e	HE693RTD660E RTD input module for Series 90-30 with 700VDC bus-isolation 6 channel HS-Code: 85423110 Origin: USA Weight: 0,5 kg
He800trm012	
He200cgm224	MODULE
He-Xc1e2-44	
Hemix211	SMARTSTACK, 14-BIT ISOLATED, 4 CHANNEL VOLTAGE (+/-10VDC) INPUTS, 2 CHANNEL VOLTAGE (+/-10VDC) OUTPUTS
He559dim610	
He559dqm601	
He693flt050	
He693bzl100	
He-Xt100bf	
He693adc410a	ANALOG INPUT ISOLATED +/-10V 4 POINT
He-Xw1e5	
He500osw232	
He800mix122	
He-Xl1e3-33	
He6930iu057f	
He5000cs083g	
He-Xt102-200	
He200cbl500	
He200cgm424	MODULE
He693thm800a	INPUT MODULE THERMOCOUPLE
He620oiu027ax	
He693thm884	8 CHANNEL THERMOCOUPLE INPUT MODULE FOR SERIES 90-30 WITH 0.1C RESOLUTION.
Hexe102ab	
He-Acm200	
He-Xl103-33	

He-Xc1e5-33	
He610dpc	
He559dqm602	
He693trm526	
He-Xdqd	
He599trm040	
He500rcs071	16 DC INPUTS (12/24VDC), 12 POS LOGIC DC OUTPUTS (5/12/24VDC, 0.5A W/ESCP)
He-XI104-33	
He599etx300	
He500rcs067	
He693tcr050	MODULE DATA ACCESS 8KEY LCD DISPLAY 5VDC NEMA 4-12
He-Qx451	QX COLOR-TOUCH OCS BASE UNIT W/8.4 TFT DISPLAY, 256K LADDER, 32KB REGISTERS, ON-BOARD ETHERNET, COMPACTFLASH SLOT AND 3 SERIAL PORTS.
He800cbf001	
He459dqm602	
ExI6ocs	
Hec-Dac-044	
He800mix963	TEMPERATURE CONTROLLER I/O BOARD.4 TEMPERATURE INPUTS (RTD/THERMOCOUPLE) SELECTABLE CH-BY-CH, 2 CHANNELS ANALOG OUTPUTS, CURRENT (4-20MA), 2 RELAY OUT
He693pbs106	PROFIBUS DP SLAVE MODULE (LOGICMASTER SUPPORT) FOR SERIES 90-30.
He693oiu057f01	
He693pwr524	
He-Xw1e3	
He-Xt105-22	
He500tiu110p	
He800trm006	
Hehsc600	
He693thm668	
He-Rj468	

Inho12jsi7a02000	
He800dqm902	
He693adc415	
He-Xwdemo	
He693dnt350	DEVICENET SCANNER MODULE
He693snp940	
He500ocs055	8 DC INPUTS (12/24VDC), 8 NEGATIVE LOGIC DC OUTPUTS (5/12/24VDC, 0.5A WITH ESCP), 4 ANALOG INPUTS (0-20MA, 4-20MA, 12 BIT), 2ANALOG OUTPUTS (4-20MA).
He660ggm100	RTU / MODBUS SLAVE GATEWAY TO GENIUS I/O MASTER.
Heqx651ac16	
He-Xhsq-5	
He-Dinssr04	
He-Sq2	
He599cos100	
He569dqm212	
He-Xt102-14	
He-Nx251dg	
He800dac001	
He693oiu157bo	MAIN BOARD FOR HE693OIU157 5VDC
He693adc415a	MODULE INPUT ISOLATED ANALOG CURRENT 4-20MA 10VDC
He500acc485	
Szzzhohin3012ar4	
He500ocs049	TEMPERATURE CONTROL I/O.4 TEMPERATURE INPUTS (THERMOCOUPLE OR RTD), 2 ANALOG OUTPUTS (4-20MA), 2 RELAY OUTPUTS (10A), 2 SOLID STATE OUTPUTS (15MA, POS
He-Xl1m4	FOUR INPUTS CAN BE USED FOR 10KHZ HIGH SPEED C
He559adc970	
He-Xc1e2	
He500ruk100	
He693thm166e	
He-Xl105-44	
He599dqm506	

He800cbl012	
He500acc604	
He599dim610	
He693oiu360a-485	INTERFACE BOARD DIGITAL
He-Xe103-22	
He-Xl1e5	FOUR INPUTS CAN BE USED FOR 10KHZ HIGH SPEE
He200acc500	
Hec-Gv3-Rtu	
He500ocs083n	
He700gen100	SINGLE CHANNEL GENIUS INTERFACE MODULE FOR VME.
He693oiu150a	
He485iso485	
He-Xrj009	
He693thm806	INPUT MODULE ANALOG THERMOCOUPLE
He-Xc1e3-10	
He693cpu701c	
He-Xc1e4	
Hediq612-02	
He697acg230a	RTC MASTER INPUT MODULE
He-Xc1e3-200	
He500ocs034	8 POS LOGIC DC INPUTS (0-24VDC), 8 NEG LOGIC DC OUTPUTS (5/12/24VDC, 0.5A W/ESCP).TWO INPUTS CONFIGURABLE AS HIGH SPEED COUNTERS 500KHZ EA.TWO OUTPUTS
He693asc-Stp	
He800rcs250f-17	
In8512gsh7g01000	
Hmi-Cab-C83	
He800acc018	
He800adc920a	
He-Xtdemo5-33	

He579thm100	THREE AXES (MULTIPLEXED) STEPPER POSITIONING MODULE FOR SERIES 90-30 WITH INCREMENTAL ENCODER FEEDBACK, OPTICAL ISOLATION AND INDEPENDENT ACCELERATION
He693stp311	
He-Xv1e5	FOUR (4) INPUTS CAN BE USED FOR 10KHZ HIGH
He69301u157a	
He693thm666	6 CHANNEL THERMOCOUPLE INPUT MODULE FOR SERIES 90-30 WITH 0.1C RESOLUTION, BUS/CHANNEL ISOLATION AND 60HZ FILTERING.
He693adc409	4 CHANNEL +/-25MV, +/-50MV, +/-100MV MILLIVOLT INPUT MODULE FOR SERIES 90-30 WITH 14-BIT RESOLUTION.
He599ctf100	
He-Nx221	
He693asc-Abm	PC BOARD
He500ocs210	
He-Xl100	
He450con900	
He-Xldemo	XL6 DEMO KIT.INCLUDES HE-XL102 UNIT MOUNTED ON A TABLETOP STAND, IN A PORTABLE PLASTIC CASE WITH A 2GB MEMORY CARD AND A PLUG-IN DC POWER SUPPLY.NO PR
He200cfm100	
He-Qx4demo	8.4 QX DEMO CASE WITH BP41
He599cbe006	
He693ser300	SERIES 90-30 SEQUENTIAL EVENT RECORDER, USES STANDARD INPUTS.
He500ocs087	8 DC INPUTS (12/24VDC), 8 POSITIVE LOGIC DC OUTPUTS (5/12/24VDC, 0.5A WITH ESCP), 4 ISOLATED ANALOG INPUTS (0-20MA, 4-20MA, 12 BIT), 2ISOLATED ANALOG
He-Xe106-200	
He-Xw1e2-10	
He-Ctf30c5	
He693oiu150d-01	
He500ocs032	
He569dqm212-12	
He100rly110	

He-Xdac007	
He69301u357c12	
He610dac161	
He-Xl1e4	FOUR (4) INPUTS CAN BE USED FOR 10KHZ HIGH SPE
He-Qx5demo	10.4 QX DEMO CASE WITH BP41
He693stp301	THREE AXES (MULTIPLEXED) STEPPER POSITIONING MODULE FOR SERIES 90-30 WITH OPTICAL ISOLATION AND INDEPENDENT ACCELERATION/DECELERATION.
He579mix102	
He200kgm561	
He693oiu157k-01	
He-Qx751	15 TFT TOUCH OCS BASE UNIT W/15 TFT DISPLAY, 256K LADDER, 32KB REGISTERS, ON-BOARD ETHERNET, USB-B AND USB-A, COMPACTFLASH SLOT AND 3 SERIAL PORTS.O
He693thm406f	
He-Xw1e3-22	
He693thm802	
He500ocs651	SVGA COLOR-TOUCH OCS W/12.1 TFT DISPLAY, 256K LADDER, 32KB REGISTERS, ON-BOARD ETHERNET, COMPACTFLASH SLOT, 3 PORTS, FOX I/O EXPANSION
He579acm302	
He800cbl022	
He693oiu177	
He800rtd000	
He-Xc1e3-44	
He-Sq3	
He693asc940	ASCII BASIC MODULE FOR SERIES 90-30 WITH 32K EEPROM, 32K NVRAM, 2 RS-232 PORTS, 1 RS-485 PORT AND A 14.4 KBAUD MODEM.
He-Xl1e2	FOUR (4) INPUTS CAN BE USED FOR 10KHZ HIGH SPEED COUNTING.SIX
He-Xcdemo5	
He200tim100-01	GPS TIME SERVER FOR SER300, FOR TIME SYNCHRONIZATION BETWEEN SEPARATE RACKS OR LOCATIONS.
He693oiu357	OPERATOR INTERFACE (184MM X 298MM X 70MM) WITH 2

LINE X 20 CHARACTER VE DISPLAY WITH 12 LEDs.	
He500ocs061	
He5000cs200t	
Sg8bex	
In96ae2sa1a00500	
He550dim730	
He-Xe102-10	
Hediq624	
He500ocs100g	
He800rcs250	
He693stp100	
He500ocx510	16 DC INPUTS (12/24VDC), 12 RELAY OUTPUTS (2.0A EA.)
He500tiu050	
He300gen150b	
He800dim310	
Hec-Adc-80-B	INPUT MODULE 12BIT ANALOG
He-Dinssr05	
He500ocs041	16 DC INPUTS (12/24VDC), 12 POS LOGIC DC OUTPUTS (5/12/24VDC, 0.5A W/ESCP)
He-Bp43e	
Headc010	
Helx280c100	5.7 QVGA OCS WITH 16-SHADES OF GRAY CSCAN.REPLACE WITH HE-XL6M
Hedqm902	
Hexv1e4db	
He693cblsnp	
He800trm019	
He800fox104c	
Headc120	
He5000cs082m	
He690cbl102	

He-Xldemo-33	
He-Xck	
He693stg884	8 CHANNEL +/-25MV, +/-50MV, +/-100MV STRAIN GAGE INPUT MODULE FOR SERIES 90-30 WITH 16-BIT RESOLUTION AND WEIGHING FUNCTIONS.
He-Qx351	QX COLOR-TOUCH OCS UNIT WITH BUILT-IN BACKPACK CAPABILITY.5.7 TFT DISPLAY, 256K LADDER, 32KB REGISTERS, 2 SMARTSTACK SLOTS, MICROSD SLOT, CSCAN, USB
He693mkr100	
He800dqm306	
Hediq612	
He500ocs045	14 DC INPUTS (12/24VDC), 10 RELAY OUTPUTS (3.0A EA.)
He610adc160	
He800etn200	
He-Xl1e5-33	
He-Vim401	
He800acc919-90	
He800diq712	
He-X24-As	
He693oiu357-24	OPERATOR INTERFACE UNIT 9-32VDC
He200rcf504	
He6930iu297f1245	DISPLAY
He-Xe104-22	
Hexe102ff	
He693stg884e	
He-Xt104-22	
He693thm800	
He359dac007	
He-Xv1e3	FOUR (4) INPUTS CAN BE USED FOR 10KHZ HIGH SPEED COUNTING.TWELV
He693oiu057f-33	
He693dac410b	OUTPUT MODULE 4POINT 10VDC ANALOG

He500ocs200s	
He500ocs033	8 POS LOGIC DC INPUTS (0-24VDC), 8 POS LOGIC DC OUTPUTS (5/12/24VDC, 0.5A W/ESCP).TWO INPUTS CONFIGURABLE AS HIGH SPEED COUNTERS 500KHZ EA.TWO OUTPUTS
He-Xe105-200	
He-XI1e0-33	
He200pwr024	
He690cbl105	
693oiu907	INTERFACE
He800mix901	
45c-Rly	RELAY OUTPUT