



## Hubbell

Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye ii kapı teslim fiyat ve teslim s¼resi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

**Hubbell** Markası, tedarik s¼resi iin l¼tfen bizimle iletiŐime geiniz.

*Firmamız Hubbell T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	Aıklama
<a href="#">30a Disconnect Switch</a>	FOR VARIABLE FREQUENCY DRIVE WITH GROUND BLOCK AND ONE (1) N/O AUX CONTACT NON-CONDUCTIVE ENCLOSURE TYPE 4X, IP66 RATED HUBBELL NO. HBLDS3VFD BRACKETED DIMS IN INCHES [in]
<a href="#">Auxiliary Normally-Open Contacts</a>	FOR HUBBELL DISCONNECT SWITCH HUBBELL NO. HBLAC2
<a href="#">Gfrst83gy</a>	HUBBELL STRAIGHT BLADE RECEPTACLE GFCI 20A-125V 2P3W GRAY NEMA 5-20R COMMODITY CODE 85363010 COUNTRY OF ORIGIN CHINA WEIGHT 0,16KGS/EA
<a href="#">Gf8300sggy</a>	HUBBELL GFCI RECEPTACLE 20A-125V GRAY COMMODITY CODE 853630800 COUNTRY OF ORIGIN CHINA
<a href="#">HBLDS3</a>	HUBBELL SWITCHED ENCLOSURE 30A 600V CIRCUIT LOCK DISCONNECT SWITCH 3-POLE UNFUSED COMMODITY CODE 85366990 COUNTRY OF ORIGIN USA WEIGHT 1,18KGS/EA
<a href="#">HC14193221522</a>	28 VOLT TYP 716 SERIE
<a href="#">HBL5966VBLK</a>	HUBBELL VALISE PLUG 15A-125V 5-15P
<a href="#">5180-0</a>	BELL SINGLE GANG WEATHERPROOF COVER HORIZONTAL DUPLEX
<a href="#">Burndy YAV14T32F</a>	
<a href="#">Burndy YAV10H</a>	
<a href="#">HBL2613</a>	
<a href="#">HBL2615</a>	
<a href="#">HBL2616</a>	
<a href="#">HBL2610</a>	
<a href="#">HBL5378C</a>	

<a href="#">HBL5369C</a>	
<a href="#">HP20-3F-P-18-M-BK- AND HP20-3M-P-18-BK</a>	Electrical Connector PLUG + SOCKE 1000V,1,313
<a href="#">20A 125V 2P3W GF20GYLA</a>	
<a href="#">211891 MPR 1050 KV</a>	
<a href="#">220V.3-11</a>	
<a href="#">2210-142CC13FMS</a>	
<a href="#">2210-232CC13MMSS</a>	
<a href="#">245KV/10KA</a>	
<a href="#">36KV/10KA</a>	
<a href="#">40003D</a>	
<a href="#">4030293</a>	
<a href="#">5 LSZH UTP</a>	
<a href="#">69MB6LY</a>	
<a href="#">ADJUST-A-GRIP AG 150-13-0</a>	
<a href="#">ADJUST-A-GRIP AG 300-19-450</a>	
<a href="#">CHANCE C6002617</a>	
<a href="#">CHANCE G3359</a>	
<a href="#">DFPCSTSCD3MM</a>	
<a href="#">FASCMPB6</a>	
<a href="#">FPSCD3MM</a>	
<a href="#">G1075</a>	
<a href="#">GO5-3C3G N34</a>	
<a href="#">H1000</a>	
<a href="#">H-1876-4</a>	
<a href="#">H1990ST</a>	
<a href="#">HAWKE 453-RAC - A - M20 BRASS</a>	
<a href="#">HBL 2623</a>	
<a href="#">HBL 430R7W</a>	
<a href="#">HBL 430R9W</a>	
<a href="#">HBL 4570CA</a>	

<a href="#">HBL 460P9W</a>
<a href="#">HBL 563P6W</a>
<a href="#">HBL1221W</a>
<a href="#">HBL2323</a>
<a href="#">HBL2325</a>
<a href="#">HBL2431SW</a>
<a href="#">HBL2531</a>
<a href="#">HBL26519</a>
<a href="#">HBL2811S</a>
<a href="#">HBL2831</a>
<a href="#">HBL30RGB</a>
<a href="#">HBL316CRC</a>
<a href="#">HBL332CRC</a>
<a href="#">HBL45905</a>
<a href="#">HBL45915</a>
<a href="#">HBL45985CL</a>
<a href="#">HBL5362GY</a>
<a href="#">HBL5662</a>
<a href="#">HBL5965VY</a>
<a href="#">HBL8300</a>
<a href="#">HBLAC2</a>
<a href="#">HBLDS10AC</a>
<a href="#">HBLDS3 / 3D383</a>
<a href="#">HBLDS33ACNK</a>
<a href="#">HBLDS3NK</a>
<a href="#">HBLDS3VFD</a>
<a href="#">HBLMITL</a>
<a href="#">HC69HA1X2AZ140175</a>
<a href="#">HC69WA4L</a>
<a href="#">HKH1ANP2S64</a>

<a href="#">HKH1NO20P</a>	
<a href="#">HKH3PSMMRH4</a>	
<a href="#">HKH3PSMMRV44</a>	
<a href="#">ITEM NR. HUBHBL2731SW</a>	
<a href="#">LON3C-IO</a>	
<a href="#">M10KA23</a>	
<a href="#">M445598</a>	
<a href="#">MODEL JTX</a>	
<a href="#">OMNI 1R of IR 2000</a>	
<a href="#">P/N 2243-312 . HC00743312</a>	
<a href="#">P-5947</a>	
<a href="#">PIMF-PE/TCWB/LSOH</a>	
<a href="#">PSCGLP12CN10</a>	
<a href="#">S/FTP CAT7</a>	
<a href="#">SEVO1-0001</a>	
<a href="#">SEVO4-0001</a>	
<a href="#">SKU 12000149682</a>	
<a href="#">SKU 13004664309</a>	
<a href="#">STRAY 12 F</a>	
<a href="#">UH32802-20-1410-3</a>	
<a href="#">VSIAUXNO</a>	
<a href="#">WPFG 50 60</a>	
<a href="#">USB20AC5BKWR</a>	Black 20A
<a href="#">HBL4585C</a>	
<a href="#">501/453/RAC</a>	
<a href="#">HBL63CM69</a>	
<a href="#">HBL7774WO</a>	
<a href="#">M4100P12</a>	HUBBELL REPLACEMENT PLUG YELLOW SUPERTOUGH ® COMMODITY CODE 85366990 COUNTRY OF ORIGIN USA WEIGHT 1,77KGS/EA.
<a href="#">HBL26CM13V</a>	NEMA L5-30R - Female Connector

<a href="#">69MB7G PRESSURE CONTROL SWITCH</a>	
<a href="#">CE3000N008</a>	INDUSTRIAL CONTROL TRANSFORMER 220,230,240X440,460,480 PRIMARY VOLTS -110,115,120 SECONDARY VOLTS
<a href="#">INSULGRIP PLUG 2P3W 15A</a>	HBL5666C 250V 6-15P BLACK AND WHITE NYLON
<a href="#">TYPE 700 1250A DC</a>	HC14193100582
<a href="#">HBLDS3RS</a>	
<a href="#">HBLDS3PAC</a>	DISONNECT SWITCH WITH HBLAC1 AUX CONTACT NON- METALLIC 30A
<a href="#">69JF7G</a>	
<a href="#">PROTECTA III EX e STAINLESS STEEL LINEAR</a>	
<a href="#">Hubbell 2730</a>	HUBBELL TWIST-LOCK RECEPTACLE 3P4W 30A 3PH 480V NEMA L16-30R COMMODITY CODE 85366990 COUNTRY OF ORIGIN USA WEIGHT 0,11KGS/EA
<a href="#">Mc42-2004h M-1777 05-2000 Is Mc-42</a>	
<a href="#">Lm40-12v</a>	
<a href="#">GI118</a>	
<a href="#">V-90a</a>	
<a href="#">Hbl2620sw</a>	
<a href="#">C4060348</a>	
<a href="#">S6119</a>	
<a href="#">Hbl5466c</a>	
<a href="#">Hubw B2125</a>	
<a href="#">39ea19</a>	
<a href="#">C516c6s</a>	
<a href="#">C4032862</a>	
<a href="#">Np8i</a>	
<a href="#">Hbl7310b</a>	
<a href="#">Hubbel2620-Pracs</a>	Einphasig geerdete Steckdose industriell - 240V
<a href="#">Hbl1201</a>	
<a href="#">14-193-100-52-228v 2 No/2nc</a>	28V,1250A 28V TYPE: 700 SERIES: DC CONTACTOR 1250A 1000V DC
<a href="#">V-Sh</a>	

<a href="#">8-38683n</a>	
<a href="#">M5200bs1r</a>	
<a href="#">V-T</a>	
<a href="#">G1125</a>	
<a href="#">Cr15i</a>	
<a href="#">39ea16</a>	
<a href="#">Fspb</a>	
<a href="#">Hbl26410</a>	HUBBELLOCK RECEPTACLE 3P4W 60A 600V AC SHORT ALUMINIUM HOUSING COMMODITY CODE 85366990 COUNTRY OF ORIGIN USA WEIGHT 0,77KGS/EA
<a href="#">Hbl5262</a>	
<a href="#">Shc-1041-Cr 1-In</a>	
<a href="#">Hbl332csw 32a</a>	
<a href="#">Has139n</a>	
<a href="#">Hbl2620a</a>	
<a href="#">5101-0</a>	
<a href="#">Hbl21414b</a>	
<a href="#">Hubbell 2620</a>	HUBBELL TWIST-LOCK RECEPTACLE 2P3W 30A 250V L6-30R BLACK NYLON FACE COMMODITY CODE 85366990 COUNTRY OF ORIGIN USA WEIGHT 0,11KGS/EA
<a href="#">Hbl2421 / Hbl5666c</a>	
<a href="#">Hbl8215ct</a>	
<a href="#">Hbls3ac</a>	
<a href="#">Hbl2431</a>	
<a href="#">Type 710 700 Ampere 1500 Volt</a>	
<a href="#">Hubbell 26410 (60a )</a>	
<a href="#">Hbl8215cat</a>	
<a href="#">711 + 4 Modules 712</a>	
<a href="#">Hbl430ps2w</a>	
<a href="#">Hubbell 20443</a>	HUBBELL HUBBELLOCK RECEPTACLE 3P4W 30A 480V AC BLACK CENTERINSERT COMMODITY CODE 85363030 COUNTRY OF ORIGIN USA WEIGHT 0,25KGS/EA
<a href="#">Ss7</a>	
<a href="#">G1130</a>	

<a href="#">Hbl8013v</a>	
<a href="#">Magnet Controller 4295 Size 2</a>	
<a href="#">Hbl4585c</a>	
<a href="#">Type: 45115</a>	
<a href="#">Hc0078545 Speed Switch 2210-312cc13m</a>	
<a href="#">V-90ij</a>	
<a href="#">Hb320p</a>	
<a href="#">97091ss</a>	
<a href="#">Gl409</a>	
<a href="#">Gfrst15la</a>	HUBBELL CIRCUIT GUARD LED GFCI RECEPTACLE 15A-125V 2P3W COMMODITY CODE 85363030 COUNTRY OF ORIGIN USA WEIGHT 0,16KGS/EA
<a href="#">Cs8264</a>	
<a href="#">Shc1065</a>	
<a href="#">Hbl6036</a>	
<a href="#">Hbl5666vy</a>	
<a href="#">5320-0</a>	
<a href="#">39ea20</a>	
<a href="#">69jf7g</a>	
<a href="#">Hbl3061</a>	
<a href="#">Hubbel20443-Prcc</a>	Trifaze Topraklı Priz Sanayi tipi - 480V
<a href="#">Ads116n</a>	
<a href="#">R13 L.1420</a>	
<a href="#">M5100p7</a>	
<a href="#">Hubw P200nbk</a>	
<a href="#">Hbl2621</a>	
<a href="#">Hbl2310sw</a>	
<a href="#">Hbls3</a>	
<a href="#">Cee 16a</a>	
<a href="#">Ss26</a>	
<a href="#">72531-033</a>	

<a href="#">Ab203055</a>	
<a href="#">Gl120</a>	
<a href="#">Mc-42</a>	
<a href="#">Bk-W18</a>	
<a href="#">C516p6s</a>	
<a href="#">M5200cs1r</a>	
<a href="#">M5100c7r</a>	
<a href="#">Hc69jf7g</a>	HUBBELL PRESSURE SW AIR SYSTEM COMMODITY CODE 85366990 WEIGHT 0,37KGS/EA
<a href="#">Hc48684001</a>	
<a href="#">Hbl9965qcb</a>	
<a href="#">Drub15</a>	
<a href="#">Gfr5362sggy</a>	
<a href="#">Shc1042</a>	
<a href="#">Hbl4579c</a>	
<a href="#">Hbl5362</a>	
<a href="#">C3031689</a>	
<a href="#">H320p</a>	
<a href="#">Wp26 / Wp26v</a>	
<a href="#">69mb7g</a>	
<a href="#">210087</a>	CONTROLLER BD
<a href="#">HblDs 3 / Type 4x, 12k - Switched Disconnects - Circuit Lock Disconnect Switch</a>	
<a href="#">21414b</a>	
<a href="#">21415b</a>	Hubbellock Plug HBL21415B
<a href="#">39ea17</a>	
<a href="#">Cr20i</a>	
<a href="#">Hbl5125b6w</a>	
<a href="#">Gl413</a>	
<a href="#">Hbl8200i</a>	



<a href="#">H320c</a>	
<a href="#">Hb320e</a>	
<a href="#">HblDs_3nk</a>	
<a href="#">Hbl332ssx_32a</a>	
<a href="#">460p7w</a>	
<a href="#">Hbl2311sw</a>	
<a href="#">Intermediate Vertical-Lock Plastic Duct Spacer</a>	
<a href="#">Hbl363ssx</a>	
<a href="#">M5200ps1</a>	
<a href="#">Hubw_B2200</a>	
<a href="#">Iae6f10027_23 (- By Hbl21414b)</a>	
<a href="#">Hbl4570c</a>	
<a href="#">Ps1009ngy</a>	
<a href="#">20509002</a>	
<a href="#">Hbl2731</a>	
<a href="#">V-Jc</a>	
<a href="#">Hbl20443</a>	HUBBELL HUBBELLOCK RECEPTACLE 3P4W 30A 480V AC BLACK CENTER INSERT COMMODITY CODE 85363030 COUNTRY OF ORIGIN USA WEIGHT 0,25KGS/EA
<a href="#">Gftr20i</a>	
<a href="#">47000</a>	HID-FARGO ELECTRONICSDTC1000 SSPRINTERBASE MODELUSBWITH 2 YEAR WARRANTY
<a href="#">Gfr5252a (- Possible S All Below)</a>	
<a href="#">Hbl5221</a>	HUBBELL WEATHERPROOF COVER DUPLEY IP44 COMMODITY CODE 85366990 COUNTRY OF ORIGIN USA WEIGHT 0,11KGS/EA
<a href="#">Fw6010055</a>	
<a href="#">Gfrst15w</a>	
<a href="#">81231-033</a>	
<a href="#">Drubgfi15ac</a>	
<a href="#">Hubw_P125nbk</a>	
<a href="#">Gl119</a>	
<a href="#">Fw60100</a>	

<a href="#">Hbl8215c</a>
<a href="#">Ss1</a>
<a href="#">Gl123</a>
<a href="#">2210 133cc 13s</a>
<a href="#">Shc1039cr</a>
<a href="#">P8 / Np8i</a>
<a href="#">Gfp6c15m</a>
<a href="#">M5100b7r</a>
<a href="#">Gl411</a>
<a href="#">Hbl430p9w</a>
<a href="#">C2031132</a>
<a href="#">Hc59322- 103</a>
<a href="#">Fsl4fr</a>
<a href="#">57361314</a>
<a href="#">Hbl5666c</a>
<a href="#">C316c6s</a>
<a href="#">Hj1060g</a>
<a href="#">V-Ec</a>
<a href="#">Wp26v</a>
<a href="#">Hbl8115v</a>
<a href="#">Type: 45105</a>
<a href="#">Hb320d</a>
<a href="#">Hb320c</a>
<a href="#">Drubgfi20bfac</a>
<a href="#">Hbl5261</a>
<a href="#">HblDs 3nk / Switched Disconnects - Enclosed Disconnect Switches</a>
<a href="#">HblDs6ssac2</a>
<a href="#">Hbl60cm33w</a>
<a href="#">Hbl460rs2wr</a>
HUBBELL WATERTIGHT INSULGRIP FEMALE RECEPTACLE 3P4W 60A 600V STYLE 2 COMMODITY CODE 85366990 COUNTRY OF ORIGIN USA

<a href="#">Hbl430rs2w</a>	
<a href="#">Shc1044</a>	
<a href="#">Ss8</a>	
<a href="#">Fspscds6or</a>	
<a href="#">Hbl2631</a>	
<a href="#">V-90pf</a>	
<a href="#">Gftwrst20w</a>	
<a href="#">39ea18</a>	
<a href="#">V-40sc</a>	
<a href="#">Crf20gry</a>	HUBBELL DUPLEX RECEPTACLE 2P3W GROUNDING 20A-125V 5-20R FINDER GROOVE NYLON FACE
<a href="#">Hbl2620</a>	HUBBELL TWIST-LOCK RECEPTACLE 2P3W 30A 250V L6-30R BLACK NYLON FACE COMMODITY CODE 85366990 COUNTRY OF ORIGIN USA WEIGHT 0,11KGS/EA
<a href="#">39ea15</a>	
<a href="#">Art0042313</a>	
<a href="#">Usb15x2w</a>	
<a href="#">Gfp3c20mtl</a>	
<a href="#">Hbl2730</a>	HUBBELL TWIST-LOCK RECEPTACLE 3P4W 30A 3PH 480V NEMA L16-30R COMMODITY CODE 85366990 COUNTRY OF ORIGIN USA WEIGHT 0,11KGS/EA
<a href="#">V-90epg</a>	
<a href="#">Hbl2433</a>	
<a href="#">Fspscds4or</a>	
<a href="#">Hc1804a-24v</a>	
<a href="#">Hbl2730sr</a>	
<a href="#">Wa86m3e20</a>	
<a href="#">Hbl4560</a>	
<a href="#">Gfr5252a</a>	
<a href="#">Gh282al</a>	
<a href="#">1350a // 57361314 ( No Repl. Available)</a>	
<a href="#">Hxj5eor</a>	
<a href="#">C4060346</a>	

[Shc1044 F2](#)

[Hbl2623](#)

[Hbl2730sw](#)

[Hbl2620 , Hbl2620a](#)

[Ss82](#)

[Hbl1447](#)