

## Hydrotechnik

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Hydrotechnik** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Hydrotechnik T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen Özel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



¼r¼n	A¼ıklama
<a href="#">Hydraulisches Messset</a>	1,1 / 1 St¼ck / Messger¼t. 1,2 / 2 St¼ck / ISDS Typ 0-600 bar Drucksensor 1,3 / 1 St¼ck / ISDS Typ -1 - 6 bar Drucksensor (Vakuum) 1,4 / 2 St¼ck / ISDS-Temperatursensor 1,5 / 1 St¼ck / 0,2 - 120 lt / min (100 Grad) Durchflussmesser 1,6 / 1 St¼ck / 3-stufiger Partikelz¼hler-Verschmutzungssensor 1,7 / 5 St¼ck / Anschluss- und Signalkabel 1,8 / 1 St¼ck / Messger¼t 1,9 / 10 St¼ck / Messadapter-Anschlussatz
<a href="#">M16X2-1/4 Minimesse-Rekord</a>	
<a href="#">10027915</a>	
<a href="#">10029367</a>	
<a href="#">10030446</a>	
<a href="#">2103-01-13 00</a>	
<a href="#">2103-01-18.10</a>	
<a href="#">2103-01-46.00</a>	
<a href="#">2103-01-94.00N</a>	
<a href="#">2703-01-18.10</a>	
<a href="#">2734-21-00.10</a>	
<a href="#">3055301</a>	
<a href="#">3160-10-15.01</a>	

<a href="#">3160-10-17.01</a>	
<a href="#">3403-15-C4.37</a>	
<a href="#">3403-15-d5.37</a>	
<a href="#">3403-15-d5.37 S</a>	
<a href="#">34P3-15-S-01.37A2</a>	
<a href="#">5140-06-07.00</a>	
<a href="#">5140-06-10.00N</a>	
<a href="#">8808-05-07.01</a>	
<a href="#">8873-08-01.00</a>	
<a href="#">DDRRZ-7040-2-1</a>	
<a href="#">S110-AC-AC-0200</a>	
<a href="#">S110-AC-FI-0100</a>	
<a href="#">S110-AC-FI-0100N</a>	
<a href="#">S160-AC-AC-0040</a>	
<a href="#">S160-AC-AC-0100</a>	
<a href="#">ST-731092</a>	
<a href="#">TESTPOINT 2103-01-18.00HDN-G1/4</a>	
<a href="#">W2N32SN-6BB1</a>	
<a href="#">WR220ECA-10-5 24D</a>	
<a href="#">2103-01-18.10N</a>	Minimess screw coupling
<a href="#">S100-AC-FH-0150N</a>	MINIMESS-DN 2 MICROBORE HOSE ASSEMBLIES MINIMESS hose DN2-40 MPa 1620/M.-connection G1/2 L=150cm 1.0718
<a href="#">S100-AC-FG-0150N</a>	MINIMESS HOSE DN2,400BAR,1620/MANOG1/4-1500MM
<a href="#">MINIMESS coupling</a>	G1/4 St/FPM Zinc, free of chromium (VI) 2103-01-18.10 MINIMESS 1620
<a href="#">3 (+1) channel MultiHandy</a>	3020 Hydraulic Datalogger
<a href="#">Temperature Transducer</a>	96309001 P0101516
<a href="#">2101 04 10 00</a>	
<a href="#">PR190 HT-PD Pressure Transducer IP68</a>	
<a href="#">3160-101-15.01</a>	
<a href="#">2101-06-18.00</a>	PRESSURE CONNECTOR G1/4"
<a href="#">TR 210BAR HT-PD 3403-53-C4.37</a>	
<a href="#">2103-01-18.00n</a>	
<a href="#">S110-Ac-Ac-0050</a>	
<a href="#">Wr220eca-10-5 24d Hydraulisches Ventil</a>	
<a href="#">3130-02-01.00</a>	
<a href="#">8824-D6-05.00</a>	
<a href="#">Druckschalter3160-10-15.01multipec 100 0 ...</a>	

<a href="#">400 Bar 2x Grenzwert 1x 0/4 ...</a>
<a href="#">5060</a>
<a href="#">(G) M12 X 1.5 Sw 17</a>
<a href="#">Xfd50rh-Lhd</a>
<a href="#">Ddrrz-7030-3 Gt; Oem</a>
<a href="#">Dn2 1615 Series</a>
<a href="#">3160-00-69.00</a>
<a href="#">2102-01-18.00 - 9549104300 / Minimes-</a> <a href="#">Schraubenkupplung R1-4z</a>
<a href="#">Te5011a</a>
<a href="#">S110-Ac-Fi-0100n</a>
<a href="#">S160-Ac-Ac-0040 Schlauch Druckwerte Part</a> <a href="#">Description Pos48.1 Drawing</a>
<a href="#">Multi-Epc 100, P/N : 3160-10-17-01 250bar /</a> <a href="#">25mpa / 363psi</a>
<a href="#">3403-18-C3.33</a>
<a href="#">5-Polig, M12 X 1 Metall8808-05-07.01hydrotechn</a> <a href="#">/ Gegenstecker</a>
<a href="#">(G) M12 X 1.5 Sw 1</a>
<a href="#">Te511</a>
<a href="#">2102-01-49.00</a>
<a href="#">10015966</a>
<a href="#">Swuvp-1ncg-T-Ed-10</a>
<a href="#">Te521</a>
<a href="#">Pr100</a>
<a href="#">9801-99-06.00 Pressure Gauge, 75 Mm Digital ,</a> <a href="#">0-600 Bar</a>
<a href="#">S110-Ac-Fg-0200</a>
<a href="#">Multi System 5060</a>
<a href="#">8824-91-02.50z</a>
<a href="#">Minimes 2103-01-17.00n</a>
Test Point 1620 ISO 228 G1/8" 1.0718 / 1.0718 F / NBR
<a href="#">2103-85-24.00</a>
<a href="#">3107-00-0900</a>
<a href="#">Calibration Certificates, For All Gauges</a>
<a href="#">Te201</a>
<a href="#">3403-32-S-71.33a</a>
<a href="#">31g7-71-35.00</a>
<a href="#">3101-81-09.50 Gauge Digital</a>
<a href="#">3020</a>

<a href="#">Hysense Qt210 Sn:2479</a>
<a href="#">S100-Ac-Ac-0250</a>
<a href="#">31g7-01-35.030</a>
<a href="#">Te517</a>
<a href="#">210-04-00.63</a>
<a href="#">31v7-70-35.00</a>
<a href="#">3a43-04-35011</a>
<a href="#">Ddrrz-7040-2-2 24v Dc</a>
<a href="#">706203392200</a>
<a href="#">W2n32sn6ab-1 Ventil</a>
<a href="#">2103-01-18.00(2103-01-51.00)</a>
<a href="#">3403-53-C4.37</a>
<a href="#">3160-00-6200</a>
<a href="#">Schlauch Druckwerte S160-Ac-Ac-0040 Part Descriptions Pos.48.3 Drawing</a>
<a href="#">3160-00-62.04</a>
<a href="#">3101-97-06.50 Test Kit, Two Digital Pressure Gauges, Pressure Range 0-250 Bar</a>
<a href="#">Ftrawg04700</a>
<a href="#">1580 (2103-01-53.00)</a>
<a href="#">2103-30-13.00</a>
<a href="#">S160-Ac-Ac-0100 Druckschlauch Part Description Pos48.1 Drawing</a>
<a href="#">Minimess 2303 - 01 - 18.10</a>
<a href="#">3403-15-D5.39</a>
<a href="#">2103-30-14.00</a>
<a href="#">Rs110</a>
<a href="#">2020-01-00.31 Schlauchleitung Dn2-400</a>
<a href="#">S700-Ac-Ac-0300</a>
<a href="#">Mk 15</a>
<a href="#">Qt110 25-600l/Min</a>
<a href="#">Re 4-75</a>
<a href="#">2103-01-32.00</a>
<a href="#">S100-Ac-Ac-3000</a>
<a href="#">3160-00-00.23</a>
<a href="#">400560152 Druckventil Swdrvpb-525-P-16 24d</a>
<a href="#">5140-06-10.00n Schlaucharmatur Dn2</a>
<a href="#">Re 4-300</a>

<a href="#">3107-00-26.00</a>
<a href="#">Ddrrz-7040-2-2</a>
<a href="#">S300 - Ac - Ac - 0200</a>
<a href="#">3101-81-07.50 Pressure Gauge, Digital, Test Kit 0-250 Bar</a>
<a href="#">01620</a>
<a href="#">2134-51-00.00n</a>
<a href="#">Wev42a10-1p135</a>
<a href="#">3403-32-S-E5.33</a>
<a href="#">3403-21-C3.37</a>
<a href="#">2103-30-33.00</a>
<a href="#">S110-Ac-Ac-0040</a>
<a href="#">Om015a101-221r5</a>
<a href="#">1/4-Nptf-Aisi16</a>
<a href="#">Ht-Pd</a>
<a href="#">It-100-2ã39;ã39;-50 Gs</a>
<a href="#">Sm-11968-7.8.00</a>
<a href="#">Ddrrz-7040-2-2 24d</a>
<a href="#">10027915 Drucksensor</a>
<a href="#">0m015a611220fl Old Part Number,Om015a101- 221r5 New Part Number</a>
<a href="#">2020-01-00.31</a>
<a href="#">8824-91-10.00z</a>
<a href="#">Qg100</a>
<a href="#">Meter Size: 4?, ã300 Head-Mounted Rate And Totaliser Display</a>
<a href="#">Seq01060</a>
<a href="#">3403-21-C3.33</a>
<a href="#">S700-Ac-Ac-1000</a>
<a href="#">S100-Ac-Ac-0100</a>
<a href="#">Battery For Multi Practise 3000</a>
<a href="#">2303 - 40</a>
<a href="#">Pr100 60</a>
<a href="#">3160-10-40.01 Drucksensor</a>
<a href="#">Swdrvpa-5I20-P-E-6</a>
<a href="#">2103-05-12.00</a>
<a href="#">Te101</a>
<a href="#">Dp41-E-230a</a>

<a href="#">3101 - 87 - 9 9.50</a>
<a href="#">3a43-03-35011</a>
<a href="#">2103-07-18.62</a>
<a href="#">Srv-Aba-6-05</a>
<a href="#">2703-40-12.10</a>
<a href="#">Te527</a>
<a href="#">2703-05-12.10 Vit</a>
<a href="#">3160-10-15.01 Multiepc 100 0 ... 400 Bar 2x Grenzwert 1x 0/4 ...</a>
<a href="#">3160-10-17.01 Relaismultiepc 100 0 ... 250 Bar Grenze 2x 1x 0/4 ...</a>
<a href="#">2103-01-13.00 Kontrollpunkt</a>
<a href="#">Te601</a>
<a href="#">3101-16-38.Jic</a>
<a href="#">S 103-Ab-Ab-0200</a>
<a href="#">S700-Ac-Ac-0500</a>
<a href="#">Ms 5060</a>
<a href="#">9801-99-02.50 Pressure Gauge, 75 Mm Digital, 0-250 Bar</a>
<a href="#">2103-85-23.00</a>
<a href="#">020 Mini</a>
<a href="#">Schlauch Druckwerte S160-Ac-Ac-0100 Part Descriptions Pos.48.1 Drawing</a>
<a href="#">2103-94-16.00</a>
<a href="#">Pr100 60 Bar</a>
<a href="#">Tp 180</a>
<a href="#">3403-15-C4.37 Drucksensor</a>
<a href="#">3969-04-01</a>
<a href="#">3160-10-17.01 Multiepc 100 0 ... 250 Bar 2x Grenzwert 1x 0/4 ...</a>
<a href="#">5140-06-07.00 Schlaucharmatur Dko-L10 Cs Dn4</a>
<a href="#">2146-01-00.00n</a>
<a href="#">8812-00-0019</a>
<a href="#">Type : Xfd-50rh-Ahd</a>
<a href="#">969</a>
<a href="#">5401-02-00.Kitx</a>
<a href="#">Seg 160 Al 3192-04-20.00</a>
<a href="#">3403-15-D5.37 Drucksensor</a>
<a href="#">Wed042npb126v-1 Dc Ventil</a>

<a href="#">31g7-71-S-35.79</a>
<a href="#">2103-01-18.00</a>
<a href="#">3403-17-D5.37s</a>
<a href="#">3160-10-15.01 Druckschaltermultiepc 100 0 ... 400 Bar 2x Grenzwert 1x 0/4</a>
<a href="#">Seg 1060</a>
<a href="#">Htla10gsbg-25tg40tslb</a>
<a href="#">1/4cil-Aisi16</a>
<a href="#">St-731092 M12*105 Pol.Dosest-731092- / Alternative Zu 8808-05-07.01</a>
<a href="#">Std974</a>
<a href="#">M12x1.5</a>
<a href="#">3403-21-S-71.33a</a>
<a href="#">Sma20-G1/4-P-Or</a>
<a href="#">31v7-01-35.030</a>
<a href="#">Ps120.</a>
<a href="#">3403-15-K3.37</a>
<a href="#">809057</a>
<a href="#">8824-91-05.00z</a>
<a href="#">Te700</a>
<a href="#">Te5011?</a>
<a href="#">8812-00-00.27</a>
<a href="#">Ref. 604 444 Nr. A-1460809028</a>
<a href="#">Re 4-10</a>
<a href="#">10021099</a>
<a href="#">8808-05-07.01 Gegenstecker5-Polig, M12 X 1 Metall</a>
<a href="#">Battery For Multi Test 4010</a>
<a href="#">9549104300</a>
<a href="#">3403-17-D5.39s</a>
<a href="#">Srn-11968-7.8.00, Div-920676</a>
<a href="#">(0280) 31g7-72-35.79</a>
<a href="#">Druckschalter3160-10-17.01multiepc 100 0 ... 250 Bar 2x Grenzwert 1x 0/4 ...</a>
<a href="#">3160-10-17.01 Drucksensor</a>
<a href="#">S110-Ac-Fi-0100</a>
<a href="#">2146-13-05-00</a>
<a href="#">3055301 Wsm06020w-01-C-N-0</a>

<a href="#">2103-01-46.00 Kontrollpunkt</a>
<a href="#">Minimess Hoses110-Ab-Ac-0050</a>
<a href="#">3403-15-S-71.33a</a>
<a href="#">9801-99-06.00</a>
<a href="#">2020-01-00.31.1</a>
<a href="#">10029367 3403-15-C4.37drucksensorhydrotechn</a> <a href="#">/-</a>
<a href="#">3160-00-00.22</a>
<a href="#">31w7-00-26.00</a>
<a href="#">Ddrrz-7040-2-1 Ventil</a>
<a href="#">3973-04-S-01.00s</a>
<a href="#">3403-32-C3.33</a>
<a href="#">3403-15-D5.37 S Drucksensor</a>