

## Imada

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Imada** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Imada T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



¼r¼n	A¼ıklama
<a href="#">ANF-300</a>	
<a href="#">ANF-500</a>	
<a href="#">CB-208</a>	
<a href="#">DID-4A</a>	
<a href="#">DS2-44 DIJ.20KG</a>	
<a href="#">DS2-5N</a>	
<a href="#">DST-500N</a>	
<a href="#">DSV-110A</a>	
<a href="#">FB-100 N</a>	
<a href="#">FSA-2,5K2-2500N-L</a>	
<a href="#">FSA-MSL-1</a>	
<a href="#">HTG2-4</a>	

<a href="#">KC-5000</a>	
<a href="#">LH-500N</a>	
<a href="#">S-1</a>	
<a href="#">SH-1</a>	
<a href="#">ZTA-20N</a>	
<a href="#">FSA Series Froce Displacement Analysis Unit</a>	
<a href="#">Gek200-R4e</a>	Digital Ratchet Torque Wrench 1/2"sq.200Nm
<a href="#">Mx2-110</a>	High Performance Stand
<a href="#">Zta-Lm-1100</a>	Adv.Digital Compression Force Gauge Complete Kit, 1100 lbf.
<a href="#">Di-4b-25</a>	Integral Impact Torque Tester 220lbf-in
<a href="#">Htgs-15</a>	Digital Torque Gauge 15.00 (0.01 lbs-in)
<a href="#">Zts-220</a>	Digital Force Gauge
<a href="#">Htg2-10n</a>	
<a href="#">Bp-6</a>	
<a href="#">Zta-Dpu-110</a>	Digital Force Gauge Remote Sensor, 110.0 lbf
<a href="#">Zts-Dpu-4</a>	High Performance Digital Force Gauge w/Remote Sensor
<a href="#">Z2s-Dpu-500n(220v 5m) Repl. By Zta-Dpu-110</a>	
<a href="#">Htg2s-40l</a>	Digital Torque Gauge 40lbf-in
<a href="#">Xy-500n</a>	
<a href="#">2 - 1 000 N   Ds2 Series</a>	
<a href="#">Ds2-220</a>	Standard Digital Force Gauge, 220lbf
<a href="#">Zta-Dpu-1</a>	Digital Force Gauge Remote Sensor, 18.00 ozf
<a href="#">Gc-30</a>	
<a href="#">Ds2-1000n</a>	
<a href="#">Fb30n</a>	
<a href="#">Diw-75</a>	Digital Torque Wrench/Tester 680lbf-in
<a href="#">Z2-1</a>	
<a href="#">Zts-11</a>	Digital Force Gauge
<a href="#">Ds2-50n</a>	

<a href="#">Zts-50n</a>	
<a href="#">Psm-100n</a>	
<a href="#">Mx-500n</a>	
<a href="#">Z2s-Dpu-11</a>	High Performance Digital ForceGauge w/Remote Sensor, 11lbf
<a href="#">Zp-44</a>	High Performance Digital ForceGauge w/USB Output, 44lbf
<a href="#">Zta-1</a>	Digital Force Gauge, 18.00 ozf
<a href="#">Dpu 200n</a>	
<a href="#">Ds2-200n</a>	
<a href="#">Zts-110</a>	
<a href="#">Zp-1</a>	High Performance Digital ForceGauge w/USB Output, 18ozf
<a href="#">Zta-4</a>	Digital Force Gauge, 4.400 lbf
<a href="#">Ds2-44</a>	Standard Digital Force Gauge, 44lbf
<a href="#">Zts-Lm-11</a>	Digital Force Gauge, Button Sensor, Std.Performance
<a href="#">Peg-1</a>	
<a href="#">Dtx2-85b Obsolete Repl. By Dtxs-85</a>	
<a href="#">Nlv-220-T</a>	Lever-operated Vertical Test Stand, 220lbf, Tension
<a href="#">Ds2- 220 Sorulan Urun</a>	
<a href="#">Zta-Dpu-2200</a>	Digital Force Gauge w/Remote Sensor, 2200 lbf.Capacity
<a href="#">Fb-10n</a>	
<a href="#">Fb-50kg</a>	
<a href="#">Z2s-Dpu-110</a>	High Performance Digital Force Gauge w/Remote Sensor, 110lbf
<a href="#">Dpu-200n</a>	
<a href="#">Mh2-500n With Zt Dynamometer</a>	
<a href="#">Connection Cable For Ds2-500n</a>	
<a href="#">Ds2-4</a>	Standard Digital Force Gauge, 4.4lbf
<a href="#">Dis-Ips20c</a>	Digital Torque Tester with Mini Remote Sensor 174 lbf-in
<a href="#">Ds2-50</a>	Standard Digital Force Gauge, 50lbf
<a href="#">Xp-D</a>	High Performance XP Durometer w/Peak Indicator, Type D
<a href="#">Z2-110</a>	High Performance Digital ForceGauge, 110lbf
<a href="#">Calibration Certificate For Zta-20n</a>	

<a href="#">Zts-20n</a>	
<a href="#">Ds22n</a>	
<a href="#">Z2-4</a>	
<a href="#">Ds2-44 Dij.20kg</a>	
<a href="#">Fb-200n</a>	
<a href="#">Zts-Dpu-1</a>	High Performance Digital Force Gauge w/Remote Sensor
<a href="#">Htgs-40</a>	Digital Torque Gauge 40.00 (0.01 lbs-in)
<a href="#">Z2s-Dpu-0.4</a>	High Performance Digital ForceGauge w/Remote Sensor, 7ozf
<a href="#">Z2s-Dpu-1100</a>	High Performance Digital ForceGauge w/Remote Sensor, 1100lbf
<a href="#">Dis-İp5</a>	Torque Tester w/Remote Sensor 44lbf-in
<a href="#">Dtxs-85</a>	Digital Cap Torque Tester 85lbf-in
<a href="#">Dtx2-15</a>	
<a href="#">Cw 500n</a>	
<a href="#">Ds2-0.4</a>	
<a href="#">Kv-11s Vertical Wheel Test Stand W/ Distance Meter (Capacity: 50 N)</a>	
<a href="#">Dtxs-15</a>	Digital Cap Torque Tester 15lbf-in
<a href="#">Svh-220</a>	Manual Test Stand
<a href="#">D52-50n</a>	
<a href="#">Mx-110s</a>	Standard Model Stand w/Distance Meter
<a href="#">Did-4a</a>	Digital Torque Screwdrivers/Tester
<a href="#">Fb-50n</a>	
<a href="#">Mh2-110s</a>	High Performance Stand w/Distance Meter
<a href="#">Zts-1100</a>	Digital Force Gauge
<a href="#">Di-1m-50</a>	Digital Torque Tester Air, Impact Tools 440lbf-in
<a href="#">Gt-30</a>	
<a href="#">Dtx2-40</a>	DIGITAL CAP TORQUE TESTER 40LBF-IN
<a href="#">Mx2 Series</a>	
<a href="#">Zta-Lm-44</a>	Digital Force Gauge, Button Sensor, Advanced Performance
<a href="#">Ds2-1</a>	Standard Digital Force Gauge, 18ozf

<a href="#">Wc-2000</a>	
<a href="#">Htg2-85</a>	
<a href="#">Zts-Dpu-220</a>	High Performance Digital Force Gauge w/Remote Sensor
<a href="#">Zta-Dpu-4</a>	Digital Force Gauge Remote Sensor, 4.400 lbf
<a href="#">Sw-1sv-Usb (Optional)</a>	
<a href="#">Zts-Dpu-11</a>	High Performance Digital Force Gauge w/Remote Sensor
<a href="#">Zts-100n</a>	
<a href="#">Dtx2-85b 100kgf</a>	
<a href="#">Zts-4</a>	Digital Force Gauge
<a href="#">Ps-20k</a>	
<a href="#">Nlh-220</a>	Horizontal Lever Stand
<a href="#">S-7</a>	
<a href="#">Hgt2</a>	
<a href="#">Ztsdpu110</a>	
<a href="#">Zp-110</a>	High Performance Digital ForceGauge w/USB Output, 110lbf
<a href="#">Htg2-40-220volt</a>	Digital Torque Gauge 40.00 (0.01 lbf-in)
<a href="#">Eht-600</a>	Digital Tachometer/Length Meter
<a href="#">Dis-Ips5c</a>	Digital Torque Tester with Mini Remote Sensor 45 lbf-in
<a href="#">Esh-1000 N</a>	High Capacity Mechanical Force Gauge, 1000 N Capacity(5 N)
<a href="#">P90-200n</a>	
<a href="#">Esl-200a</a>	LED Stroboscope, 350 lux @ 60", up to 150, 000 fpm/rpm
<a href="#">Esh-200</a>	Standard Mechanical Force Gauge 200lbf
<a href="#">Ds2-5n</a>	
<a href="#">Hv-110</a>	Wheel Test Stand
<a href="#">Mh2-110</a>	High Performance Stand
<a href="#">Ds2-100</a>	
<a href="#">Zta-0.4</a>	Digital Force Gauge 7.00ozf
<a href="#">Htgs-85</a>	Digital Torque Gauge 85.0 (0.1 lbs-in)
<a href="#">Motorized Wire Pull Tester</a>	
<a href="#">Mx-275</a>	
<a href="#">Zta-Dpu-11</a>	Digital Force Gauge Remote Sensor, 11.00 lbf

<a href="#">Did-05</a>	Digital Torque Tester/Screw driver, 4.5lbf-in
<a href="#">Zta-4 20 N</a>	
<a href="#">Foh-1</a>	
<a href="#">Zts-500n</a>	
<a href="#">Mx2-110s</a>	High Performance Stand w/Distance Meter
<a href="#">Esl-100</a>	LED Stroboscope
<a href="#">Fb-20n</a>	
<a href="#">Zta-110</a>	Luminescent EL Display Digital Force Gauge, 110 lbf
<a href="#">Z2h-440</a>	High Performance Digital Force Gauge, 440lbf
<a href="#">Z2s-Dpu-4</a>	High Performance Digital ForceGauge w/Remote Sensor, 4.4lbf
<a href="#">Fb-500n</a>	
<a href="#">Ds2</a>	
<a href="#">Ps-10kg</a>	
<a href="#">Hv-220-S</a>	Test Stand w/Distance Meter
<a href="#">Mtg-85</a>	Motorized Cap Torque Tester 85 lbf-in
<a href="#">Zta-11</a>	Digital Force Gauge, 11.00 lbf
<a href="#">Zta-Lm-110</a>	
<a href="#">Zp-11</a>	High Performance Digital ForceGauge w/USB Output, 11lbf
<a href="#">Zts-Dpu-1100</a>	High Performance Digital Force Gauge w/Remote Sensor
<a href="#">Zta-Lm-11</a>	Digital Force Gauge, Button Sensor, Advanced Performance
<a href="#">I-80</a>	
<a href="#">Ds2-11 (50n)</a>	
<a href="#">Zta-50n</a>	
<a href="#">Gek135-R4e</a>	Digital Ratchet Torque Wrench 1/2"sq.135Nm
<a href="#">Zts-550</a>	Digital Force Gauge
<a href="#">Zts-Dpu-0.4</a>	High Performance Digital Force Gauge w/Remote Sensor
<a href="#">Z2s-Dpu-220</a>	High Performance Digital Force Gauge w/Remote Sensor, 220lbf
<a href="#">Dis-İp500</a>	Digital Torque Tester with Remote Sensor 362 lbf-in
<a href="#">Zts-Dpu-4400</a>	High Performance Digital Force Gauge w/Remote Sensor

<a href="#">Zta-100n</a>	
<a href="#">Htg2-15l</a>	Digital Torque Gauge15.00 (0.01 lbf-in)
<a href="#">Zta-44</a>	Digital Force Gauge, 44.00 lbf
<a href="#">Gc-1100</a>	
<a href="#">Ds2-1 (5 N Capacity With 0.001 N Resolution)</a>	
<a href="#">Gtw-50l</a>	
<a href="#">Z2s-Dpu-2200</a>	High Performance Digital ForceGauge w/Remote Sensor, 2200lbf
<a href="#">Zts-1</a>	Digital Force Gauge
<a href="#">Zta-Dpu-4400</a>	Digital Force Gauge w/Remote Sensor, 4400 lbf.Capacity
<a href="#">Zts-Lm-44</a>	Digital Force Gauge, Button Sensor, Std.Performance
<a href="#">Zp-220</a>	High Performance Digital ForceGauge w/USB Output, 220lbf
<a href="#">Mx-110</a>	Standard Model Stand
<a href="#">Fb30k</a>	
<a href="#">Psm-200n</a>	
<a href="#">Ds2-44 200n</a>	
<a href="#">Fc-40</a>	Film Grip, 40mm wide, 110lbf
<a href="#">Fb-300n</a>	
<a href="#">Ds2-20n</a>	
<a href="#">Ds2-500n</a>	
<a href="#">Dp120 Ac</a>	
<a href="#">Fb-100n</a>	
<a href="#">Dtxs-40</a>	Digital Cap Torque Tester 40lbf-in
<a href="#">Zp-500n</a>	
<a href="#">Dps 44 By Ds2-44</a>	
<a href="#">Certificat Cofrac</a>	
<a href="#">Di-1m-500</a>	Digital Torque Tester Air, Impact Tools 362lbf-in
<a href="#">Mx-1000n</a>	
<a href="#">Di-1m-200a</a>	Digital Torque Tester Air, Impact Tools 1740lbf-in
<a href="#">Zts-Dpu-2200</a>	High Performance Digital Force Gauge w/Remote Sensor
	High Performance X Durometer Type D, for Hard

<a href="#">X-D</a>	Rubber/Plastics
<a href="#">Zts-5n</a>	
<a href="#">Zp-0.4</a>	High Performance Digital ForceGauge w/USB Output, 7ozf
<a href="#">Dis-RI05</a>	Digital Torque Tester/Screw driver w/Remote Sensor
<a href="#">Zta-Dpu-0.4</a>	Digital Force Gauge Remote Sensor, 7.00 ozf
<a href="#">Fs-1k</a>	
<a href="#">Ds2-220 Dij.100kg</a>	
<a href="#">Ad230</a>	
<a href="#">Svl1000n</a>	
<a href="#">Act-220</a>	Automatic Wire Crimp Tester
<a href="#">Dst-110</a>	Digital Force Gauge, 110 lbf
<a href="#">Mtg - 10n</a>	
<a href="#">Nlv-220-C</a>	Lever-operated Vertical Test Stand, 220lbf, Compression
<a href="#">P180-200n</a>	
<a href="#">Dps200</a>	GAUGE
<a href="#">Zp-4</a>	High Performance Digital Force Gauge w/USB Output, 4.4lbf
<a href="#">Egg Shell Tester Ii</a>	
<a href="#">Zts-Dpu-550</a>	High Performance Digital Force Gauge w/Remote Sensor
<a href="#">Z2s-Dpu-4400</a>	High Performance Digital ForceGauge w/Remote Sensor, 4400lbf
<a href="#">Zts-200n</a>	
<a href="#">Cd-150m</a>	Non-Impact Torque Tester 130lbf-in
<a href="#">Ds2-11</a>	Standard Digital Force Gauge, 11lbf
<a href="#">Z2s , Successor (Zts)</a>	
<a href="#">Ad120</a>	
<a href="#">Hv-110s</a>	Wheel Test Stand with Distance Meter
<a href="#">Gc-1200</a>	
<a href="#">Z2s-Dpu-200n(220v 5m)</a>	
<a href="#">Diw-15</a>	Digital Torque Wrench/Tester 130lbf-in
<a href="#">Ds2-110</a>	
<a href="#">Zta-550</a>	Digital Force Gauge, 550.0 lbf



<a href="#">Cb-208 (Optional)</a>	
<a href="#">Z2s-Dpu-44</a>	High Performance Digital ForceGauge w/Remote Sensor, 44lbf
<a href="#">Model: Saf Guard</a>	
<a href="#">Ds2 1000n</a>	
<a href="#">Discontinued 160925- Sv1 New Sv11000n</a>	
<a href="#">Zts-Dpu-44</a>	High Performance Digital Force Gauge w/Remote Sensor
<a href="#">Zts-1000n</a>	
<a href="#">Zts-44</a>	Digital Force Gauge
<a href="#">Di-1m-200</a>	Digital Torque Tester Air, Impact Tools 145lbf-in
<a href="#">Zta-Lm-220</a>	
<a href="#">Ps-30k</a>	
<a href="#">Zta-Dpu-44</a>	Digital Force Gauge Remote Sensor, 44.00 lbf
<a href="#">Mx-275 Pull Tester</a>	
<a href="#">Esh-100kg</a>	High Capacity Mechanical Force Gauge, 100kgf
<a href="#">Z2</a>	
<a href="#">Dtx2-85</a>	
<a href="#">Ds2-0.4</a>	Standard Digital Force Gauge, 7ozf
<a href="#">Cable For Dtx2</a>	
<a href="#">Mtg-40</a>	Motorized Cap Torque Tester 40 lbf-in
<a href="#">Zts-Dpu-110</a>	High Performance Digital Force Gauge w/Remote Sensor
<a href="#">Sv-1</a>	
<a href="#">Ps-50k</a>	
<a href="#">Fp-51</a>	
<a href="#">Z2s-Dpu-1</a>	High Performance Digital ForceGauge w/Remote Sensor, 18ozf
<a href="#">Mtg-15</a>	Motorized Cap Torque Tester 15 lbf-in
<a href="#">Esh-500</a>	Standard Mechanical Force Gauge 500lbf
<a href="#">Fb-20 Kg</a>	
<a href="#">Ds2 Series Body Dimension:66 X 33 X 189 (Mm)</a>	
<a href="#">Kc-1001</a>	
<a href="#">Dis-İp200</a>	Digital Torque Tester with Remote Sensor 145 lbf-in

[Rzt-500n](#)

[Cp-150n](#)

[Ads-120](#)

[Cw-500n](#)