

İmi Norgren



Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye ii kapı teslim fiyat ve teslim s¼resi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
İmi Norgren Markası, tedarik s¼resi iin l¼tfen bizimle iletiŐime geiniz.

Firmamız İmi Norgren T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	Aıklama
Ca/8200/M/150/F/H/S/340	Material : PNM
Sxe9574-A71-00k	PNM
34d-V101g-Da1-Aa	
34d-Brkt-Angled	
Ra802063/M/120	AuŐerdem ist das Chassis-Verbindungsteil kaputt daf¼r auch einen Angebot bitte.
0523058000000000	Connector M12x1 4-pole, 90 degree
2625455900002400	
V206527A-B213R	5/2-WV-MONO FLANSCH 24VDC
PRA/802100/M/200	Profile magnetic cylinder, double-acting, dia. 100 / stroke 200 Norgren
SXE9775-150-00K	Pneumatik 5/3-WV-COE ISO3 WITHOUT E-PART
SXE9574-170-00K	Pneumatik 5/2-WV-MONO ISO2 WITHOUT MAGNET
TM9702U	Pneumatik MAGNET 24VDC UL / CSA APPROVAL
RA/8160/M/EX/320	Dw P-Mzyl.N.Atex001A
	• SOLENOID VALVE WITH LATCH • FUEL GAS PRESSURE: 100 PSI (SOUR

MAXSEAL IMI	GAS) • VOLTAGE OPERATING: 24VDC • EEX D IIC T4 TA (-40°C TO 90°C) • EEX D IIC T6 TA (-40°C TO 40°C) • ELECTRICAL CONNECTION: 1/2 INCH • EX-TYPE WATTS: 18 • MAX TEMP. RISE 28K • PORT SIZE: 1 INCH, NPT • PORTS: 2 WAY ENERGIZED: OPEN
RT/57225/M/100	Round magnetic cylinder, double-acting, dia. 25 / stroke 100
RM/92040/N4/25	Pneumatik
RT/57232/M/310	Pneumatik
RT/57225/M/50	Round magnetic cylinder, double-acting, dia. 25 / stroke 50
1819405000000000	Pressure switch
R18-C00-RNXG	
LPA2-0608050	
SPC x 102251248	
20AL X2G/PK103	
QM/32/10	M-switch reed cable 10
VP5006BJ111H00	Prop.Ventil 0-10V, 0-6Bar
20AL-X2G/PK103	
SPG/19830/750/2400	Material:Dummy Pneumatik Zyl. CA/8320/MU
1800959446	
VS1807M200-00067	
Y193AXXK1BS266	
R11-808-200 diafram	
281524.50	5/2-WAY VALVE "NORGREN" SXE 9574-A71-00K without magnet
UM/22456/3	5/2-WV-BIST ISO4 PRESSURE
R07-100-RNEA	Pressure regulator 0.3 - 3.5
RT/57220/M/25	DW RUND-MZYL
QM/48/19J/21	MAGNET-22 INDF 240VAC 5VA
7922400.0000.01090	I/P UMFORMER 0, 2-1BAR ATEX EX14001BJ4LE2
M/146150/M/711 LINTRA ZYL. M/146100	
54D-P016G-DD0-AA 54DPRESSURESWITCH	
M/31082	BALG-ZYL 8X2/220
B74g-4gk-Ad3-Rmg/18-013-209	
Norgren 3803	
M/50/Lsu/Cp Ser.:A	Switch Bitte mindesbestellmaenge angeben
M/1702/63	5/3-WV-APB G1/4 Druck
971080002400 - Pdm903.25 1"	
Lra/8160/Mg/800	DOUBLE ACT CYLINDER ISO 6431
24vdc (13j) Ventilessel - Norgren 24vdc	

B73g-2gk-Ad3-Rmg/18-013-013 G1/4	
Zylinder Pneumatisch Ø100mm, Spgb / Oib / 35256	
Pra / 182 100 / M / 100	
Switch Cable	
BI73-417g	
B73g-3gk-Ad3-Rmg/18-013-0209 G3/8	
Norgren 0882400	
Vsp152052 / Hochdruckventil	
V61b513a-222-1108	
Sxe9573-A70-00k	
971080002400 - Pdm903.20 ¾	
Sxe9673-Z55-60-13j	5/3-WV-APB Iso1 24Vdc 2W
971080002400 - Pdm903.40 1 ½	
Sxp9673-170-00	5/3-WV-APB Iso1 pressure
2636000000000000	Pneumatic valve, 5/2-Mono G1 / 4 Norgren Germany Country of origin: North Rhine-Westphalia region of origin: 84818059
V63d5d7a-Xa090 - 5/2way	
B73g-4gk-Ad3-Rmg/18-013-0209 G1/2	
B74g-4ak-Qp3-Rmg/18-013-209	
B73g-4gk-Qp3-Rmg / Luftfilter Und Luftdruckminderer	
Pra/822040/M/20	PNM
Vsp 152052	S/N: A/1814 Please see attached Photo
9710000	
2623077000000000	5/2-WV-Mono G1 / 4 Without magnet
S/1340/14	Pneumatic valve, 3/2-NC G1 / 4 plunger Country of origin: 84812090 Stat. Product number: 8.4 kg gross weight: (Total weight of the position
Pra/182080/M/300	
M/P19126	A base plate-
971080002400 - Pdm903.25 1'	