

## Ingersoll Rand



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

**Ingersoll Rand** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Ingersoll Rand Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">24242505 Filtrelement Fa1830iq</a>	Warenursprung: SI Gewicht: ca. 1,3 kg netto
<a href="#">24242513 Filtrelement Fa1830ih Kit</a>	Warenursprung: SI Gewicht: ca. 1,3 kg netto Zolltarif-Nr.: 70199091
<a href="#">22211882 Valve, Check 6" 145a</a>	Country of origin: De Dimensions: 8.5 x 21.5 x 21.5 cm Weight: approx.7.94 kg net Customs tariff number: 84813099
<a href="#">(INGERSOLL-CODE: 23451859; 0-225 PSI 5 VDC</a>	VERSORGUNGS-AUSGANG DRUCKSENSOR 0-225 PSI 5V 0-5VDC 3-DRAHT MIT 1/8" ADAPTER)
<a href="#">DRUCKTRANSMETER 0-10 BAR 4-20 MA SIGNALAUSGANG</a>	(1/4" 0-10 BAR 4-20 mA DRUCKSENDER, 10-30VDC, MUSS MIT SEINEN BUCHSEN SEIN)
<a href="#">23451859 Pressure Sensor 0-225 Psi with 5V 1/8" Ad</a>	
<a href="#">Pressure Transmitter 0-10 Bar 4-20mA</a>	With Signal Output Sockets
<a href="#">71388672</a>	71388672 Motor Retrofit Kit
<a href="#">157.01.300.300.0836</a>	
<a href="#">R75i</a>	pressure 14/203 (barg/Psig) flow:8.83/312 (m3 /mtn/cfm) Voltage : 400V /3Ph/50Hz Ambient temp: 55C
<a href="#">For balancers whose dimensions are given below</a>	1. 90/100 KG 2. 110/120 KG 3. 115/135 KG 4. 335/45 KG 5. 45/55 KG 6. 190/200 KG

<a href="#">O-RING:</a>	TYPE RADIAL ROTOR O-RING,RADIAL ROTOR, SPARES FOR ACT UNITCHARGE PUMPS, CP-110, CP-120, CP-130, PACIFIC PUMPS, SIZE 6 X 18" MODEL SVCN-7, S/NO. 55816-01/02/03. MFR.INGERSOLL DRESSER. OEM COMPLIANCE CERTIFICATE REQUIRED.
<a href="#">BUSHING:</a>	TYPE PACKING BOX BUSHING, NO MODIFIER, PACKING BOX, SPARES FOR ACT UNIT CHARGE PUMPS CP-110/120/130 SPARES FOR ACT UNITCHARGE PUMPS, CP-110, CP-120, CP-130, PACIFIC PUMPS, SIZE 6 X 18" MODEL SVCN-7, S/NO. 55816-01/02/03. MFR.INGERSOLL DRESSER PACKING BOX BUSHING TYPE: PACKING BOX, MATERIAL: NA
<a href="#">BEARING</a>	BALL ANGULAR CONTACT THRUST, ROW : TYPE: CONRAD ANGULAR CONTACT THRUST, ROW :SINGLE, INSIDE DIAMETER: 95 MM, OUTSIDE DIAMETER: 200 MM, WIDTH: 90 MM, THRUST BEARING SKF 7319 BECBM, SPARES FOR ACT UNITCHARGE PUMPS, CP-110, CP-120, CP-130, PACIFIC PUMPS, SIZE 6 X 18IN MODEL SVCN-7, S/NO. 55816-01/02/03. MFR.INGERSOLL DRESSER .
<a href="#">92740943</a>	Ingersoll Rand filter Origin of goods: DE Dimensions: 26.5 x 11.4 x 11.3 cm Weight: approx. 1.24 kg net Customs tariff number: 84212900
<a href="#">FNC464-305-A 2530</a>	
<a href="#">FNC454-242-A 204</a>	
<a href="#">FNC343-239-A 2040</a>	
<a href="#">2135-THK1 Hammer Kit</a>	80119571
<a href="#">HOSE=85576320</a>	
<a href="#">80155351</a>	G1X250PG4M
<a href="#">EKF12B</a>	
<a href="#">VALVE, 5/2 MULTIWAY, PMAX:315BAR</a>	AP4J101-S458/1892/1903, DRW NO: S-0-019, FOR LOADING ARM, MANUF:WANDFLUH, EMCO WHEATON
<a href="#">97894.608</a>	Nozzle For Screen Washing Machine
<a href="#">39903265</a>	3003805480
<a href="#">39911615</a>	3003153580
<a href="#">40068371</a>	3003889080
<a href="#">40068389</a>	3003889180
<a href="#">42590083</a>	3003168085
<a href="#">39182548</a>	3003417885
<a href="#">54386586</a>	3003142085
<a href="#">39330287</a>	3003101885

<a href="#">54386552</a>	3003141985
<a href="#">39330733</a>	3004079742
<a href="#">39330758</a>	3003823585
<a href="#">92692284</a>	3003200780
<a href="#">38459582</a>	3003143480
<a href="#">UP5-E-15-14 Seri no:2192186</a>	
<a href="#">UP5-E-15-14 Seri no:2192185</a>	
<a href="#">10025R09GZ</a>	
<a href="#">81434508</a>	666053-0D2 ARO 1/2" plastic double diaphragm pump PRO series 1/2" Pro series plastic - Industrial-grade ARO diaphragm pumps from the Pro series offer high performance and operational reliability. With flow rates of up to 897 l/min and a wide range of material and connection configurations, we have the right metallic and non-metallic pumps for your application needs. · Powerful - motor design ensures optimal air efficiency · Reliable - the patented unbalanced ARO air valve ensures operational reliability · Versatile - Multiple connection options for your application needs · Environmentally friendly - screw design for leak-free pumping of liquids · Maintenance-friendly - Easy access to ball check valves and liquid caps for maintenance and repairs Technical data: · Max. flow rate: 40 L/min. · Max. operating pressure: 6.9 bar · Suction and pressure connection: 1/2" NPT · Material medium side: polypropylene · Material air motor: polypropylene · Material hardware: stainless steel · Material membrane: nitrile · Material ball: nitrile flex-check · Max. solid size: 2.4 mm · Weight: approx. 4.9 kg · ATEX compliant: No
<a href="#">46724225</a>	AF0443S21GN47 ARO Scooping Piston Pump System 43:1 AFX Series replaces: 67120-P43 The heart of the ARO-Force piston pumps are superior air motors with our proprietary AFX™ technology. With only five moving parts, our air motors are extremely advanced yet simple in design. No other air motor on the market offers the precise performance, flexibility and simplicity of an AFX™ air motor. · Superior performance with abrasive media · The exclusive ceramic coating "Ultra Coating" - applied to the plunger pistons and the cylinder tubes - extends the service interval enormously, even with abrasive media · Chrome-plated stainless steel pistons for maximum resistance to corrosion. · Eight packing options are available, including "Ultra-High Molecular Weight Polypropylene (UHMWPE), for even better material compatibility and maximum abrasion resistance. Technical data: · Piston pump AF0443S21GN47 · Compression ratio: 43:1 · 4" piston stroke · Piston size: 4 1/4" · Compressed air inlet pressure: 0 - 10.3 bar · Final pressure: 0 - 450 bar · Delivery capacity: 2.8 L/min.
<a href="#">97894.608</a>	

<a href="#">R28-C3-F0g0</a>	
<a href="#">3x10da A832500269051 - 11</a>	
<a href="#">93112</a>	
<a href="#">9966d47g01</a>	MICROCONTROLLER
<a href="#">Ref. 125</a>	NEEDLE SCALER MAKER: INGERSOLL RAND REF. 125
<a href="#">39873450</a>	POWER SUPPLY BOARD
<a href="#">77a75p107m-Eu</a>	
<a href="#">Tt-4052</a>	
<a href="#">39548714</a>	
<a href="#">03989464</a>	
<a href="#">F28-C4-Sk00</a>	
<a href="#">Dea40-700</a>	CONTROLLER
<a href="#">33815887</a>	CONTROL VALVE
<a href="#">39548961</a>	
<a href="#">Ref. Smb005</a>	MANUAL CHAIN HOIST (0.5 TONS) MAKER: INGERSOLL RAND REF. SMB005
<a href="#">100031-001-00</a>	
<a href="#">10563724</a>	
<a href="#">650867-L63</a>	PUMP 410-1350PSI 18.1GPM
<a href="#">41pa8tsq4-Eu</a>	
<a href="#">066614-000-00</a>	
<a href="#">568152gu</a>	
<a href="#">37020906</a>	
<a href="#">39564364</a>	
<a href="#">23241003</a>	
<a href="#">39535547</a>	
<a href="#">80151103</a>	
<a href="#">Hs254ss-024-Dc</a>	
<a href="#">107144</a>	
<a href="#">34953224</a>	VALVE DISCHARGE
<a href="#">22475354 Valve Assy</a>	

<a href="#">52163847</a>	
<a href="#">2344_1900</a>	
<a href="#">05059688</a>	
<a href="#">37039146</a>	
<a href="#">32028508</a>	
<a href="#">37026424</a>	
<a href="#">Qxc2p1000s12-K2</a>	
<a href="#">Cat33p-024-Dc</a>	
<a href="#">Handpunch-3000</a>	TIME CLOCK BIOMETRIC 12-24VDC OR 12-24VAC
<a href="#">99400889</a>	TRANSDUCER METRIC 128FT- LBS.
<a href="#">X01-Ch-A29</a>	
<a href="#">Bids-18</a>	
<a href="#">89265060</a>	
<a href="#">47517913001</a>	
<a href="#">Aro Pd05p-Ars-Ptt-B</a>	
<a href="#">93969947</a>	MOTOR SYSTEM DC
<a href="#">93963353</a>	CPU MODULE N+1
<a href="#">091447-000-00</a>	
<a href="#">650867-L6d-B</a>	PISTON PUMP 410-1350PSI 18.1GPM
<a href="#">99388019</a>	SPINDLE CONTROL MODULE
<a href="#">05059712</a>	
<a href="#">O38-12284</a>	DC MOTOR SYSTEM W/J102 AND P101 PORTS
<a href="#">93894244</a>	MODULE,MOTOR CONTROL LOW-POWER
<a href="#">38053633</a>	
<a href="#">637140-Xx</a>	
<a href="#">Bw035080</a>	BALANCER
<a href="#">Bp2241-111-00</a>	
<a href="#">58106428</a>	
<a href="#">012072</a>	
<a href="#">E14a_91185934</a>	
<a href="#">37024221</a>	

<a href="#">66605j-388</a>	
<a href="#">23700388</a>	
<a href="#">39433743</a>	
<a href="#">37802279</a>	
<a href="#">Rol-Fm288</a>	
<a href="#">3955b2ti</a>	
<a href="#">45624327</a>	
<a href="#">93894350</a>	MODULAR CONTROL MODULE
<a href="#">89210306</a>	
<a href="#">Tda-Eu-77a-75-P-10</a>	
<a href="#">58106402</a>	
<a href="#">Pd10p-Fps-Ptt</a>	
<a href="#">39817655</a>	INTELLISYS CTRL
<a href="#">05119151</a>	
<a href="#">651747-3-B</a>	STAINLESS STEEL
<a href="#">23509151</a>	
<a href="#">Pfsi-Gt-Eu</a>	INSIGHT TOOL GRAPHIC CONTROLLER
<a href="#">637141</a>	
<a href="#">39413182</a>	
<a href="#">939-72768</a>	MODULE, MOTOR CONTROL,HI
<a href="#">84505601</a>	Part No.: 84505601 Bearing (Crank End) For Reciprocating Pumps Type 1-7/8 X 3HS3
<a href="#">99388027r07</a>	SPINDLE CONTROL MODULE
<a href="#">41sa10psq4-Eu</a>	
<a href="#">32127516</a>	
<a href="#">R38-C6-F0g0</a>	
<a href="#">23509144</a>	
<a href="#">Ref. 261-3</a>	AIR IMPACT WRENCH MAKER: INGERSOLL RAND REF. 261-3
<a href="#">54774302</a>	
<a href="#">39903265</a>	

<a href="#">Cfs1080</a>	
<a href="#">R28-C4-G0g0</a>	
<a href="#">Bp2101-100-B0</a>	
<a href="#">39814595</a>	THERM MASS CTRL
<a href="#">37024064</a>	
<a href="#">43083401</a>	
<a href="#">23424922</a>	
<a href="#">54641196</a>	CONTROLLER NIRVANA SGN
<a href="#">93098-1</a>	
<a href="#">39474143</a>	
<a href="#">39903281</a>	
<a href="#">58106410</a>	
<a href="#">54749247</a>	
<a href="#">88hl60h106-Eu</a>	
<a href="#">00002369549 3x10da 11</a>	
<a href="#">92740943</a>	Filter Coolant Part No.: 92740943
<a href="#">05034772</a>	
<a href="#">54749114</a>	
<a href="#">R38-C8-F0g0</a>	
<a href="#">24054033</a>	
<a href="#">39708466</a>	
<a href="#">22571095</a>	
<a href="#">Lc2a030dip3c</a>	
<a href="#">39481429</a>	
<a href="#">93912244</a>	SPINDLE MODULE
<a href="#">3x11cb-5</a>	
<a href="#">Cnc39174131</a>	
<a href="#">39579131 (Neu)</a>	
<a href="#">58106394</a>	
<a href="#">927.65.783</a>	

<a href="#">38446134</a>	
<a href="#">Fp1007-000-00</a>	
<a href="#">39911631</a>	
<a href="#">93100-8</a>	
<a href="#">Af9002953</a>	DC MOTOR SYSTEM
<a href="#">37045531</a>	
<a href="#">3585 8297</a>	
<a href="#">4152-HI</a>	
<a href="#">01340595 41sa17psq4 Eu</a>	
<a href="#">99340473</a>	CONTROL MODULE MICRO TAS PLUS N+1
<a href="#">39161104</a>	CONTACT KIT SIZE 4 3 POLE
<a href="#">Ref. 231c</a>	AIR IMPACT WRENCH MAKER: INGERSOLL RAND REF. 231C
<a href="#">011f12ea00</a>	COMPRESSOR COVER
<a href="#">22219174</a>	
<a href="#">57034670.</a>	
<a href="#">99675100</a>	
<a href="#">39877618</a>	
<a href="#">57103970(Ex52199247)</a>	
<a href="#">F38-C6-Sk00</a>	
<a href="#">87335782</a>	
<a href="#">939-72701</a>	MODULE,MOTOR CONTROL LOW-POWER (DOWNSHIFT)
<a href="#">87333761</a>	
<a href="#">80136112</a>	
<a href="#">22690705</a>	
<a href="#">30161491</a>	OIL COMPRESSOR PIN CROSSHEAD
<a href="#">39216155</a>	
<a href="#">3955b2ti 1 1/2quot; Impact Wrench</a>	
<a href="#">52199130</a>	
<a href="#">22110399</a>	
<a href="#">22186720</a>	
<a href="#">939-72750</a>	MODULE,MOTOR CONTROL HI-POWER



<a href="#">Aro M/N Pd10p-Yks-Ktt</a>	
<a href="#">93894327</a>	DC MOTOR CONTROL SYSTEM 8PIN 37PIN
<a href="#">029665-000-00</a>	
<a href="#">R08-C2-F0g0</a>	
<a href="#">5.59000.01.010.0</a>	
<a href="#">39136999</a>	
<a href="#">026464</a>	
<a href="#">F38-C8-Sk00</a>	
<a href="#">93498731</a>	
<a href="#">93970838</a>	MICRO TAS PLUS 93963361
<a href="#">7803akc</a>	
<a href="#">39911615</a>	
<a href="#">Grp95.845</a>	