

Interroll



Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Interroll** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Interroll Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
see picture	NO954020 HIZ50*60*220*240
02258-4500-A	
08 61 00 / 8 X 50MM	
1.75A.JAA.RAB; (D=50; RL=400; AGL=410)	
1.75A.JAA.RAB; (D=50; RL=1025; AGL=1035)	
1000014 CBS	
100076-104017	
1001114	
1001415	
1001803 OS-113i-30-40-10-2/0-NBR-A6-BADUO-00	
10099430	
1100035	
1100821 AA; 6,0 ?F	
113 D , SKS 36	
113I-500mm	

113S
113S-390MM
113S-490MM
138E
138I
138I-1500MM
165i
1700 EL870 D50
17X3JAELAE
2130
2570
3.5XQ.HF9.N91 DIMENSIONS FOR 2 STEEL SPROCKETS 1/2 Z:14
3.8J6.JAA.N90 - 460
300362
3500.
3500/PV 14R 50J L=900
3500KX0
3500KX0
449012
60B65-485m
6259
6CPL1-407MM
8AESJAE6FT - 465
8AFKJAE6FT/H50T
AC113S
AC80S
AS113S
BD80C
BKI816 03831
BU 40 L=1976MM-ROLLCHEN PP 2REIHIG 8MM
BU40
BU40 L=520MM ROLLCHEN PP 2REIHIG 8MM
BU50 52mm
DM138
DM217i

EC 310 48:1 BPV 50J C=900
MI-DM0080
MI-DM0080 DM0803-A++1BB0E0FBX-300mm
MI-DM0080 DM0803-A8K01B0E0FJC-450mm
MI-DM0080 DM0803-AAA03A0H0DJG-400mm
MI-DM0080 DM0803-ABQ1RB0H9MBG-200mm
MI-DM0113 DM1133-AAM13E0GRKHH-407mm
MI-DM0113 DM1133-BAC03E0E8FJJ-257mm
MI-DM0113 DM1133-CABE3A0E8GJB-1407mm
MI-DMI AC080I-JAA0BA0E1EHB
MI-DMI AC080S-0++0AA0ECDJJ-354mm
MI-DMI AC080S-0++ABB2ECCDT-352mm
MI-DMI AC080S-0ACABB0ECCDC-452
MI-DMI AC080S-0ACABB0EDJ+K-302mm
MI-DMI AC113S-1AA0AA1EHFSN-290mm
MI-DMI AC113S-1ACABB2E1DDU-290mm
MI-DMI AC113S-1ACABB2E4FDU-640mm
MI-DMI AC138I-L++0AA0E5KJG-1740 mm
MI-DMI AC138I-L++1BB0E5NBC-450mm
MI-DMI AC138I-L++1BB0E6HBJ-600mm
MI-DMI AC138I-L0E1BB0E6LBH-350mm
MI-DMI AC138I-LAA0BA0E1CGA-450mm
MI-DMI AC138I-LCD0AA0E6LGA-600m
MI-DMI AC138I-LCL1BB0E6LFA-400mm
MI-DMI AC138I-LCL1BB0E6LFA-700mm
MI-DMI AC138I-RAC0BBER1KBH-350mm
MI-DMI AC165I-SAC0+B0R8LJH-1200mm
MI-DMI AC217I-NAA0AA0EBBGA-600mm
MI-DMI-138I - 650MM
Mi-DMI AC080S-0ACABB0ECC+K-452MM
Òİ 2.2-320ö500-1.6
Òİ 2.2-320ö600-1.6
RD-11EDNAAKAC RL: 290;AGL: 320
RD-11EDNAAKAC RL: 710;AGL: 740
RD-1453J8AS03 RL: 1460;AGL: 1470

RD-14531RAS12	
RD-175LJ63RAA RL: 190;AGL: 200	
RD-17H4JAANAN	
RD-35HKKJ5N7X RL: 500;AGL: 536	
RD-35Z3NX5P92	
RD-J5HJ	
RD-J5HJ FIX RD RZ-BK CYL 14 2-PA-1/2-14 50x1,5	
RD-J5XN FIX RD RZ-BU 14 1-PA-1/2-9 50x1,5	
RoI1700	
S-1001360	
s-1001415	
S-1001416	
S-1004024	
S-1004025	
S-1004027	
S-64000377	
TEKERLEK	
S-64000376 2130-PH	DOUBLE WHEEL 6,5X24X48 BK serie 2130
RD-2133	Wheel 2133 w/rubber - PP - Shaft=8,2mm
CR 1700 SERIES ROLL Ø60x E:849	
STEEL CONVEYOR WHEEL 2200	
TAM.M DM1133-A++03B0E9FHD-257MM	
MI-DMI SN113D-+++AB0YH3HDK-640	
138İ TAMBUR MOT S.N.:11159999	
1.22A.J22.FO2/565	
Dc-ec200/300 control card	
113i Drum Motor	112mm in diameter and 500mm in length
MI-DL0113 DL1133-AAA0AA0E1FSC-720mm	Product name DL 0113 Asynchronous 3-phase protection class IP 66 Tube length (SL) 698.0 mm Drum width (FW) 720.0 mm Installation length (EL/LW/BF) 726.0 mm Total axle length (AGL) 766.0 mm Power 180 W Winding Poles 4 Torque [Nm] 25.9 Belt tension 457 N Gear ratio (i) 23.96 Speed at frequency 1 0.34 m/s Frequency 1 50 Hz external connection diagram E34 high voltage 400 V low voltage 230 V Rated current, high voltage 0.70 A Rated current, low voltage 1.20 A Speed at frequency 2 0.40 m/s Frequency 2 60 Hz high voltage 2 460 V low voltage 2 230 V Pipe material steel: St37-2 / AISI 1015 Tube diameter (A) 113.3 mm Tube diameter (B) 112.2 mm tube shape spherical (standard) Lid A material ALU EN-AC44300 / AL230 Lid B material ALU EN-AC44300 / AL230 Cap A Material Aluminum Cap B Material Aluminum Cap A diameter 35.0 mm Cap B diameter 35.0 mm Cap A Wrench flat width 21.0 mm Cap B Wrench flat width 21.0 mm Cap A Flat length 20.0 mm Cap B Flat length 20.0 mm Oil type Mineral oil Viscosity 68 Electrical connection butt cap with cable slot Power cable length 3.0 m

Power cable type unshielded; not halogen-free min. ambient temperature 2 °C max. ambient temperature 40 °C	
S-1004027 Centralcontrol Ip54 For Conveyorcontrol	
Mi-Dmi Ac080s-0++abb2eccdt-352mm	
Mi-Dmi Ac138i-Rac0bber1kbh-350mm	
Rd-11dzn20d03	
Rd-12a2j31e9f RI: 510;Agl: 532	
Mi-Dmi Ac165i-Sac0+b0r8ljh-1200mm	
S-1004025 Comcontrol Ip54 For Conveyorcontrol	
5027	
Mi-Dmi Ac217i-Naa0aa0ebbgga-600mm Trommelmotor 217i	
Mi-Dmi Ac080s-0acabb0edj+k-302mm Trommelmotor 80s	
184?0465 Drum Motor	
Mi-Dmi Ac138i-Laa0ba0e1cga-450mm	
3800 Az	
Ec310(Ex8b2b)	
Tm82se/325br/0,12kw/2 0,6ms/230//400v/50hz/Ip66/Iso.Kl.F	120 i np:4 SIEHE ANHANG
Rd-17h4jaanan Rolle	
Mi-Dmiac113i-Kac1be0e2jbc-700mm	DRUM MOTOR 180W 230V 113I
60b65	
6kpkd-518mm	
1100al	
Drivecontrol 54	
Rollerdriverd-89vhjae6ft RI: 500	
113s-P6273	MOTOR 460V .65AMP 60HZ .30HP 3PH 64FPM
Nr. Unbekannt	
Rd-89vvnaa6ft RI:690	
80s6kg56rl1276	MODULE
Dm80 Motor-Trommel	
80s-Smp	
Iec60034	
Rd-84vljaa8sl RI:310	
2163 Motor-Trommel 1,1 Kw RI400 Ip67 0,63 M/S Ins.Klasse.F Edp No.511063a00 Gummierte	
3800	

3904bgwsds	
3500 Az	
Drivecontrol 20	
138ls	
0l12055a72400_001623	
Bu-112,2-1400-40 Round Brush	
2200	
Mi-Dmi Ac113s-1acabb2e4fdu-640mm	
Mi-Dmi Ac138i-L++1bb0e6hbj-600mm	
S-1004024 Segmentcontrol Ip54 For Conveyorcontrol	
Motor Drum 138i, 400mm, 750w, 400v, 0.334 Ms	
449012 Motor Trommel Interroll Nr. 449012	
113i	MOTOR
Mi-Dmi Ac113s-1aa0aa1ehfsn-290mm Trommelmotor 113s	
Karte E-Ec 310 L=1050	
621x7-400s4f401	
4080	
Rd-17x4jaanae RI: 1675;Agl: 1685	
Wmcdg-0140306397	
Mij83g000v09957	MOTOR
6610272	
Mi-Dmi Ac080i-Jaa0ba0e1ehb Trommelmotor 80iser.Nr.10566124order.Nr. 0001296808pos: 000010	
8b2b	
Mi-Dm0113 Dm1133-Bac03e0e8fjj-257mm Dm0113 Asynchronous 3-Phasig	
3500/Pv 14r 50j L=900 Rolle (Verzinkt)	
10058438	
Mi-Dmi Ac138i-L++0aa0e5kjg-1740 Mm	
10099430 Trommelmotor	
Bd138i	
Ec 310 48:1 Bpv 50j C=900 Rolle (Verzinkt) Driven	
Rd-Bu Bu	
Wmcdg-0130306397	

C300-M8	
M I-D M 0113d M 1133-B A C 03e 0e 8f Jj-257m M Dm0113asynchronous3-Phasiq	
S-1001415 Drivecontrol Ip20 Ec310	
0001069878	DRUM MOTOR 3.28/1.90A 45UF 230-480VAC 50/60HZ
1735 228 Drum Motor	
3.8j6.Jaa.N90 - 460 Rolle	
0001097751	
Typ: 113i	
S-1001415 Interroll Controller Drivecontrol Ip20	
10224445	SIEHE ANHANG
Motor For The Width Of The Conveyor Belt 510 Mm (SI = 510 Mm)	
192049	
Doog-1	
80s-P6273	MOTOR BELT 460V .65A 3PH 64FPM 11.84IN WIDE
Mi-Dm0080 Dm0803-Abq1rb0h9mbg-200mm	
80s-P6273-2	MOTOR BELT 460V .65A 3PH 128FPM 12.84IN WIDE
661027261	
8b2-B	
60z12	MOTOR PUMP 50/60HZ
Bd113c	
Mi-Dmi Ac080i-Jaaa0ba0e0djb-302mm	
Rd-35z3nx5p92 Roller Diameter 50mm, Length 200mm Internal Thread M8, Material Stainless Steel	
Dm113	
Bu501	
V61523001000	CARRIER