

## Itoh Denki



Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye ii kapı teslim fiyat ve teslim s¼resi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

**Itoh Denki** Markası, tedarik s¼resi iin l¼tfen bizimle iletiŐime geiniz.

*Firmamız Itoh Denki T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

¼r¼n	Aıklama
<a href="#">48FE48F0300/001</a>	
<a href="#">PM605KT0550985XC0S</a>	SERIES = DC motor roller series PM605KT MOTOR / GEAR = IP54, hexagonal axis flattened, speed code 55, 24VDC brushless, cable 1m SIDE CAP = IP54, made of steel, hexagonal axis springy 15mm TUBE = Ø 60.5mm, galvanized steel, convex, L = 985mm for EL = 1000mm ACCESSORIES ON THE MOTOR SIDE = 1x torque arm MBK-0K1
<a href="#">EA13000M167 MOTORİSED ROLLER ZN PM500FE 24V</a>	
<a href="#">Poly V belt PJ336</a>	
<a href="#">3TH220V-PM380AT-15 300-3-220-180330</a>	
<a href="#">PM500XE06006610XV0S(C001)</a>	Series: PM500XE ENGINE:IP54, toothed head for PolyV belt 24V DC Diameter: 50mm Width: 610mm
<a href="#">FR500CUZHS0604XV0S[N400] AVARE RULO</a>	Series: FR500CU Gear: For Poly V belt Diameter: 50mm Width: 649mm
<a href="#">50E015F0758C002</a>	IP54 24VDC
<a href="#">PM570BP-15-400-3-200-BR-CE-PB</a>	610509524043
<a href="#">PM500FE0150400X00SC004</a>	
<a href="#">PM605KT0150800XC0SC002</a>	
<a href="#">CBM-105FP1-EU1</a>	
<a href="#">CBK-109FP</a>	
<a href="#">EXTENSION CABLE 1.10 ~ 1.30 meter</a>	
<a href="#">PM605KT0550985XC0S C001</a>	

<a href="#">PM605KT0550985XC0S ITOH DENKI motor</a>	
<a href="#">SANYO DENKI SM2862-5155 SERVOMOTOR</a>	
<a href="#">CBM-105FP1-EU1</a>	
<a href="#">C003</a>	
<a href="#">-IB-P01FP-UL</a>	Connectors : -Supplied with: 1x wago 231-302-026-000, 1x wago 734-103, 2x wago 733-104
<a href="#">Cb016p 7 Lt</a>	
<a href="#">Pm605ve0170900x00m C001</a>	SERIES = DC motor roller series PM605VE MOTOR / TRANSMISSION = IP54, 24VDC brushless, Speed code 17, flattened Hexagon axis, cable 0.3m with 5-pin M8 connector SIDE CAP = IP54, M8 female axis 7mm TUBE = diameter Ø60.5mm, galvanized steel, cylindrical, L = 900mm for EL = 915mm ACCESSORIES MOTOR SIDE = 1x Torque arm A-081-G ACCESSORIES SIDE CAP = 1 x bolt SP-M8-14 Customs tariff number: 8431390000 Country of origin: Japan
<a href="#">Ca9 Te 1210</a>	
<a href="#">Cb-016p7</a>	
<a href="#">Pm570as0100800 00s C001</a>	
<a href="#">Pm605bp-5-297-3-200-Jf</a>	ITO DENKI ROLLER MOTOR PM605BP-5-297-3-200-JF
<a href="#">Ab0030f0950c001</a>	
<a href="#">Cb-030sf</a>	
<a href="#">Motorlu Rulo Pm605kt0150765xv0m C001</a>	
<a href="#">48fe45f0300 001 24</a>	
<a href="#">-Ib-P01fp-UL</a>	Network card IB Profinet controller UL version
<a href="#">Motorized Roller Series Pm500fe ?50 L=700</a>	
<a href="#">Hb 510p</a>	
<a href="#">Pm500fe0551461xv0s C001</a>	SERIES = DC motor roller series PM500FE MOTOR / TRANSMISSION = IP54, SK axis with External thread, 24VDC brushless, Speed code 55, cable 0.3m SIDE CAP = IP54, 8-ribbed VG Pulley Drive head Ø43mm, spring-loaded with SK-axis TUBE = Ø50mm, galvanized steel, cylindrical, L = 1461mm for EL = 1500mm ACCESSORIES MOTOR SIDE = 1x Torque arm AM-FE-A (plate P-0C1 - Tip top + nut + toothed ring)
<a href="#">-CbK-109fp</a>	Motor Pulley Control Circuit Series PM605KT 7A starting current, PNP version

<a href="#">Pm605fe0150909xv0m C002</a>	
<a href="#">50e055f0270c019</a>	
<a href="#">Pm570kt-15</a>	
<a href="#">CBM-105FP1-EU1</a>	PNP Control board PNP for motorized roller brushless 24VDC - 20 gears
<a href="#">Bp0005f0250 000</a>	
<a href="#">6pj486-56</a>	
<a href="#">Pm605kt0150765xv0m C001</a>	SERIES = DC Motor Pulley Series PM605KT ENGINE / TRANSMISSION = IP54, hexagon axis flattened, 24VDC brushless, Speed code 15, cable 1m SIDE CAP = IP54, 12-rib PolyVG Drive head with M10 internal thread axis TUBE = Ø 60.5mm, galvanized steel, cylindrical, L = 765mm for EL = 818mm ACCESSORIES MOTOR SIDE = 1x Torque arm MBK-0KI-6 ACCESSORIES FREE PAGE = 1x bolt SP-M10-20 For commissioning is an additional Control board CB030-P necessary Customs tariff number: 8431390000 Country of origin: Japan
<a href="#">Motorized Roller Series Pm500fe ?50 L=514</a>	
<a href="#">Pm605kt0150765xv0m C001-</a>	
<a href="#">3pj336-43 97-101 Pitch</a>	
<a href="#">-CBK-109FP</a>	Control board for motor roller series PM605KT 7A starting current, PNP version
<a href="#">Pm500fe0551461xv0sc001 - 24v Dc Motor</a>	
<a href="#">3pj286-43 73-75 Pitch</a>	
<a href="#">2pj336-43</a>	
<a href="#">Cb030-P</a>	
<a href="#">Pm605fe025909xv0m C001</a>	
<a href="#">Ca9 Te</a>	
<a href="#">Pm605kt0151500xv0m C001</a>	
<a href="#">Circuit Board Cbm105</a>	
<a href="#">Apb015f0400 001 200g</a>	