

## Johns Manville

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Johns Manville** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Johns Manville T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



¼r¼n	A¼ıklama
<a href="#">20016398</a>	
<a href="#">BA50-2X150R-1/16</a>	your request: 1 GASKET STYLE: 60;PIPE SIZE: 2in;THICKNESS: 1/16in;MATERIAL:
<a href="#">BA50-3X150R-1/16</a>	your request: 2 GASKET STYLE: 60;PIPE SIZE: 3in;THICKNESS: 1/16in;MATERIAL:
<a href="#">BA50-10X150R-1/16</a>	your request: 6 GASKET STYLE: 60;PIPE SIZE: 10in;THICKNESS: 1/16in;MATERIAL:
<a href="#">BA50-16X150R-1/16</a>	your request: 8 GASKET STYLE: 60;PIPE SIZE: 16in;THICKNESS: 1/16in;MATERIAL:
<a href="#">BA50-24X150R-1/16</a>	your request: 10 GASKET FLANGE STYLE: 60;PIPE SIZE: 24in;THICKNESS: 1/16in;MATERIAL:
<a href="#">BA50-3X300R-1/16</a>	your request:12 GASKET FLANGE STYLE: 60;PIPE SIZE: 3in;THICKNESS: 1/16in;MATERIAL
<a href="#">BA50-2X300R-1/16</a>	your request: 11 GASKET STYLE: 60;PIPE SIZE: 2in;THICKNESS: 1/16in;MATERIAL:

<a href="#">BA50-8X300R-1/16</a>	your request:15 GASKET FLANGE STYLE: 60;PIPE SIZE: 8in;THICKNESS:1/16in;MATERIAL:
<a href="#">BA50-10X300R-1/16</a>	your request:16 GASKET FLANGE STYLE: 60;PIPE SIZE: 10in;THICKNESS: 1/16in;MATERIAL: SHAPE: ROUND;STANDARD: ASA B16.21
<a href="#">BA50-12X300R-1/16</a>	your request:17 GASKET FLANGE STYLE: 60;PIPE SIZE: 12in;THICKNESS:1/16in; PRESSURE RATING: 300lb;SHAPE: ROUND;STANDARD: ASA B16.21
<a href="#">BA50-16X300R-1/16</a>	your request: 18 GASKET FLANGE STYLE: 60;PIPE SIZE: 16in;THICKNESS:1/16in;MATERIAL: ;PRESSURE RATING: 300lb;SHAPE: CIRCULAR;STANDA RD: ASA B16.21
<a href="#">D8500-1/64X300R-1/16</a>	your request: 29 PACKING SHEET WIDTH: 60in;LENGTH: 60in;THICKNESS: 1/64in;MATERIAL;STYLE NUMBER: 60;CONSTRUCTION: HEAVY DUTY
<a href="#">D8500-1/32X300R-1/16</a>	your request: 32 PACKING SHEET WIDTH: 36in;LENGTH: 72in;THICKNESS: 1/32in;MATERIAL;STYLE NUMBER: 60;CONSTRUCTION: HEAVY DUTY
<a href="#">29 PACKING SHEET</a>	WIDTH: 60in;LENGTH: 60in;THICKNESS: 1/64in;MATERIAL: COMPRESSED ASBESTOS;STYLE NUMBER: 60;CONSTRUCTION: HEAVY DUTY
<a href="#">32 PACKING SHEET</a>	WIDTH: 36in;LENGTH: 72in;THICKNESS: 1/32in;MATERIAL: COMPRESSED ASBESTOS;STYLE NUMBER: 60;CONSTRUCTION: HEAVY DUTY
<a href="#">8300579101</a>	
<a href="#">8307559101</a>	
<a href="#">Rs-8235</a>	
<a href="#">8307559102</a>	
<a href="#">300-600-900-1500</a>	
<a href="#">7040 Lup</a>	
<a href="#">8301247101</a>	
<a href="#">8300579102</a>	
<a href="#">Microlite Aawr, D : 9.6kg/M3, Ep : 25.4mm</a>	
<a href="#">Expand-O-Flash Type Ej?</a>	
<a href="#">Type Shs 80/2 Fortexã174; Xf Black Glass Fiber Nonwoven</a>	
<a href="#">8307649101</a>	
<a href="#">8307532102</a>	
<a href="#">Expand-O-Flash Ej-Wc?</a>	

<a href="#">7203 St-Lpd</a>
<a href="#">Drw8307531-101</a>
<a href="#">1500 Gasket</a>
<a href="#">8307512101</a>
<a href="#">8307532101</a>
<a href="#">Drw8307649-101</a>
<a href="#">Pr 440 4800 907</a>
<a href="#">900-1500</a>
<a href="#">Drw8301247-10x</a>
<a href="#">Drw8300579-10x</a>
<a href="#">Drw8307559-10x</a>
<a href="#">Ap Foil-Faced Sheating Board</a>
<a href="#">8924z 2.5 Lb/Sq 50-3/4?</a>
<a href="#">Type: Glass Fiber Felt</a>
<a href="#">Bsá; 5292á;</a>
<a href="#">7040 H115 Lup Seal,</a>
<a href="#">8301247102</a>
<a href="#">11025 Rpd</a>
<a href="#">300-600-900 Nom. Size 3</a>
<a href="#">7040 H115 Lup</a>
<a href="#">300-600-900</a>
<a href="#">8307531101</a>
<a href="#">Drw.8307512-101</a>
<a href="#">Drw8307532-10x</a>