

Kabelschlepp



Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye ii kapı teslim fiyat ve teslim s¼resi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Kabelschlepp Markası, tedarik s¼resi iin l¼tfen bizimle iletiŐime geiniz.

Firmamız Kabelschlepp T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	Aıklama
Kabelschlepp Uniflex Typ 0455 040.058.200	
Efk 1455.040.058.200	With this model Uniflex Advanced 1455 it is the successor model the Uniflex 0455
HC 46.068-RSH-170-4355	KABELSCHLEPP energy chain Order designation HC 46.068-RSH-170-4355 Chain length Lk 4355.0 mm Number of links n 65 Inside width up to 68 mm External width Bk 94 mm Radius of curvature KR 170 mm Bar variant aluminum bar, rotatable Number of bars nst 67 Separators TS0 2 Connection fixed point / driver FU / MU Interior height hi 46.0 mm Chain link height hG 64.0
wie Bild	
CPS 68N-050-R.75	S0650.RS1-KR : 75MM-BK:76MM-Bi:41MM-2210MM
085-KR150-1500L-HH	
EFK 0625.65 KR 125	KABELSCHLEPP cable drag chain made of plastic, type 0625.65 Chain length..... LK 1000 mm Number of links.....n 16 mm Radius of curvature..... KR 125 mm Chain width insideUp to 150 mm Chain width outsideBK 178 mm
EFK 0625.42 KR 125	KABELSCHLEPP cable drag chain Type 0625.42 Chain length.....LK 1,000 mm Number of links.....n 16 pcs. Radius of curvature.....KR 125 mm
TELESCOPIC SLIDE 16-20	LD:8996,LR:1200,N:9,H1:71,H3:51 PART WEIGHT:910KG,Picture No: 425-100-287,Picture Pos No: 07,Quality: X12CR13
	LD:11628,LR:1200,N:12,H1:96.5,H3:69 PART

TELESCOPIC SLIDE 22-28	WEIGHT:1214KG,Picture No: 425-100-287,Picture Pos No: 08,Quality: X12CR13
EFK QT 0320.030.038.048	Identity number: 0059032
Connector ET/QT 0320.038 FP ZL	Identity number: 0059109
Connector ET/QT 0320.038 MN ZL	Identity number: 0059111
EFK QT 0320.030.038.048	0059032
Connector ET/QT 0320.038 MN ZL	0059111
Connector ET/QT 0320.038 FP ZL	0059109
S 0650.120-RS 1-400-St-2470	KABELSCHLEPP energy chain Order designation S 0650.120-RS 1-400-St-2470 Material galvanized steel St Chain length Lk..... 2470.0 mm Number of links n..... 38 Bridge width bst..... 120 mm Internal width up to.....100 mm External width Bk..... 135 mm Radius of curvature KR..... 400 mm Bridge variant..... aluminum bridge, 1 bridge detachable Number of webs nst..... 19 Connection fixed point/driverFAI/MAI Interior height back..... 31.0 mm Chain link height hG..... 50.0 mm
K0650 KR115	Aluminum profile length will be 95mm Separators are required as 3 pieces per profile. Connection kit required Length 13000mm will be used as one piece
GEORG GUIDEWAY COVERS HEADSTCOK SIDE	S NO: 2557032 YEAR: 2019 DE-30-00058990-01 400 KG CPTH423141
GEORG GUIDEWAY COVERS HEADSTCOK SIDE	S NO: 2557032 YEAR: 2019 DE-30-00058989-00 400 KG, CPTH423140
KC 0650.108-RS-115-3510	KABELSCHLEPP energy chain Ordering reference KC 0650.108-RS-115-3510 Chain length Lk..... 3510.0 mm Number of links n..... 54 Internal width up to.....108 mm External width Bk..... 136 mm Radius of curvature KR..... 115 mm Bridge variant..... aluminum bridge, can be rotated Number of webs nst..... 27 Divider system each 2nd link Dividers TS0..... 3 Connection fixed point/driverFU/MU Interior height back..... 38.0 mm Chain link height hG..... 57.5 mm
CT400 7G1,5²	TRAXLINE CONTROL 400 600 V Max. Ø 10.80 mm Control line Unshielded 0048056
D700 6x0,34²	TRAXLINE DATA 700 Identnummer : 0045950
WAY WIPER L=500 BA 65-18	
EFK MONO 0180.30.037	
QT0320 Driver	

QT0320 Fixed Point
Connector 0180/0182.30 -2- mB ZL
connecting piece 0180/0182.30 -2- oB ZL
Mc0950.410-Rs
0250.030.040.028
0555.075
Kc 0900.180.Rv
Kab-S-1250 Kr-460
316 Stainles Steel
S 1802kr
Flexible Holder 230 Mm Type Robotrax R085
45372
0455.058
0665.050 Identnummer : 0052490
45372 300/300 V 4910
Kr 37 0320.20
Mc1250.465
1665.030.100.075-3990
0130.40.Kr? Kettenl¼;Nge:5.330,00 Mm / Glieder Pro Kette: 410
Artikel Nr. : 040.100.200 Kabelschlepp 1500 M
0130 20
0345 050
Steel Wire Rope R 075/R085
Conduflex Efs Typ 055 Kr 65
Mc1250.461.Rst.
Protective Case Ht Type Robotrax R 085
0130/0132.040 F¼r 0130.40.Kr Kettenl¼nge:5.330,00 Mm / Glieder Pro Kette: 410

Mf080.1-100-1040
Mc1250.428.Rst
Halter 100 Typ Robotrax R 100
Typ 085
S1250.Rm-Kr380.Bk420-10000mm
Mc1250.306.Rst
Spanner Type Robotrax R 100
Efk 0455.030.038.065
Kr 175 Okso 0650 K
Flansch Typ 055 (Bohrung Auã223;En/Innen)
Mc1250.248.Rst
Efs 0665.060.050.120-997,5
R 100 Tutucu
S0650-Kr175-Bk150
Efs Typ 085 Kr 2500mm
S0950.370-Rs2-290-4750
S 1250-Kr300á:
Typ 0130/0132.10
S 1250.326-Rm-340-St-3500
0555.060
0665.060
Mc0950+0042160
66837
Typ 0625 - Stahl
S1250.434-Lg-340/2000
S0950.174-Rs1-410-5225
0345.060
Kc0900.180 Rm
S 1250 Kr 145
Type 0320.41/42

[0665.060.125.200-4721.5](#)

[Sx1800-327mm -Lgx 4680 Mm De Long
+ Set](#)

[Holder Rotatable Type Robotrax R 085](#)

[Kabelschlepp-01300132040-F3;R-
013040kr-Kettenl¼;Nge237900-Mm-
Glieder-Pro-Kette-183-Istanbul-Turkiye](#)

[062575 Kr150 Bk197 Jed2](#)

[S1800-350-390](#)

[Mc1250.256.Rst](#)

[Mc1250.131.Rst.](#)

[Holder Rotatable Type Robotrax R 100](#)

[Efk 0250.030.080](#)

[Spanner Type Robotrax R 075/R 085](#)

[Mc1250.408.Rst.](#)

[Eco60166/13](#)

[0130.40.Kr? Kettenl¼;Nge:4.758,00 Mm
/ Glieder Pro Kette: 366](#)

[S1800361rm350st288](#)

[0130/0132.040 F¼r 0130.40.Kr
Kettenl¼nge:11.310,00 Mm / Glieder Pro
Kette: 870](#)

[Mc1250.350.Rst](#)

[66705](#)

[S0650.150-Rs 2-135-St-2470](#)

[Typ 0320.42 Kr 37](#)

[Mc 1250.400-Rm-380-13250](#)

[71412](#)

[0053685](#)

[F49498](#)

[Mc 1250.400-Rm](#)

[0130.40.Kr Kettenl¼nge:5.135,00 Mm /
Glieder Pro Kette: 395](#)

52545
74958
Typ 0450.62 Kr 150
0130.40.Kr? Kettenl¼;Nge:2.379,00 Mm / Glieder Pro Kette: 183
52561
Plastic Chain Type Robotrax R 100 Kr 195
Mc1250.050.Rst
Mf1701
S0650.125-Rs1-125-4250
Flansch Typ 055 (Bohrung Innen/Innen)
0455.040.25.65.1911,42 Link Chian
S1800.583.Rmd-890-St-4320
0555 03 0.125.200
0130/0132.040 F¼r 0130.40.Kr? Kettenl¼nge:2.379,00 Mm / Glieder Pro Kette: 183
S0950.176.Rrt.200
R 100 Å199;Elik Tel Halat
Mc1250.168.Rst
Mk0950.253
0455-52422
0455.058/ Relief Element
R 100 Sikistirma Parçasi
Mc0650.282.Rs+rkr
45950
72649
Mc1250.480-Lg500
S/Sx 0650
0130.40.Kr? Kettenl¼nge:11.310,00 Mm / Glieder Pro Kette: 870
R 100 Kr 195, 1640,00 Mm

[0130.40.Kr? Kettenl¼nge:5.330,00 Mm /
Glieder Pro Kette: 410](#)

[0130.40.Kr? Kettenl¼nge:4.758,00 Mm /
Glieder Pro Kette: 366](#)

[0625.42 Kr ??](#)

[1250](#)

[0345.030.038](#)

[0665.050 O.B. Identnummer : 0052460](#)

[Eco60164/15](#)

[Flexible Holder 230 Mm Type Robotrax
R100](#)

[S1250.400-Rm-460-3250](#)

[0180/0182.30](#)

[71464](#)

[Typ 0320.41/42](#)

[0455.040.058.095](#)

[0600.080](#)

[0053671](#)

[0665.050](#)

[0071044](#)

[0130.40.Kr Kettenl¼nge:4.758,00 Mm /
Glieder Pro Kette: 366](#)

[Ke 0650.108](#)

[Holder 085 Type Robotrax R 085](#)

[Mc0650.282rs-220 Ts0/Nt12](#)

[K0650.Kr220.B.385.23.Fa/Ma.7280](#)

[Mc0950bst/B1410-Rs-Rkr](#)

[S1250.460-Lg-340-S](#)

[Mc1250.074.Rst](#)

[0665 060.050120](#)

[R 100, 1700,00 Mm](#)

[Efs 0665.060.150.250](#)

[Sx 1250.286-Lg-300-Er1-4250](#)

0130/0132.040 F¼r 0130.40.Kr? Kettenl¼nge:11.310,00 Mm / Glieder Pro Kette: 870
0052603
Kabelschlepp-01300132040-F3;R- 013040kr-Kettenl¼;Nge475800-Mm- Glieder-Pro-Kette-366-Istanbul-Turkiye
0250 030 020 028 5000
062545-Kr-150kb136-Jed2ka
Holder 100 Type Robotrax R 100
Typ 0202.10 Kr ?
S 0950-Rmd
72711
Mc0950.410rs+rkr
S0950.340 Lg
Belt Section (For Auftrag-Nr.:2161109.1 Senen Nr.:10 Typ:Srf063.00I Chip Conveyor)
0130/0132.040 F¼r 0130.40.Kr Kettenl¼nge:5.135,00 Mm / Glieder Pro Kette: 395
Mc0950 Bst/Bi410-Rs
Kabelschlepp-01300132040-F3;R- 013040kr-Kettenl¼;Nge1131000-Mm- Glieder-Pro-Kette-870-Istanbul-Turkiye
0555.040.075.063-1110
0250 050
0455 050
0455.060.058.095
S0950.150 (Order Code S 0950.174-Rs 1-140-St-4275)
1115-DI2000
S1250-140-145
Efk 0665.030.200.200 Identnummer : 0051424
Clamping Element Type Robotrax R 100

K0650-Kr145-B159-7-Fa/Mi-845
Typ 0132.10 Kr 20
Mc0650.280rs
0130/0132.040 F¼r 0130.40.Kr Kettenl¼nge:4.758,00 Mm / Glieder Pro Kette: 366
0345
S1250.460-Lg-340-T
Mc1250.143.Rst
155.040.125.100
Plastic Chain Type Robotrax R 085 Kr 175
Kabelschlepp-01300132040-F3;R- 013040kr-Kettenl¼;Nge533000-Mm- Glieder-Pro-Kette-410-Istanbul-Turkiye
0250.050
Mc050280-Rs-Rkr300 Ts0 Nt8
Protective Case Ht Type Robotrax R 0100
Anschluã223;Satz 0250.020-Standard
Mc0650.100-Rs-145-15015
Efk 0180.30-50-516
0130.40.Kr? Kettenl¼nge:5.135,00 Mm / Glieder Pro Kette: 395
0555.125 Innendeckel
0130.40.Kr Kettenl¼nge:2.379,00 Mm / Glieder Pro Kette: 183
8866fil
0052602
0455.060
Clamping Element Type Robotrax R 075/R 085
Mc1250.250.Rst.
Mf 110.2 -250-1000
Mc1250.231.Rst.

Cf120
Efs 0665.060.050.120
0665.060.125.200-2726.5
M0950
Mc1250.181.Rst
66832
0950 Kr170 Lk 3135
0130.40.Kr Kettenl¼nge:5.330,00 Mm / Glieder Pro Kette: 410
Km-1250
0455.040.25.65.1911
Mc1250.206.Rst
29370
Klemmstück Typ Robotrax R 100
Power Track
Efs 0455.060.058.125
045021
Efk 0250.030.030
0130/0132.040 F¼r 0130.40.Kr? Kettenl¼nge:4.758,00 Mm / Glieder Pro Kette: 366
0455.040.058.052
Mc1250.156.Rst
S 1250-Rmd
Steel Wire Rope R 100
Mc1250.118.Rst.
0250.030.050.???
085kpr
S1800
Mc1250.281.Rst
Mc1250.081.Rst
0130/0132.040 F¼r 0130.40.Kr

Kettenl¼nge:2.379,00 Mm / Glieder Pro Kette: 183
Mc1250.358.Rst.
0665.050 M.B. Identnummer : 0052461
S0650-120-Rs1-145-St-2145
Pa10313 0033 00
0180.30 Kr 28
0205 040
901250100
Kl 3054fil
42880
S 2500-Lg
7834fil Sai 25
Mc1250.106.Rst.
0455.058 O.B.
0130.40.Kr? Kettenl¼nge:2.379,00 Mm / Glieder Pro Kette: 183
Typ 0132.15 Kr 37
Flexible Holder 165 Mm Type Robotrax R085
0250.030.020.028-5000
0130.20
0555.050
Ma88x2
S1800.353.Rmd-720-St-3060
0071043
K0650.Kr220.B.385.19fa/Ma.6175
0555.050 Verschluss223;Bugel
0053670
K0650.Kr220.B.385.23fa/Ma.6175
Conduflex Efs Typ 055 Kr ?
S0650.1.245.Rs.075.1040.Fa/Ma.Ts0/Nt9

0205.040
71474
0052600
S0950
K0650.Kr145.B.175.9.Fi/Ma.2015
Typ 0130/0132.15
S 1800.733-Rm-605-St-6480
Mc1250.100.Rst
Typ 0320. 41- 37- 480 , By 0345.030.025.038
Efs 0665 060.150.300
0455.040.25.65.1638
66770
Mc1250.062.Rst
Tkp0320-2b R37+biabka 1486l 43pins
Kabelschlepp-01300132040-F3;R- 013040kr-Kettenl¼;Nge513500-Mm- Glieder-Pro-Kette-395-Istanbul-Turkiye
0180 0182 30
0130/0132.040 F¼r 0130.40.Kr? Kettenl¼nge:5.135,00 Mm / Glieder Pro Kette: 395
0130.40.Kr? Kettenl¼;Nge:11.310,00 Mm / Glieder Pro Kette: 870
0345.050
0665.060.125.200-1928.5
0130.40.Kr? Kettenl¼;Nge:5.135,00 Mm / Glieder Pro Kette: 395
66750
Mc1250.500.Rst.
0052601
S1250.420-Rm-460-St-3250
090-1200-100 Vh1
S0650.1.095.Rs.115.4030.Fa/Ma

R 100 Kr 195
0130.40.Kr Kettenl¼nge:11.310,00 Mm / Glieder Pro Kette: 870
Efk0625.45
S 0950.204-Rs 1-125-4940
Efk 0455.050.038.052
Sx1250 - 361 - Lg - H886
0625.75 Kr 200
K0650.Kr145.B.175.9fi/Ma.2210
0130/0132.040 F¼r 0130.40.Kr? Kettenl¼nge:5.330,00 Mm / Glieder Pro Kette: 410
R 075/R 085/R 100
Flexible Holder 165 Mm Type Robotrax R100
0455.058 M.B.
Diaphragm For A50rv
Sx1250
Efk 0455.060.058.095-4550
0180 30 Kr 28
Efk 0665.030.175.250
0455.040.025.065.1911,42