

Keb Automation



Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Keb Automation Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Keb Automation Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
16f5g1g-360a	KEB COMBIVERT F5-GENERAL controlled frequency converter Furnishing: Brake transistor: GTR7 Heatsink type: surface mounted air cooler version Technical specifications: Power: 23kVA Motor: 15kW 2 / 4P 50 / 60Hz Input voltage range: 305 ... 528V AC 3 PH Output voltage: 0 ... Uin Nominal output current: 33A Max. Short-time limit current: 49.5A Max. Output frequency: 800Hz Switching frequency: 8kHz Protection class: IP20 Dimensions (WxHxD): 170 x 340 x 255 mm Nomenclature number: 85044088 Single net weight: 9,300 KG This goods is subject to export license according to goods list item 3A225
00.58.025-001D	
00.58.060-0040	
00.F5.060-1000	
00.F5.060-2000	
00.F5.060-3100	
00.F5.060-A000	
00.F5.060-L100	
0000000-7938	
00F5060-1100	
00F5060-3000	
00F5060-5010	
00F5060-H000	
00F5060-K000	

00F50C0-0010
00F50C0-0020
00F50C00020 P.O4500306825
00F50C0-4100 4500327728
00F50C1-0003
00F50C1-1005
00S4019-0005
02.08.530
02.38.11N
0236426110 , F5/11,0kW
023800N-1051
03290864/0492816
03370351/0501143
033800N-4061 / 033811N-4061 (OEM)
04.08.530
04.38.11N
04.38.11N 24VDC DH7=20mm
04.38.11N-4090
04.91.020-ÑÅ07
05.F4.019-0048 V.1.0
0508530-4199
053811N-0000
053813H-4003
05F5B3A-090A
05F5C1B-LB0A
06.02.120-4014
06.10.670-4009
06.P1.320-1387
0610370-4000
06P1320-0817
06P13200827 oem

07 F4 S1D-3420/1
07.F4.C3D-3420
07.F5.B1B-3900
07B6A3A-9A00
07F4C1D-3420
07F5B1B-2B0A
07F5B3A-390A
07F5C1B-3B0A
07F5C1B-3BOA
07P1320-0727
08.15.100-0097 oem
0810370-4000
08D212
09.F4.C1D.4A01-1.4 OEM
09.F5.A1D-3ADA
09.F5.C1B-3A0A
09.F5.C1B-3AOA
09.F5.M1D-3ADA
09.F5.M1D-3AGO
0910580-2HGU
09F5B1B-2B0A
09F5B1B-3A0A
09F5B3A-390A
09F5C1D-3A0A
09F5M1D-3AGA
10 F4 S1D-5D02/ 1 2
10. F5/ 2,2 kW
10.E4.T60-0001
10.F4.C10-4001
10.F5.C1B-3A0A

1006640-4000
10F5A1D-3A0A
10F5A1D-3AEA
10F5ABD-3AEA
10F5B3B-0A0A
10F5C1B-2A0A
10-F5-CBD-3A0A
10U5B0D-3000
11.F4.013.0009
11.F4.013.009
1111
12.F0.R11-3429
12.F5.A1D-3ADA
12.F5.G1D-Y200
12.F5.L1D-3A0A
12.SM.202-62R0
12F5B1B-350A
12F5C1D-3A0A
12F5G1D-YP10
12F5H1D-3A0A
12F5M1D-3ADA
12FS.GID-Y200
13.DR.B08-1851
13.F5.B1D-390A
13.F5.GBD-YA00 OEM !!
13.F5.M1D-3A00
13E4T60-3A01
13E5T60-1001
13E5T60-10F1
13E5T60-10F1 same as 13U5B0D-3030

13F5G1D-390A
13G6C3B-3910
14.DR.B08-1451
14.F5.C1D-380A
14F4.C1E 3440/1.4
14F5C1E-150A
14F5C1E-Y00A OEM
14F5G1E-3A0A
14F5G1E-Y200
14F5L1D-Y8SA
15.F5.A1E-35DA
15.F5.B1E-3500
15.F5.G1E-Y00A
15/F4.S1E-4F13/1,2 OEM for Rieter
15F5G1E-350A.
15F5H1E-350A
15F5K1G-Y0MF
15F5M1E-35DA
15FSG1E-350A
15U5B0E-3000
16.E4.T60-1001
16.F5.L1E-340A
16.F5.M1E-340A
162707
16E5T60-1061
16F5B1E-340A
16F5C1D-390A
16F5C1G-360D S/N:301893967/1357085
16G6CDE-35B0
17.F5.G1G-350A
17F5C1G-350A

18.F5.L1G-340F
18F5C1G-340F
19E5T60-1001
19F5A1H-35DF
19F5G1H-350A
19F5G1H-YP00 OEM
19F5G1H-YP10 OEM
1MF5K81-W Z08
20.F5.GOR-960A
20.F5.L1H-340F
20F5C0H-340F
20F5G0H-340F
20F5G1R-960A
20F5G1R-Y01A - OEM for ANDRITZ Asselin- Thibeaup S.A.S.
20F5G2R-960A KEB COMBIVERT F5-GENERAL
20U5B0R-3000
22.F5.G1R-Y001 OEM
23F5 L0R-YVM0
23Z1B04-1000 LINE CHOKE
24.S4.E4E-3001 oem
24F5EAR-YV10
25.10 07.02.100-0241 024VDC P=16W
26F5EAU-YU50
27F5 L0U-YVM0
2AF5230-0019
2AF5K3G-4Z19
2G.11 07.02.200-0241
2M.F5.K8G-MZ36
2MF5K8G-NZ35

300342583/1078250
300609524/1131753 OEM
302088835/1398734 oem
302436418/1476557
32.SM.200-34A0
37164/38542/89 oem
42.SM.200-34B0
63L/4-BR-TB
643CDL90S4 1.1KW
93200274/10883(-1294)
AC MOT 18.5 KW 2/4P 50/60HZ
Art.Nr:15.F5.G1D.YP00,SN:06320302/0632077
C2SM000-3200
C2SM000-3400
C3.F5.S1D-33HA
C6 Router
CD.SW.010-0100
DA160MS4
DL100L4
DM100LC4 B04
DM112MB4 B06 I TW F P1
DM63K4
E167544
E232497 800V DC ALW 80 400W 90 OHM
E2SM000-2400
F32B DM80GC4 TW G6M09
F5 BASIC 09 F5 B1B-3A00
F5060-5A11
G02A DM71G4 B02MB
G02C DM71G4 TS

G23A-M IEC71	
G30	
G62A DA200LB4 I	
HSP5/485 NO 00F5025-0080	
K33AV DM100LC4 B04 TS	
K53A TA51 V30 BP07 ER TW	
K53B DA160MB4 B07MB I TW F	
K53BSHT2	
KEB 30 KW	
KOMBIVERT M4	
MAS3L/4-BR	
Model F5 250 kW	
S02A DM63K4 B02	
S02B DM71G4 B02MB I TW	
S12B DL80G4 B02MB/TW	
A200L6	
KEB 17.F5.A1G-350A	
0610670-4009	KEB COMBIBOX Brake M2N (Nm): 7 Brake P2O (W): 12 Coupling M2N (Nm): 7 Clutch P2O (W): 15 Voltage (V): 24 Bore A ø : 11 G7 Flange A ø : 140 B5 Shaft Aus ø, length: 11, 23 Flange Aus ø : 140 B5 Terminal box position : B2
49.16 08.03.100-0241	24 V DC
08p1320-0057	KEB COMBIPERM Torque M2N (Nm): 36 Power P2O (W): 26 Voltage (V): 24 Bore hub ø: 30 H7 Nut hub: 8 P9 After drawing 08.P1.320-0057 Statistical commodity code: 85052000 Single net weight: 1,800 KG
2af5230-0019 - Motherboard F5 Cpu Karte	
12f5b1d-3a0a	Successor to 12.F5.B1D-3A00 KEB COMBIVERT F5-BASIC controlled frequency converter Domestic equipments: Braking transistor: GTR7 Heat sink type: air cooler Technical specifications: Power: 6,6kVA Motor: 4.0kW 2 / 4P 50 / 60Hz Input voltage range: 400V AC 3 PH
12.F4.T60-1009 - 50/60 Hz 12a - Filter	
20 F524 R - 0425	
T99 - 18f5a1h-36d	

[13f5a1d-390a](#)

13.F5.M1D-3A00 (5,5 Kw) İnverter KEB COMBIVERT F5
GENERAL controlled frequency converter Domestic
equipments: Braking transistor: GTR7 Heat sink type:
air cooler Technical specifications: Power: 8.3kVA Motor:
5.5kW 2 / 4P 50 / 60Hz Input voltage range: 305 ...
528V AC 3 PH Output voltage: 0 ... Uin Output rated
current: 12A Max. Short-time current limit: 21.6A Max.
Output frequency: 599Hz Switching frequency: 4kHz
Protection class: IP20

[07f5b1b-3b0a](#)

[3yx112mbb / Model : 3sx8 N0m4](#)