

Keller

Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Keller Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Keller Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
Pyrometer CellaTemp PK 21 AF 1	Measuring range: 250 - 1600 ° C Measurement field size: 10 mm in the focus distance Focus distance: 1500 mm Analog output: 0 (4) - 20 mA Switching output: PNP open collector Interface: IO-Link
Cable VK 02/L AF 1	5 x 0.25 mm ² shielded cable with straight cable socket Material PUR, silicone-free, halogen-free Cable length: 5 m Tmax = 90 ° C Umbrella placed on box Union nut: brass; nickel-plated
9703210045	Solenoid angle valve upper part 2" 24V DC - 2/2 way
Pa-23/Psi/8465.4	
80440.11-30	
Pa-21mc/30bar	
Pa-21sc/30bar/8044.11-30 !! By Pa-21 Y	
Pr-26w/6mh20/8369.1	
Pa-21y	
14449-5011	PRESSURE VESSEL CUSTOM OEM SST 125PSIG 300DEG F
Pa-23syei	

23pr-23 Ry/80710.12
Pa21g 4-20ma 0-50b
8100-3838-05 ,135 Bar 1500n ,M2 (25) ,Mc2 Mc3 (32)
Pa21r/80853.5
800773
H005af490
Pa-21y/30bar/81553.33/4...20...A
Pa-21mc 1/4 Inch Female Range:0-30 Bar Output:4-20 Ma
Model: Pa-33x / 700bar / 80794.5 [233305.0226]
Pa215-R
Paa-21sr Pn: 222140.0403
Pa-21y/25 Bar
222 155 0355 (Pr21y)
Lpx-10
480638
Pa-21y 81554.3
222308.0097
Pa-21sr Pa-21y
Type:Pa-21y 0-60bar 4-20ma 24vdc
Pr 23r/80710.34 -
Pa-21sr,0-10 Bar
Pa-23sy / 350bar / 81592.01 (222308.0097)
Pa-21mc/ 80407.33-30 - Obsolete, Replaced By Pa-21y
Pr219(Ex.Pr-21s/81400)
Pa-33x/200bar/80794(233305.3578)
222155.0088
P98002842001
Pa-21y (Ex. Pa21sc/80400)

Paa-21mc/80407.33 , By Paa-21y
Lex1
Pa-21r/400
Pr-23y-723/5-P
Pa 23 Sy 81593.5
222155.0280
27729
Pa-21sr ,0-25bar
Leo 1/0..700bar
Pr-21-2
Pa-21g/81382.11
Pa-33x/80794
Pa21-Mc 1/4 Inch Famele Range:0-15 Bar Output:4-20ma
A00016075
Pa21y(Ex. A-21mc/80407.11-30)
Pa-21gi81382-11
P-21sr 777859.9793a
Pa-21g/30bar/81388.11
Pa-21r 250/80853.3
04.07.04.32.00007
2m Cable With Connector Mpm-393
Pl11af1
PYROMETER
Pa-21 Y
2.441.100.076
Msr Pa-21sr/10
Dv-2 Ps 1-3bar
P98002842000
Leo1 Model 0/300 Bar Å188;?
A000013408 -
25htc 8087

[Pa-21sr /10 Bar/80520,5 Range 0,,,,,10
Bar Output 4,,,20 Ma Supply 8,,,28vdc
P/N 222140.0236 1: - By Pa-21y / 10bar
/ 81554.33](#)

[04.07.22.21.00004 / By Type:Pa-21yr 0-
60bar 4-20ma 24vdc](#)

[Pa-21mc/80352.33-25 , By Pa-21y](#)

[Pa21hd/80077.3](#)

[Leo 2](#)

[8040733-30](#)

[08-508.000 \(Ex.Pa-23/8829-400\)](#)

[Vario T 1.5](#)

[Da -214 0...16 Bar 4...20 Ma Mpm
Stecker G 1/4quot; Aussen](#)

[Pa-21y/81554.55](#)

[Paa-21y](#)

[Pa_21sr/6bar/80520.5](#)

[Paa21sc/80440.11-8](#)

[Pa228556100](#)

[Pr-21s/80400.3](#)

[A110161 81025,25 P](#)

[9703210061](#)

[5 Pin Binder Ex-Proaf Cable Connector
For Keller 35xei Presure
Transmitterã39;S Output And Power
Connec](#)

[13765m Sensor Cable For Pr-36xw](#)

[Pa-21y P/N 777844 8663](#)

[320020.0024](#)

[Leo1-30-P](#)

[677 Tampon](#)

[Pa-21y/25 Bar/81554.33 - Type Pa-
21y/25 Bar](#)

[Pa-21m/804.11-30 / By Pr-21y](#)

[Pa-21m/80401.11-30](#)

[Pr 36x/80985.34](#)

[Paxb400](#)

[Pa21 81520.5 0-16 Bar 4-20 Ma](#)

[Pq16af4](#)

[Paa-33x/80794 P/N: 233305.0233](#)

[222 155 1335 \(Pa21y\)](#)