

Keysight Agilent Hp

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Keysight Agilent Hp Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Keysight Agilent Hp Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.



rn	Aıklama
4263a	DIGITAL LCR METER
34902a	
8005a	
1157a	TEST LEAD, INPUT VOLTAGE MAX:40V, BANDWIDTH:2.5GHZ, FOR USE WITH:INFINIUM 54800A SERIES SCOPE (LS-120 DRIVE IS REQUIRED FOR THIS UPGRADE), ROHS COMPL
3776b	TEST SET
53220acal	53220A / UNIVERSAL COUNTER/TIMER, 350MHZ,12 DIGITS/S, 100PS, LAN, USB,GPIB
34401a/1cmcal	DIGITAL MULTIMETER, 6.5 DIGIT, RACKMOUNT KIT
U1242bcald	
N5744acald	
4404a	RELAY

33210a001	(PRICE/EA) WAVEFORM GENERATOR ARB / FUNCTION, 10MHZ, PRODUCT RANGE:332XX SERIES, NO. OF CHANNELS:1 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTION
346c	(PRICE/EA) 346C / 10 MHZ TO 26.5 GHZ 346 SERIES NOISE SOURCE NOMINAL ENR 15DB, ROHS COMPLIANT: NA
N1996a-503	
11667b	(PRICE/EA) POWER SPLITTER, ACCESSORY TYPE:POWER SPLITTER, FOR USE WITH:KEYSIGHT POWER MONITORING INSTRUMENTS, PRODUCT RANGE:-, ROHS COMPLIANT: NA
34307acald	
E3634acald	
P486a	
4339b	METER
34405acald	MULTIMETER, DIGITAL, BENCH, 5-1/2 DIGIT, DMM TYPE:BENCH, VOLTAGE MEASURING RANGE DC:100MV TO 1000V, VOLTAGE MEASURING RANGE AC:100MV TO 750V, CURRENT
U1212acald	
1650a	ANALYZER MODULE
Dsoxperfmso	
U2000b	
E1483a	
53200u-150	(PRICE/EA) PULSE MICROWAVE MEASUREMENTS UPGRADE KIT, ACCESSORY TYPE:PULSE MICROWAVE SOFTWARE, FOR USE WITH:KEYSIGHT 53230A RF UNIVERSAL FREQUENCY COUN
N8738a-831-230	
53181a	(PRICE/EA) FREQUENCY COUNTER, 225MHZ, 10 DIGIT, BANDWIDTH:-, COUNTER MEASURING FUNCTIONS:DUTY CYCLE, FREQUENCY, PEAK VOLTAGE, PERIOD, PHASE ANGLE, PUL
33220a-Gsacald	WAVEFORM GENERATOR ARB / FUNCTION, 20MHZ, SIGNAL GENERATOR TYPE:ARB / FUNCTION
5302a	
E5072a	
1651b	LOGIC ANALYZER 32 CHANNELS PORTABLE
54110d	OSCILLOSCOPE DIGITIZING 50OHM 115/230V 650VA 60HZ

34980a/Dmmcal	PRODUCT DESCRIPTION: MULTIFUNCTION SWITCH/MEASURE MAINFRAME ? HOLDS UP TO 8 PLUG-. WITH OPTION DMM
6063bcald	
1651a	ANALYZER
87406b	
105a	OSCILLATOR
5314a	
335secu	
431-C	
83631a	
66105a	
44788a	
53230acal	(PRICE/EA) CALIBRATED 53230A, FREQUENCY COUNTER, 12-DIGIT, 0.2 PPM
182t	MAIN FRAME
16515a	TIMING CARD 16CHANNEL 1GHZ 8K
34401a/120/903cal	DIGITAL MULTIMETER, 6.5 DIGIT. WITH OPTIONS 120 AND 903
5089a	POWER SUPPLY
N5181a	
54300a	MULTIPLEXER
U1604b-001cal	
87301b	
33509b	(PRICE/EA) GENERATOR, WAVEFORM, 20MHZ, 1 CH, PRODUCT RANGE: 33500B SERIES, NO. OF CHANNELS: 1 CHANNEL, SIGNAL GENERATOR TYPE: ARBITRARY, FUNCTION, BANDWI
34951a	(PRICE/EA) D/A CONVERTER MODULE, ACCESSORY TYPE: D/A CONVERTER WITH MEMORY, FOR USE WITH: KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE: -, ROHS COMPLIANT: NA
33522a 17025 Cal D	33522A / 2-CHANNEL 30 MHZ FUNCTION/ARBITRARY WAVEFORM GENERATOR
Y1151a	
11500c	

3585a	ANALYZER
53131a/Abacalibrated	
34401acaldu	34401A / DIGITAL MULTIMETER, 6.5 DIGIT
34937a	(PRICE/EA) GENERAL PURPOSE MODULE KEYSIGHT 34980A, ACCESSORY TYPE:GENERAL PURPOSE MODULE, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, SUP
4194a	ANALYZER
1147a Cal Du	1147A / CURRENT PROBE WITH AUTOPROBE, 15A AC/DC, 50MHZ
33522bcald	(PRICE/EA) AGILENT 33522B 17025 CALIBRATION WITH DATA AND UNCERTAINTIES
U5491a	
N3305a-Refurb	
3788a	
34832a	
54642dcald	OSCILLOSCOPE 500 MHZ, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 ANALOG + 16 DIGITAL, BA
6622a	
E3634a/1cmcald	
Dso7054a	
E1352a	
33521a-002 Cal D	33521A / 16MSA ARB MEMORY
E3633acal	
85027e	
N1625a	
34925a	(PRICE/EA) OPTICALLY ISOLATED FET MULTIPLEXER MODULE, ACCESSORY TYPE:OPTICALLY ISOLATED FET MULTIPLEXER, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODU
N6733b/761	
3717a	DEMODULATOR
34924a	(PRICE/EA) REED MULTIPLEXER MODULE, ACCESSORY TYPE:MULTIPLEXER, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, SUPPLY VOLTAGE MAX:80MV, SUPP
1645a	

34401a/1cmcaldu	DIGITAL MULTIMETER, 6.5 DIGIT, RACKMOUNT KIT
8731a	
34980a17025-Cald	34980A / MULTIFUNCTION SWITCH/MEASURE UNIT
E2614a	
11947a	LIMITER
86260b	
34420acald	34420A / NANO-VOLT/MICRO-OHM METER, 7.5 DIGIT
87204a	
53210a	(PRICE/EA) FREQUENCY COUNTER, 1MHZ TO 350MHZ, 10-DIGIT, 100VAC TO 240VAC, 0.2 PPM, BANDWIDTH:350MHZ, COUNTER MEASURING FUNCTIONS:FREQUENCY, TEST FREQU
Msox2012a	
Y1141a	
4951c	ANALYZER
34411acaldu	34411A / DIGITAL MULTIMETER/DIGITIZER, 6.5 DIGIT
16520a	GENERATOR
53200u-300	(PRICE/EA) SMART BATTERY AND CHARGER UPGRADE KIT, BATTERY TECHNOLOGY:LITHIUM ION, FOR USE WITH:KEYSIGHT 53200 SERIES RF UNIVERSAL FREQUENCY COUNTER
8552b	
33521a Cal Du	33521A / 1-CHANNEL 30 MHZ FUNCTION/ARBITRARY WAVEFORM GENERATOR
Dso6104a/8mhcaldu	
6652acal	
E4421b	
33220a-Gsa	(PRICE/EA) WAVEFORM GENERATOR ARB / FUNCTION, 20MHZ, PRODUCT RANGE:332XX SERIES, NO. OF CHANNELS:1 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTION,
N9342ck-Gps	
Hpe1330b	QUAD 8-BIT DIGITAL INPUT/OUTPUT
34905a	(PRICE/EA) COMPUTERS, DATA SWITCHES, ACCESSORY TYPE:DUAL RF MULTIPLEXER 4 CHANNEL, FOR USE WITH:KEYSIGHT 34970A DATA LOGGER, PRODUCT RANGE:-, BANDWIDT

83590a	
N3303a	
U1242b-Gsa	
8005b	
33521a-400	WAVEFORM GENERATOR ARB / FUNCTION, 30MHZ, SIGNAL GENERATOR TYPE:ARB / FUNCTION, BANDWIDTH:30MHZ, MODULATION TYPE:AM / BPSK / FM / FSK / PM / PWM, SUPP
E3633a/1cmcal	
654a	OSCILLATOR TEST UNIT
6553a17025cald	
11612a	(PRICE/EA) 11612A / BIAS NETWORK, ROHS COMPLIANT: NA
5512a	ELECTRONIC COUNTER 115/230V
3770b	ANALYZER
53132a	(PRICE/EA) FREQUENCY COUNTER, 225MHZ, 12 DIGIT, BANDWIDTH:-, COUNTER MEASURING FUNCTIONS:DUTY CYCLE, FREQUENCY, PEAK VOLTAGE, PERIOD, PHASE ANGLE, PUL
53151a	
34420acaldu	34420A / NANO-VOLT/MICRO-OHM METER, 7.5 DIGIT
N6752a	
W4000c-U85	
8954a	
33220a17025cald	33220A / FUNCTION/ARBITRARY WAVEFORM GENERATOR, 20 MHZ
86602b	
E3631acalibrated	
34905a-Gsa	(PRICE/EA) RF MULTIPLEXER MODULE, 34970A 34972A DAU, ACCESSORY TYPE:DUAL RF MULTIPLEXER 4 CHANNEL, FOR USE WITH:KEYSIGHT 34970A DATA LOGGER, PRODUCT
N9010aep-001	
33250acald	33250A / FUNCTION/ARBITRARY WAVEFORM GENERATOR, 80 MHZ
W3635b	
Dso7032b	
N2891a	

E4404bstg	
53210a/106	6 GHZ CW
Dsox3104acaldu	
16089c	
53132ademo	FREQUENCY COUNTER, BANDWIDTH MAX:225MHZ, DATA RATE MAX:200MBPS, FREQUENCY RESOLUTION:12 DIGITS/SECOND, TIME INTERVAL RESOLUTION:150S ROHS COMPLIANT: N
34951acald	CHANNEL ISOLATED D/A CONVERTER WITH WAVEFORM MEMORY FOR 34980A
11713c	
33220a0b0r51b001	WAVEFORM GENERATOR ARB / FUNCTION, 20MHZ, SIGNAL GENERATOR TYPE:ARB / FUNCTION
83650b	
N4692a	
3325b	SYNTHESIZERFUNCTION GENERATOR .001HZ-21MHZ
34901a/H6587a-0y3	
N5745acaldu	
N3302acal	
5328b	HS COUNTER
53132acaldu	FREQUENCY COUNTER, 225MHZ, 12 DIGIT, COUNTER MEASURING FUNCTIONS:DUTY CYCLE / FR
16117b	(PRICE/EA) 16117B / LOW NOISE TEST LEADS, ROHS COMPLIANT: NA
N9912au-230	
E5412a	
34922a	(PRICE/EA) ARMATURE MULTIPLEXER MODULE KEYSIGHT 34980A SERIES, ACCESSORY TYPE:ARMATURE MULTIPLEXER, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RA
462a	
N5181b-506	
34972a17025cald	34972A / LXI DATA ACQUISITION SWITCH UNIT WITH LAN AND USB
8645a	
U8031a	
N9344ck-Adp	

4145a	ANALYZER
54006a	TEST PROBE, OSCILLOSCOPE, TEST PROBE TYPE:OSCILLOSCOPE, TEST PROBE FUNCTIONS:FREQUENCY, FOR USE WITH:INFINIUM SERIES OSCILLISCOPES, BANDWIDTH:6GHZ, I
N2875a	
Dso6104a-Gsa	
87301e	
11852b/004	
N9000aep-004	
Dsox2012acald	
1131a	(PRICE/EA) TEST PROBE, OSCILLOSCOPE, BANDWIDTH:3.5GHZ, OSCILLOSCOPE PROBE FUNCTION:ACTIVE, INPUT VOLTAGE MAX:30V, TEST PROBE ATTENUATION:10:1, FOR USE
432a	POWER METER
6453a	
6612c	
34401a/120caldu	DIGITAL MULTIMETER, 6.5 DIGIT, 120-V AC LINE SELECTION
Dsox3014acald	
1134a	(PRICE/EA) TEST PROBE, OSCILLOSCOPE, BANDWIDTH:7GHZ, OSCILLOSCOPE PROBE FUNCTION:ACTIVE, INPUT VOLTAGE MAX:30V, TEST PROBE ATTENUATION:10:1, FOR USE W
5063-2135	
5355a	CONVERTER
3445gpbu	
U1169a	
Dsox2014acal	
11664a	DETECTOR
3468b	
Dsox2022acaldu	
N5384a	
E5346a	(PRICE/EA) E5346A / PROBE, 34 CHANNEL SINGLE-ENDED MICTOR CONNECTOR,CONNECTS TO 40-PIN LA CABLE, ROHS COMPLIANT: NO

11590b	NETWORK CARD
87421a	
33522a-400	WAVEFORM GENERATOR ARB / FUNCTION, 30MHZ, SIGNAL GENERATOR TYPE:ARB / FUNCTION, BANDWIDTH:30MHZ, MODULATION TYPE:AM / BPSK / FM / FSK / PM / PWM, SUPP
547a	
1650b	ANALYZER
53220an	
6216a	POWER SUPPLY
4275a	PREC METER
54833dcal	OSCILLOSCOPE 1 GHZ, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 ANALOG + 16 DIGITAL, BAND
3325a	
84904k	
3465a	
6011a	
N6736b	
33521a-002	(PRICE/EA) WAVEFORM GENERATOR ARB / FUNCTION, 30MHZ, PRODUCT RANGE:33500 SERIES, NO. OF CHANNELS:1 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTION
L7206c	
5063-9219	
3705a	
6294a	
E4417a	
E2308acal	
U8002a-1cm	
6652acaldu	
54833d	, SCOPE BANDWIDTH:1 GHZ, SCOPE CHANNELS:2 SCOPE + 16 LOGIC, SCOPE TYPE:MIXED-SIGNAL, SERIES:54800, MEMORY SIZE:16MB, SAMPLE RATE:4 GSPS, CALIBRATED:NO
N9344ck-Scc	
4285a	
N5750a/903	

1630d	LOGIC ANALIZER 25MHZ/100MHZ 16CHANNEL
6200b	
8640b	SIGNAL GENERATOR 500KHZ-512MHZ
N4010a	
N5181ak-1er	
11692d	COAX COUPLER
1147a	CURRENT OSCILLOSCOPE PROBE, AC/DC, WITH AUTOPROBE INTERFACE, FOR USE WITH:AGILENT TECHNOLOGIES 6000 DSO5000 SERIES OSCILLOSCOPES, BANDWIDTH:50MHZ, I
N1996akp03	
U8903a-113	
Dso1072b	
53230a	(PRICE/EA) FREQ COUNTER, 350MHZ, 12-DIGIT, 0.2PPM, BANDWIDTH:350MHZ, COUNTER MEASURING FUNCTIONS:FREQUENCY, TIME INTERVAL, TEST FREQUENCY RANGE:1MHZ T
V3500a-Ca1	
8496acald	
33522a-Gsa	WAVEFORM GENERATOR ARB / FUNCTION, 30MHZ, SIGNAL GENERATOR TYPE:ARB / FUNCTION, BANDWIDTH:30MHZ, MODULATION TYPE:AM / BPSK / FM / FSK / PM / PWM, SUPP
33521a-400 Cal D	33521A / ADD GPIB INTERFACE
Dso7032b-Gsa	
U8001acald	
N9010ak-Htc	
10631-B	
3497a	DATA AQUUISTION CONTROL UNIT
16034e	
81619a	
85025a	
N2737a	
54502a	
5440b	
E1460a	MULTIPLEXER 64CHANNEL RELAY

909a	
N3304a/R-51b-001-3ccald	
34946a	MICROWAVE SWITCH MODULE, FOR USE WITH:34980A MAINFRAME, RANGE:2 GHZ OR 20 GHZ, ROHS COMPLIANT: NA
5063-9243	
34509a	
331a	DISTORTION ANALYZER
N9343ck-Gpa	
3762a	GENERATOR
651b	
34970a/001caldu	
Hp34401a	
85036ek06	
N9010a-526	
U2651a	
Mso8104a	
83630a	
N2820a	
34970a-Gsa	(PRICE/EA) DATA ACQUISITION, 250CH/S, 22BIT, NO. OF CHANNELS:1CHANNELS, SAMPLING RATE:-, INPUT VOLTAGE MAX:240V, INPUT CURRENT MAX:-, BANDWIDTH:-, EXT
37203a	
34972a/H6587a-0y3(Stdcal)	
3336c	GENERATOR
N5764a	
U1273a	
53150a	
11720a	MODULE
54201a5450	SCOPE
N9000ak-Fsa	
	(PRICE/EA) BENCHLINK DATA LOGGER PRO SOFTWARE,

34830a	ACCESSORY TYPE:BENCLINK DATA LOGGER PRO SOFTWARE, FOR USE WITH:KEYSIGHT 34970A / 34972A DATA ACQUISITI
N9342ck-Sec	
U1780a	
U1590a	
1156a	TEST EQUIPMENT PROBES, FOR USE WITH:54800-SERIES INFINIUM OSCILLOSCOPE ROHS COMPLIANT: NA
1153a	(PRICE/EA) TEST PROBE, OSCILLOSCOPE, BANDWIDTH:200MHZ, OSCILLOSCOPE PROBE FUNCTION:DIFFERENTIAL, INPUT VOLTAGE MAX:500VDC, TEST PROBE ATTENUATION:10:1
Dso6032acal	
E3641a-Gsa	
N9343c	
18788a	
33250a/Abacald	33250A / ENGLISH PRINTED MANUAL SET (FULL DOCUMENTATION ON CD-ROM), ROHS COMPLIANT: NA
W2635a-010	
1722b	
Msox2014a-Gsa	
U1175a	
Dsox2bw12	
N9917a	
34946a-004	
N6736bcald	
U7231a	
6282a	POWER SUPPLY 10-20AMP 10-20V
5063-9240	
8591a	
85054b	
3437a	HV VOLTMETER
11500d	
N9010ak-1cm	

11975a	HC AMPLIFIER
Dsox3bw24	
8673b	
E1463-80011	SWITCH MODULE 32 CHANNEL
33210a	(PRICE/EA) WAVEFORM GENERATOR, ARB/FUNCTION, 10MHZ, PRODUCT RANGE:332XX SERIES, NO. OF CHANNELS:1 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTION
1cm024a	
66103acal	
Dsox2012a	
N5751a	
34952a	(PRICE/EA) MULTIFUNCTION MODULE, ACCESSORY TYPE:MULTIFUNCTION MODULE, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, ROHS COMPLIANT: NA
6032a/220cald	
5180a	RECORDER
3586b	PREC METER
N6775acald	
34908a17025cald	34908A / SINGLE-ENDED MULTIPLEXER MODULE FOR 34970A, 40-CHANNEL
53131a-Gsa	
E3612acald	
N9916a	
U1881a	
U3606a-1cm	
9133d	
N8801a	
N6761a	
6031a	
8683d	
Msox2014acal	
16380a	(PRICE/EA) 16380A / STANDARD CAPACITORS SET, ROHS

COMPLIANT: NA	
P9404a	
400el	
33521a-002 Cal Du	33521A / 16MSA ARB MEMORY
N4002a	
N5406a	
N9344ck-Bat	
8648b	
N8735a-831-230	
U1732a	
E3640a	
81050bl	
34946a-020	DATA LOGGER, FOR USE WITH:TYPE 34980A MAINFRAME, RANGE:20GHZ ROHS COMPLIANT: NA
L4421a	
R752a	
N2762a	
6611c	
E3630a/0e3caldu	
Mso6104acaldu	
34970a17025cald	34970A / DATA ACQUISITION/SWITCH UNIT. GPIB, RS232
N2738a	
54602a	OSCILLOSCOPE
E1370a	
U1604a-001	
N9330bk-Bcq	
1cp016a	
53230acald	(PRICE/EA) CALIBRATED W/ DATA, 53230A-FREQUENCY COUNTER
N9923a-104/H6584a-0y6	
3785b	SYSTEM
1672g	INTERFACE MOD

34950a	(PRICE/EA) DIGITAL I/O MODULE, ACCESSORY TYPE:DIGITAL I/O WITH MEMORY COUNTER, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, FEATURES:64
Hpe8460a	
53131a/Aba	
U1242a	
909c	
4145b	ANALYZER
6260b	
33520b	(PRICE/EA) GENERATOR, WAVEFORM, 30MHZ, 2 CH, PRODUCT RANGE:33500B SERIES, NO. OF CHANNELS:2 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTION, BANDWI
N9342ck-Bcg	
11716a	
N6743bcald	
9122c	
Mso6034a-Gsa	
1cp020a	
3779b	
3476a	
E3647acald	
16516a	EXPANSION RACK
E3645acald	
A1319b	RACKMOUNT CONTROLLER R382 25MHZ PROCESSOR
N5181a-506	
B2902a	
42942a	
Dso6032a-Gsa	
5334b	
63312da3	
N9342ck-Scc	

R362a	
3570a	
66101a/760	
432b	POWER METER
355d	ATTENUATOR
3480d3482a	
4815a	PREC METER
3458acaldu	3458A / DIGITAL MULTIMETER, 8.5 DIGIT
N8486ar	
E5043c	
6012b-Manual	
478a	
Dso9254a	
5343a	TEST EQUIPMENT
N9344ck-P20	
Dso9254acal	
E3620acald	
11667bh04	
N9910x-825	
4262a	
U1602b	
8471d	
N3305a/A6j	
44476b	
5384a	
N9000aep-005	
U1232acald	
5341a	FREQUENCY COUNTER 4.5GHZ
85024a	
8493c/010	
6612ccaldu	

63312da2	
U1273ax	
Dso1102b	
1158a	(PRICE/EA) TEST, TEST LEADS, BANDWIDTH:4GHZ, OSCILLOSCOPE PROBE FUNCTION:ACTIVE, INPUT VOLTAGE MAX:40V, TEST PROBE ATTENUATION:10:1, FOR USE WITH:KEYS
34939a	(PRICE/EA) GENERAL PURPOSE SWITCH, ACCESSORY TYPE:GENERAL PURPOSE MODULE, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, FEATURES:64 CHANNEL
6641a	
11636a	
U1186acald	
Mso7032b	
N9343ck-Sim	
33510b	(PRICE/EA) GENERATOR, WAVEFORM, 20MHZ, 2 CH, PRODUCT RANGE:33500B SERIES, NO. OF CHANNELS:2 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTION, BANDWI
N9356b	
E8460a	REED RELAY MULTIPLEXER 256CHANNEL HIGH-DENSITY
4396a	
85032f	
34905acal	34905A / RF MULTIPLEXER MODULE FOR THE 34970A, DUAL 4-CHANNEL, 50 OHM
5182a	GENERATOR
N9010aep-003	
54200a	SCOPE
N5181ak-006	
92220r	
355e	ATTENUATOR
34939t	
N8761a-861-208	
35677b	PREC METER

N5427a	
84906k	
N5468a	
6207a	
N5765a/861	
44473a	
34970a/001cald	
N2779a	
34905acaldu	34905A / RF MULTIPLEXER MODULE FOR THE 34970A, DUAL 4-CHANNEL, 50 OHM
B2911a	
N5740a	
54642ddemo	OSCILLOSCOPE, SCOPE BANDWIDTH:500 MHZ, SCOPE TYPE:MIXED-SIGNAL, SERIES:54600, MEMORY SIZE:8MB, SAMPLE RATE:2 GSPS, CALIBRATED:NO ROHS COMPLIANT: NA
Dso1022a	
34931a	(PRICE/EA) ARMATURE MATRIX MODULE, ACCESSORY TYPE:DUAL ARMATURE MATRIX, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, SUPPLY VOLTAGE MAX:30
8504a	
4935a	PREC METER
8765b/324	
81150a-001	
85093c	
8181b	
N2796a	
16092a	
6653a	(PRICE/EA) POWER SUPPLY, ADJ, 10/P, 15A, 35V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT VOLTAGE MAX:
4925b	TESTER
U2922a	
N5477a	

66103acald	
8160a	
34904acal	
Dso9064a	
10541a	
E2308acald	
R1602c	
70900b	
6186c	
N5772acald	
3777a	SELECTOR
1130a	(PRICE/EA) TEST PROBE, BANDWIDTH:1.5GHZ, OSCILLOSCOPE PROBE FUNCTION:ACTIVE, INPUT VOLTAGE MAX:30V, TEST PROBE ATTENUATION:10:1, FOR USE WITH:KEYSIGHT
Dso6052a	
N9342ck-Tpn	
16338a	TEST LEAD KIT , FOR USE WITH:4338A/B MILLIOHMMETERS, KIT CONTENTS:4 TYPES OF TEST LEADS 1 MATING CABLE, ROHS COMPLIANT: NA
3476b	
U1574a	
34945a	(PRICE/EA) MICROWAVE SWITCH MODULE, ACCESSORY TYPE:MICROWAVE SWITCH, ATTENUATOR DRIVER, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, NO. 0
34330acald	
4953a	
U1604b-001cald	
N6734bcald	
34410acald	
11857f	
4338a	HC AMMETER
Mso6104a-Gsa	

3310b	
E4405bstd	
Dso9024h	
N9342ck-Scn	
N9010ak-P03	
8900b	
34980acald	34980A / MULTIFUNCTION SWITCH/MEASURE UNIT
Dso6052acal	
E3610acaldu	
197b	CAMERA
N8739a-861-208	
8493c/006	
N3306acald	
Mso7012b-Gsa	
N4998c	
Mso6012a-Gsa	
B2912a	
3468a	MULTIMETER
81000ja	
Dso7104a	
E4444a	
E5805a	
83059c	
N8740a	
54600a	OSCILLOSCOPE 2-CHANNEL 100MHZ
4936a	TIMS FOR TELEPHONE UP TO 110KHZ
N9344ck-Tad	
E5061bu-1e5	
53230a/H6587a-0y3	
8558b	SPECTRUM ANALYZER 0.1-1500MHZ
34903a17025cald	

54008a	DELAY LINE 20GHZ
33250a/Abacaldu	33250A / ENGLISH PRINTED MANUAL SET (FULL DOCUMENTATION ON CD-ROM)
85072a	
54602b	
8447e	
3406a	VOLTMETER
33521a	WAVEFORM GENERATOR, ARB/FUNCTION, 30MHZ, SIGNAL GENERATOR TYPE:ARB, FUNCTION, BANDWIDTH:30MHZ, MODULATION TYPE:AM / BPSK / FM / FSK / PM / PWM, SUPPLY
Hp-4273a	PRESET CAPACITANCE METER W/CABLES
3421a022	MULTIPLEXER
33522a	WAVEFORM GENERATOR, ARB/FUNCTION, 30MHZ, SIGNAL GENERATOR TYPE:ARB / FUNCTION, BANDWIDTH:30MHZ, MODULATION TYPE:AM / BPSK / FM / FSK / PM / PWM, SUPPL
3781b	GENERATOR
35676a	TRANS MODULE
53220acald	53220A / UNIVERSAL COUNTER/TIMER, 350MHZ,12 DIGITS/S, 100PS, LAN, USB,GPIB
34902acaldu	
L7206a/T24	
34410acal	34410A / DIGITAL MULTIMETER, 6.5 DIGIT
62605j	
16047a	
70310-60016	
33250aaba	(PRICE/EA) WAVEFORM GENERATOR ARB / FUNCTION, 80MHZ, PRODUCT RANGE:332XX SERIES, NO. OF CHANNELS:1 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, DIRECT DI
N9320b	
5517b	LASER HEAD
1143a	1143A / PROBE OFFSET CONTROL AND POWER MODULE FOR 54701A, ROHS COMPLIANT: NA
N5747acaldu	

Dsox2wavegen	
E5386a	
34980a/Dmmcald	MULTIFUNCTION SWITCH/MEASURE UNIT, ADD INTERNAL 6.5 DIGIT DMM , CALIBRATED BY NEWARK SERVICES.
493a	HC AMPLIFIER
34161a	
33522a Cal Du	33522A / 2-CHANNEL 30 MHZ FUNCTION/ARBITRARY WAVEFORM GENERATOR
423b	
54201a	SCOPE
1142a	(PRICE/EA) PROBE CONTROL AND POWER MODULE, ACCESSORY TYPE:PROBE CONTROL POWER MODULE, FOR USE WITH:KEYSIGHT 1141A DIFFERENTIAL ACTIVE PROBE, PRODUCT
11713a	ATTENUATOR SWITCH DRIVER
N9923au-308	
N9923au-302	
U1162a	
E2669a	
N2863a	
4937a	
3550b	TEST SET
34405a	
350d	
U2542a	
Hpe1418a	
K281c	
E3630a/0e3cal	
10503a	
U1180a	
N9000aep-002	
Dsox4032a	
10898a	PC BOARD VME LASER BOARD 2AXIS

66102a/760caldu	
N3305acal	
1168a	(PRICE/EA) TEST PROBE, OSCILLOSCOPE, BANDWIDTH:10GHZ, OSCILLOSCOPE PROBE FUNCTION:ACTIVE, INPUT VOLTAGE MAX:30V, TEST PROBE ATTENUATION:3.45:1, FOR US
54600b	
E3634a	
Dsox3flex	
34902acal	
1141a	DIFFERENTIAL OSCILLOSCOPE PROBE, FOR USE WITH:AGILENT TECHNOLOGIES 6000 DSO5000 SERIES OSCILLOSCOPES, BANDWIDTH:200MHZ, INPUT VOLTAGE MAX:500V, TEST
N5181aep-Unu	
34970a/001cal	MAINFRAME WITHOUT INTERNAL 6.5 DIGIT DMM, CALIBRATED
44473a-Conn	
6633a	
E3610acal	
83545a	
Y1139a	
11968c	TRIPOD
5316a5316b	COUNTER/TIMER
33210acaldu	33210A / FUNCTION/ARBITRARY WAVEFORM GENERATOR, 10 MHZ
11858a	TRANSISTOR
N6776acal	
33250a	(PRICE/EA) WAVEFORM GENERATOR, ARB/FUNCTION, 80MHZ, PRODUCT RANGE:332XX SERIES, NO. OF CHANNELS:1 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, DIRECT DIG
8601a	
6282a86a91a96a	
34933a	(PRICE/EA) ARMATURE MATRIX MODULE, ACCESSORY TYPE:DUAL/QUAD REED MATRIX, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, SUPPLY VOLTAGE MAX:1

N6733bcal	
1cm068a	
N5766acal	
54616c	OSCILLOSCOPE 500MHZ
N5181ak-Unu	
N5430a	
34411a	(PRICE/EA) MULTIMETER, DIGITAL, BENCH, 6-1/2 DIGIT, DMM FUNCTIONS:AC/DC CURRENT, AC/DC VOLTAGE, CAPACITANCE, CONTINUITY, FREQUENCY, RESISTANCE, TEMPER
N2894a	
34401a/1cmcald	34401A/1CM CALIBRATED
E2308acaldu	
87301d	
54642dcald	OSCILLOSCOPE 500 MHZ, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 ANALOG + 16 DIGITAL, BA, ROHS COMPLIANT: NA
1cm013a	
E9301h	
N4691b/00f	
53230a-Gsa	(PRICE/EA) FREQUENCY COUNTER, 12-DIGIT, 0.2 PPM, BANDWIDTH:-, COUNTER MEASURING FUNCTIONS:FREQUENCY, TIME INTERVAL, TEST FREQUENCY RANGE:1MHZ TO 350MH
N1921a	
1640a	
44429a	MODULE D-A DUAL VOLTAGE
Y1160a	
8660c	
3746a	PREC METER
N5447a	
34405a Cal	34405A / DIGITAL MULTIMETER, 5.5 DIGIT
N9342ck-Cau	

87222e	
E2640a	
54512b	
N9342ck-Tg7	
438a	POWER METER
N9910x-870	
175a54600a	OSCILLOSCOPE
E4416a/005	
85130d	
8181a	
34902acald	34902A / REED MULTIPLEXER MODULE FOR 34970A, 16-CHANNEL
59501b	
N9311x-508	
Mso7032b-Gsa	
83006a	
E1458a	I/O MODULE 96CHANNEL DIGITAL
Dso1002a	
34401a/120/903caldu	DIGITAL MULTIMETER, 6.5 DIGIT. WITH OPTIONS 120 AND 903
6050a	
1cm029a	
E1463a	SWITCH MODULE 5AMP 32CHANNEL
N6701a	
N9343ck-Adp	
34908a	
E4419a	
E5252a	SWITCH MAINFRAME LOW LEAKAGE DC FUNCTION
N8736a	
606a-34a	
6032acaldu	
U1782a	

1180cz	CART, OSCILLOSCOPE, 130LB TEST EQUIPMENT, CARRYING CAPACITY:130LB, EXTERNAL HEIGHT:920MM, EXTERNAL WIDTH:457MM, BODY MATERIAL:COLD-ROLLED STEEL, EXTER
10834a	
10070c	
Dsox2022acal	
Mso9404a	
N6708a	
4349b	HIGH RESISTANCE METER DC 4 CHANNEL 9.5MS
83592b	
N9311x-500	
1147b	(PRICE/EA) PROBE, CURRENT, 8000/9000 OSCILLOSCOPE, METER SIDE CONNECTOR:KEYSIGHT AUTOPROBE INTERFACE, PROBE SIDE CONNECTOR:CURRENT CLAMP, CURRENT RANG
N9355f	
E5061b-3I5	
U1177a	
N4998a	
3581a	ANALYZER
6263b	
8900d	
3577a	ANALYZER
B2962a	
E34980a	
E89328-C	
N2879a	
37701b	TESTER DATACOM T1
E1400-61601	
1966a	
773d	
Hp4276a	
3853a	

N9320bk/G01	
U1241b-Gsacaldu	
8111a	PULSE/FUNCTION GENERATOR 1HZ-20MHZ
10013a	
Msox2004a	
33521b	(PRICE/EA) GENERATOR, WAVEFORM, 30MHZ, 1 CHANNEL, ARB, PRODUCT RANGE:33500B SERIES, NO. OF CHANNELS:1 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTI
N1913a	
Y1135a	
N5445a	
34401a	(PRICE/EA) MULTIMETER, DIGITAL, BENCH, 6-1/2 DIGIT, DMM FUNCTIONS:AC/DC CURRENT, AC/DC VOLTAGE, CONTINUITY, FREQUENCY, RESISTANCE, TEMPERATURE, CURREN
34410acaldu	
11909a	CONTROL
1661a	LOGIC ANALYZER 102CHANNELS
1cp014a	
E3616acaldu	
N6783a-761	
33220acaldu	33220A / FUNCTION/ARBITRARY WAVEFORM GENERATOR, 20 MHZ
6516a	POWER SUPPLY 0-3000V 6M AMP THUMBWHEEL ADJUST
N9344ck-Gpa	
N9923a-106	
N6705b	
Dsox3bw32	
34103a	
N6744bcald	
3852a	
11581a	
34522a	MODULE
U1171a	

44470a	ARMATURE MULTIPLEXER MODULE, INPUT CURRENT MAX:2A, NO. OF CHANNELS:10, SUPPLY VOLTAGE MAX:250V, ROHS COMPLIANT: NA
8657b	
U1273acaldu	
59500a	PROGRAMMER
5370b	HS COUNTER
44422a	MODULE 20 CHANNEL T COUPLE ACO
U1251b17025cald	
N5742a	
16339a	
3577b	ANALYZER
Dso6104a/8mhcald	
3715a	
6220b	
N2750a	
Y1155a	
3305a	
33220a/Abacald	33220A/ABA CALIBRATED
8494acal	
44722a	
N6733b	
N5416a	
N6702a	
33220a/Aba/903/R51b0013c/Calib	AGILENT 33220A/ABA/903/R-51B-001-3C CALIBRATED
E1411b	
N9342ck-Ca7	
N2753a	
8709a/H10	
U1253b	
6033a	POWER SUPPLY 200W 30AMP 20VDC
5180t	RECORDER

N5752a	
33220a/001caldu	33220A / 10 MHZ EXTERNAL TIMEBASE OPTION
8131a	
N9340bk-Bat	
N4001a	
N5171b-501	
8570a	
Mso7052b	
6031acald	
N6733bcald	
W4000c-Pro	
N6754a	
N9915a	
E1426a	
83597a	
N9342ck-1dn	
N9910x-880	
U2004a	
N9910x-811	
34401a/R-51b-001-3ccald	DIGITAL MULTIMETER, 6.5 DIGIT WITH THE 1 YEAR WARRANTY EXTENDED TO 3 YEARS
N9010ak-1cr	
Dsox3pwr	
34411acald	MULTIMETER, DIGITAL, BENCH, 6-1/2 DIGIT, DMM TYPE:BENCH, VOLTAGE MEASURING RANGE DC:100MV TO 1000V, VOLTAGE MEASURING RANGE AC:100MV TO 750V, CURRENT
4991a	MONITOR
45945c	
34104a	
81110a1cp	
54100d	OSCILLOSCP NS

11900ac08	
335iqpu	(PRICE/EA) I/Q BASEBAND SIGNAL PLAYER, ACCESSORY TYPE:I/Q BASEBAND SIGNAL PLAYER, FOR USE WITH:KEYSIGHT 33500B SERIES WAVEFORM GENERATORS, PRODUCT RAN
Dso5012a	
N9923au-112	
U2781a	
33326-60003	CONNECTOR 26.5GHZ 90DB 15V 2.92MM
34952acal	34952A / MULTIFUNCTION MODULE WITH 32-BIT DIO, 2-CH D/A AND TOTALIZER FOR 34980A
34980a/Dmm	
N6765a	
Dsox4b3t154u	
34951acal	CHANNEL ISOLATED D/A CONVERTER WITH WAVEFORM MEMORY FOR 34980A
33521a/0b0 Cal Du	1-CHANNEL 30 MHZ FUNCTION/ARBITRARY WAVEFORM GENERATOR WITH OPTION 0B0
44471a	
34970a/120	
11970u	MIXER
81160a-001	
11500fc36	
437b	
6813b/020	
N5171b-506	
81110a/81111a-Fg/1cpcaldu	
8496b/002	
Dsox2bw24	
35677a	TESTER
34908acal	
Dsox3audio	
U3000a	

8568b	
83059a	
N9322ck-Scn	
5316b	
11500b	
6116a6115a	
3566a	ANALYZER
N9000aep-Pfr	
3754a	
34906a	(PRICE/EA) COMPUTERS, DATA SWITCHES, ACCESSORY TYPE:DUAL RF MULTIPLEXER 4 CHANNEL, FOR USE WITH:KEYSIGHT 34970A DATA LOGGER, PRODUCT RANGE:-, BANDWIDT
6812b	
3555b	
8720a	
Msox3052a-Gsa	
E3631a-Gsa	
N5745acald	
3330b	
N5181aep-1ea	
10833f	
U1241b-Gsacald	
8495h	
8765d	
53220acaldu	53220A / UNIVERSAL COUNTER/TIMER, 350MHZ,12 DIGITS/S, 100PS, LAN, USB,GPIB
54624acal	OSCILLOSCOPE, SCOPE TYPE:DIGITAL, SCOPE CHANNELS:4 SCOPE, SAMPLING RATE:200MSPS
E3634a-Gsa	
34980a	(PRICE/EA) DATA LOGGER, 1000CH/SEC, 6-1/2DIGIT, NO. OF CHANNELS:80CHANNELS, SAMPLING RATE:-, INPUT VOLTAGE MAX:300V, INPUT CURRENT MAX:1A, BANDWIDTH:4
82350b	

N5752acalibrated	
N6700b	
Dso7054b	
70908a	
N9010aep-004	
Y1131a	
85134f	
N6741b	
U2356a	
33511b	(PRICE/EA) GENERATOR, WAVEFORM, 20MHZ, 1 CHANNEL, ARB, PRODUCT RANGE:33500B SERIES, NO. OF CHANNELS:1 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTI
5356d	SYSTEM
N9912au-308	
N9398f	
8175a	
4943a	
6448b	
34513d	
E4419b	
N9020a-526/Ea3/P08	
83020a	
33210a/002cald	33210A / 8 K-POINT ARBITRARY WAVEFORM GENERATOR
4276a	
7090a	
34194a	
Dso7012a	
8757a	
N5454a	
Hp54600b	
6651a	

N2771b	
8012b	PULSE GENERATOR
34937t	
6621a	
8717b	
Dsox3102acal	
33250a/Abademo	SIGNAL GENERATOR, BANDWIDTH MAX:80MHZ ROHS COMPLIANT: NA
335c	
E3642acal	
11707a	
Dso7034a	
E3631a/0em	
85130f	
5063-2140	
N2901d	
8750a	
85133e	
E2659a	
34401acald	MULTIMETER, DIGITAL, BENCH, 6-1/2 DIGIT, DMM TYPE:BENCH, VOLTAGE MEASURING RANGE DC:100MV TO 1000V, VOLTAGE MEASURING RANGE AC:100MV TO 750V, CURRENT
8165a	
U1731c	
Dso6012acaldu	
8511a	
N9340bk1dc	
Dso6014a-Gsa	
N9000aep-006	
Dsox3054acaldu	
E3615a-Gsa	
U1252b-Gsa	

Hpe1340a	
N9344ck-Sim	
N8736a-831-230	
U1701a	
87606b	
Dso6054a-Gsa	
16452a	
N9342ck-Tmg	
E9300b	
E3640a/1cmcal	
4191a	
4204a	
54650a	
N1690a010	
N9010a-503	
N5424a	
8591e	
E1419a	CONTROL MULTI-FUNCTION MEASUREMENT MODULE
N2884a	
U1253a	
34401acalibrated	
11854a	
66309d	
85059a	
N8742a-831-230	
N6732b/H6587a-0y3	
N4998b	
Dsox3bw34	
6627a	
467a	

Dsox3comp	
33522a Cal D	33522A / 2-CHANNEL 30 MHZ FUNCTION/ARBITRARY WAVEFORM GENERATOR
10229a	
N9343ck-Scn	
86240a	
E5394a	
Dso5014a	
N6777a	
Mso6102acal	
85052b	
Dsox2014a	
16521a	
11525a	
6291a	
Msox4154a	
E3640acalibrated	
U1251b-Gsa	
83036c	
8561a	
16048e	
N8738a	
8473d	
8970b	NOISE FIGURE METER 10-1600MHZ
34938t	
3562a	
8494acaldu	
34959a	
8566b	
44711a	
6464c	

E3633acalibrated	
87422a	
33210u-001	
N9343ck-Sc	
N9910x-800	
E4407bstg	
6204b	
81110a/81111a-Fgcald	
34934c	
N6776a	
E5847a	
54833dcaldu	OSCILLOSCOPE 1 GHZ, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 ANALOG + 16 DIGITAL, BAND
E3611acaldu	
34401a/120cal	
83572a	
N2793a	
N2792a	
5063-2136	
19246a	
11612bc07	
Dsox3032a-Gsa	
E9301a	