



Keysight Technologies

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Keysight Technologies Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Keysight Technologies Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

| rn | Aıklama |
|--------------------------------------|--|
| 34401a/1cmcaldu | |
| N6746b/761 | |
| 53131a/Abacalibrated | FREQUENCY COUNTER, BANDWIDTH MAX:225MHZ, ARMING MODE:AUTO MANUAL EXTERNAL DELAY, CERTIFICATE OF CALIBRATION:YES WITH DATA, FREQUENCY RESOLUTION:10 DIG |
| 10897c | VME AXIS BOARD |
| N9000ak-Prc | |
| 33521a-400 Cal Du | 33521A / ADD GPIB INTERFACE |
| N5768acaldu | |
| E3631a/1cmcaldu | |
| 33210a-Gsa | (PRICE/EA) WAVEFORM GENERATOR ARB / FUNCTION, 10MHZ, PRODUCT RANGE:332XX SERIES, NO. OF CHANNELS:1 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTION |

| | |
|---------------------------------------|--|
| 54642dcal | OSCILLOSCOPE 500 MHZ, SCOPE TYPE:BENCH, SCOPE CHANNELS:2 ANALOG + 16 DIGITAL, BA |
| Msox3014a-Gsa | |
| N9010aep-002 | |
| N5744acaldu | |
| 41951a | TEST EQUIPMENT |
| 239a | |
| Dso6102acaldu | |
| 8557a | |
| N9010ak-1cn | |
| 1cm021a | |
| Hp-44725a | |
| U1232acaldu | |
| 5086-7781 | |
| 3495a | SCANNER |
| 1740a | OSCILLOSCOPE |
| E2377a | |
| 5356a | CONVERTER |
| 34980acaldu | 34980A / MULTIFUNCTION SWITCH/MEASURE UNIT |
| 1132a | (PRICE/EA) TEST PROBE, OSCILLOSCOPE, BANDWIDTH:5GHZ, OSCILLOSCOPE PROBE FUNCTION:ACTIVE, INPUT VOLTAGE MAX:30V, TEST PROBE ATTENUATION:10:1, FOR USE W |
| 33210acald | 33210A / FUNCTION/ARBITRARY WAVEFORM GENERATOR, 10 MHZ |
| 34952acald | 34952A / MULTIFUNCTION MODULE WITH 32-BIT DIO, 2-CH D/A AND TOTALIZER FOR 34980A |
| U9397a | |
| 4952a | ANALYZER W/18179A INTERFACE |
| N9928a/H6584a-0y6 | |
| N6736b | |
| 4261a | PREC METER |
| 53220a17025calibrated | 53220A 17025 CALIBRATED |
| U4201a | |

| | |
|-------------------------------|--|
| 53200u-106 | (PRICE/EA) 6 GHZ MICROWAVE INPUT UPGRADE KIT, ACCESSORY TYPE:CW MICROWAVE CHANNEL, FOR USE WITH:KEYSIGHT 53200 SERIES RF UNIVERSAL FREQUENCY COUNTER |
| 478a | (PRICE/EA) THERMISTOR SENSOR, ACCESSORY TYPE:THERMISTOR SENSOR, FOR USE WITH:KEYSIGHT N432A THERMISTOR POWER METER, ROHS COMPLIANT: NA |
| 175a54600a | |
| 34550a | CONTROL PANEL |
| 34980acal | 34980A / MULTIFUNCTION SWITCH/MEASURE UNIT |
| 85135f | |
| Dsox3052acal | |
| 8081a | |
| 53220a | (PRICE/EA) FREQ COUNTER, 350MHZ, 12-DIGIT, 0.2PPM, BANDWIDTH:350MHZ, COUNTER MEASURING FUNCTIONS:FREQUENCY, TIME INTERVAL, TEST FREQUENCY RANGE:1MHZ T |
| N1922a | |
| Hp-4278a | |
| 8403a | PIN MODULATOR PULSE DRIVER |
| Dsox3024a | |
| 1124a | |
| 16034g | |
| 11850c | SPLITTER |
| 34410a | (PRICE/EA) MULTIMETER, DIGITAL, BENCH, 6-1/2 DIGIT, DMM FUNCTIONS:AC/DC CURRENT, AC/DC VOLTAGE, CAPACITANCE, CONTINUITY, FREQUENCY, RESISTANCE, TEMPER |
| Dsox3104acald | |
| N6752a | |
| N6314ac01 | |
| 64997a | |
| 34970a-Cald | (PRICE/EA) DATA ACQUISITION, DATA LOGGER, 3 SLOT, NO. OF CHANNELS:1CHANNELS, SAMPLING RATE:-, INPUT VOLTAGE MAX:240V, INPUT CURRENT MAX:-, BANDWIDTH:- |
| 6129c | |

| | |
|----------------------------------|--|
| Dsox4104a | |
| 6299a | |
| 70842a | |
| 34923a | (PRICE/EA) REED MULTIPLEXER MODULE, ACCESSORY TYPE:MULTIPLEXER, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, SUPPLY VOLTAGE MAX:150MV, SUP |
| 1cp009a | |
| 34972a17025cald | |
| 34970acal | 34970A / DATA ACQUISITION/SWITCH UNIT. GPIB, RS232 |
| 5063-9212 | |
| 44476b | MODULE MICROWAVE RELAY DRIVER 7VDC 1W |
| Mso7104bcald | |
| E5061b | |
| U1192a | |
| Msox4054a | |
| 3763a | DETECTOR |
| N5744acald | |
| 4192a | IMPEDANCE ANALYZER VARIABLE FREQUENCY 5HZ-13MHZ |
| 34401acal | 34401A / DIGITAL MULTIMETER, 6.5 DIGIT |
| 53200u-115 | (PRICE/EA) 15 GHZ MICROWAVE INPUT UPGRADE KIT, ACCESSORY TYPE:CW MICROWAVE CHANNEL, FOR USE WITH:KEYSIGHT 53200 SERIES RF UNIVERSAL FREQUENCY COUNTER |
| N4998b | |
| 909c | |
| 54510a | DIGITAL OSCILLOSCOPE 250MHZ |
| 34401a17025-Cald | MULTIMETER, DIGITAL, BENCH, 6-1/2 DIGIT, DMM TYPE:BENCH, VOLTAGE MEASURING RANGE DC:100MV TO 1000V, VOLTAGE MEASURING RANGE AC:100MV TO 750V, CURRENT |
| Mso6102a | |
| N5400a | |
| 353a | |
| E1352a | MULTIPLEXER 32CHANNEL SINGLE-ENDED FET |

| | |
|----------------------------------|--|
| 33220a/001 | (PRICE/EA) WAVEFORM GENERATOR, BANDWIDTH:20MHZ, MODULATION TYPE:AM / FM / FSK / PM / PWM, SUPPLY VOLTAGE:100VAC TO 240VAC, KIT CONTENTS:FUNCTION/ARBIT |
| Y1138a | |
| 10790-60003 | |
| 5334a | |
| 63933f | POWER SUPPLY SINGLE OUTPUT 75AMP 5VDC |
| E3612acalibrated | |
| 34905acald | 34905A / RF MULTIPLEXER MODULE FOR THE 34970A, DUAL 4-CHANNEL, 50 OHM |
| Dsox3024acaldu | |
| 8970b | |
| E8404a | |
| 8569b | SPECTRUM ANALYZER 10-22GHZ |
| 8491a/030 | |
| 34970a | (PRICE/EA) DATA ACQUISITION, 250-CH/SEC, 22-BIT, NO. OF CHANNELS:1CHANNELS, SAMPLING RATE:-, INPUT VOLTAGE MAX:240V, INPUT CURRENT MAX:-, BANDWIDTH:- |
| N9311x-500 | |
| 59401a | |
| E3641acaldu | |
| 8673e | |
| 33521a/0b0 Cal D | 33521A/0B0 CALIBRATED BY NEWARK SERVICES |
| Mso6054acaldu | |
| N9342ck-Dma | |
| 1147acal | 1147A / CURRENT PROBE WITH AUTOPROBE, 15A AC/DC, 50MHZ |
| E1459a | |
| 34941a | (PRICE/EA) RF MULTIPLEXER MODULE, ACCESSORY TYPE:QUAD RF MULTIPLEXER, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, RANGE:3 GHZ, ROHS COMPL |
| 34980a/Dmmcaldu | PRODUCT DESCRIPTION:MULTIFUNCTION SWITCH/MEASURE MAINFRAME ? HOLDS UP TO 8 PLUG-. WITH OPTION DMM |
| | |

| | |
|---------------------------------|--|
| N5464b | |
| 34902acaldu | 34902A / REED MULTIPLEXER MODULE FOR 34970A, 16-CHANNEL |
| 34932a | (PRICE/EA) ARMATURE MATRIX MODULE, ACCESSORY TYPE:DUAL ARMATURE MATRIX, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, SUPPLY VOLTAGE MAX:30 |
| 34970a-Gsa | |
| 4263bcald | 4263B / LCR METER |
| U2653a | |
| 33521a-Gsa | WAVEFORM GENERATOR ARB / FUNCTION, 30MHZ, SIGNAL GENERATOR TYPE:ARB / FUNCTION, BANDWIDTH:30MHZ, MODULATION TYPE:AM / BPSK / FM / FSK / PM / PWM, SUPP |
| Dso7054b-Gsacal | |
| 16500b | |
| 34947a-004 | (PRICE/EA) MICROWAVE SWITCH MODULE, ACCESSORY TYPE:TRIPAL SPDT UNTERMINATED MICROWAVE SWITCH, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:- |
| 86635a | |
| 54624acaldu | OSCILLOSCOPE, SCOPE TYPE:DIGITAL, SCOPE CHANNELS:4 SCOPE, SAMPLING RATE:200MSPS |
| Dsox4usbfl | |
| 33250aaba | |
| 4943a | KIT |
| E3649acaldu | |
| 85092c | |
| 53210a-Gsa | (PRICE/EA) FREQUENCY COUNTER, 10-DIGIT, 0.2 PPM, BANDWIDTH:-, COUNTER MEASURING FUNCTIONS:FREQUENCY, TEST FREQUENCY RANGE:1MHZ TO 350MHZ, NO. OF DIGIT |
| N2880a | |
| 34405a Cal Du | 34405A / DIGITAL MULTIMETER, 5.5 DIGIT |
| 83059c | |
| 34509a | MODULE |
| N5415b | |
| 8011a | PULSE GENERATOR |

| | |
|--------------------------------|---|
| 8160a | |
| 3497a001 | DATA ACQUIS |
| 1615a | ANALYZER |
| 4263b | |
| 34942a | (PRICE/EA) RF MULTIPLEXER MODULE, ACCESSORY TYPE:QUAD RF MULTIPLEXER, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, FREQUENCY:1.5GHZ, NO. 0 |
| 83020a | |
| U8002acaldu | |
| E3612acald | |
| 5180a70700 | RECEIVER |
| 34905acal | |
| 3312a | FUNCTION GENERATOR 0.1HZ-13MHZ |
| 33220a/001cald | 33220A/001 CALIBRATED |
| 54118a | TRIGGER |
| Hpf1021b | |
| 81000va | |
| Dsox2024a-Gsa | |
| 4263b-Gsa | METER, LCR, 320X300X100MM, 4.5KG, EXTERNAL HEIGHT:100MM, EXTERNAL WIDTH:320MM, EXTERNAL DEPTH:300MM, WEIGHT:4.5KG, ROHS COMPLIANT: NA |
| 83630a | |
| 34401a/1cmcald | |
| 3335a | SYNTHESIZER |
| N2913a | |
| N2785a | |
| N1996a-506 | |
| 6296a | POWER SUPPLY DC 3AMP 115/230VAC 60HZ |
| 8601a | |
| 6267b | |
| N8973a | |
| U1604b-Gsa | |

| | |
|-------------------------------|--|
| 6673a | |
| M9101a-Fg | PXI MULTIPLEXER 64CHAN 2WIRE 100DC/1A REED RELAY |
| N2890a | |
| N2891a | |
| 34832a | (PRICE/EA) BENCHLINK DATA LOGGER PRO SOFTWARE LICENSE, ACCESSORY TYPE:BENCHLINK DATA LOGGER SOFTWARE, FOR USE WITH:KEYSIGHT 34980A MULTIFUNCTION SWITC |
| 6651a | |
| 53181a/015cal | ADD 1.5 GHZ CHANNEL 2 TO STANDARD 225 MHZ CHANNEL 1 |
| 3581c | HV VOLTMETER |
| 5326b | TIMER/COUNTER |
| N9322ck-Ama | |
| 34972a-Gsa | (PRICE/EA) DATA ACQUISITION, 250CH/S, 22BIT, NO. OF CHANNELS:1CHANNELS, SAMPLING RATE:-, INPUT VOLTAGE MAX:240V, INPUT CURRENT MAX:-, BANDWIDTH:-, EXT |
| 8593a | |
| 34946a-004 | MICROWAVE SWITCH MODULE, ACCESSORY TYPE:MICROWAVE SWITCH, FOR USE WITH:AGILENT 34980A SERIES MULTIFUNCTION SWITCH, RANGE:4GHZ, ROHS COMPLIANT: NA |
| 85098c | |
| 85514a | |
| 6681a | |
| L7222c | |
| 1169a | (PRICE/EA) TEST PROBE, OSCILLOSCOPE, BANDWIDTH:12GHZ, OSCILLOSCOPE PROBE FUNCTION:ACTIVE, INPUT VOLTAGE MAX:30V, TEST PROBE ATTENUATION:3.45:1, FOR US |
| 16555a | |
| Dsox3014acald | |
| E3646a-Gsa | |
| 6207b | |
| U1231a | |
| 33210a002 | (PRICE/EA) WAVEFORM GENERATOR ARB / FUNCTION, 10MHZ, PRODUCT RANGE:332XX SERIES, NO. OF CHANNELS:1 CHANNEL, SIGNAL GENERATOR |

| | |
|--|--|
| | TYPE:ARBITRARY, FUNCTION |
| 63312f | |
| N9910x-812 | |
| 3551-A | TRANSMISSION TEST SET |
| Mso6054acal | |
| 11852b/004 | |
| N9342ck-Sim | |
| E1463-66201 | SWITCH MODULE 5AMP 32CHANNEL FORM C |
| 33220acald | WAVEFORM GENERATOR ARB / FUNCTION, 20MHZ, SIGNAL GENERATOR TYPE:ARB / FUNCTION, BANDWIDTH:9MHZ, MODULATION TYPE:AM / FM / FSK / PM / PWM, SUPPLY VOLTA |
| 33250acaldu | 33250A / FUNCTION/ARBITRARY WAVEFORM GENERATOR, 80 MHZ |
| Mso6014acaldu | |
| 53131a | (PRICE/EA) FREQUENCY COUNTER, 225MHZ, 10 DIGIT, BANDWIDTH:-, COUNTER MEASURING FUNCTIONS:DUTY CYCLE, FREQUENCY, PEAK VOLTAGE, PERIOD, PHASE ANGLE, PUL |
| 34401a/R-51b-001-3ccaldu | |
| R1601e | |
| 33522b | (PRICE/EA) GENERATOR, WAVEFORM, 30MHZ, 2 CHANNEL, ARB, PRODUCT RANGE:33500B SERIES, NO. OF CHANNELS:2 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTI |
| 83597a | |
| 8766k | (PRICE/EA) 8766K / COAXIAL SP3T SWITCH, DC-26.5 GHZ, ROHS COMPLIANT: NA |
| Dsox3034acald | |
| E4980al032 | |
| 4972a | ANALYZER |
| 4951b | PROTOCOL ANALYZER DATA COM |
| 3498a | EXTENDER |
| E1413b | CONVERTER SIGNAL DIGITAL 64CHANNEL |
| 85138b | |
| E3645a-Gsa | |
| 11713c | |

| | |
|-------------------------------------|--|
| N5181a-501 | |
| E9300b | |
| 86251a | |
| 34972acaldu | 34972A / LXI DATA ACQUISITION SWITCH UNIT WITH LAN AND USB |
| 10460a | |
| 33391c | |
| E2657a | |
| N5181b-503 | |
| 4971a | ANALYZER |
| 8481d/H6584a-0y8 | |
| 34308a | |
| 3580a | ANALYZER |
| 3566a | |
| N1996akp03 | |
| 85033e | |
| 6282a86a91a96a | |
| 8494g | |
| 87222e | |
| N6745b | |
| 33220a/00117025cald | AGILENT 33220/001 17025 CALIBRATED BY NEWARK SERVICES |
| 11518a | ADAPTER |
| 34934a | (PRICE/EA) HIGH DENSITY REED MATRIX, ACCESSORY TYPE:QUAD REED MATRIX, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, FEATURES:QUAD 4X32, ROH |
| 44714a | |
| 6631b | |
| E1328a | |
| N8741a | |
| 35660a | ANALYZER |
| 4954a | ANALYZER |

| | |
|---------------------------------|--|
| N3303a | |
| 333a | |
| U2781a | |
| E4413a | |
| 11590b | |
| 44430a | DUAL CURRENT D/A BOARD |
| 4263b/001 Cal D | AGILENT 4263B/001 CALIBRATED BY NEWARK SERVICES |
| 6255a | POWER SUPPLY 1.5A/40V 1.5A/120W |
| U2542a | |
| U2701a | |
| 6032a17025cald | |
| 1672g | |
| N9910x-843 | |
| 545a | |
| E1413c | |
| N9916a | |
| 8569a | SPECTRUM ANALYZER 10-22GHZ 100HZ-3MHZ RESOLUTION |
| 3304a | FUNCTION GENERATOR |
| 59501766 | |
| 5423a | SPECTRUM ANALYZER |
| 1160a | |
| 8511a | |
| 10073d | |
| 16060a | |
| 33521b | |
| 6228b | POWER SUPPLY DUAL DC 1AMP 50V 20HZ |
| 44722a | |
| 1cp008a | |
| 8447d | |
| N9910x-845 | |
| L4411acald | |

| | |
|----------------------------------|--|
| 34970acaldu | 34970A / DATA ACQUISITION/SWITCH UNIT. GPIB, RS232 |
| 4957a | ANALYZER |
| U2531a | |
| 1147a Cal D | 1147A / CURRENT PROBE WITH AUTOPROBE, 15A AC/DC, 50MHZ |
| 34938a | (PRICE/EA) GENERAL PURPOSE MODULE, ACCESSORY TYPE:GENERAL PURPOSE MODULE, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RANGE:-, SUPPLY VOLTAGE:250V |
| 6611ccal | |
| Dsox2012a | |
| 34405a | MULTIMETER, DIGITAL, BENCH, 5-1/2 DIGIT, DMM TYPE:BENCH, VOLTAGE MEASURING RANGE DC:100MV TO 1000V, VOLTAGE MEASURING RANGE AC:100MV TO 750V, CURRENT |
| E3642acalibrated | |
| N2878a | |
| E3646a | |
| Msox3052a | |
| N9343ck-Gps | |
| Sm2040 | |
| U1175a | |
| Hpe1418a | 8/16-CHANNEL D/A CONVERTER |
| E3661b | |
| 4925a | TESTER |
| U1273a | |
| N2735aoption002 | |
| 8591a | |
| Y1159a | |
| N5416a | |
| N5770acal | |
| U3401acald | |
| 332a | |
| | |

| | |
|--|--|
| 66101a/760cald U1620a | |
| Rs232-61601 | |
| 3585b | ANALYZER |
| N9343ck-Pwm | |
| 8780a | |
| U1241b-Gsacal | |
| E1458-61601 | |
| U281b | |
| E5379a | |
| 87104c | |
| 5517b | |
| N9340bk-Inm | |
| 403b | VOLTMETER AC .001 TO 300V 5HZ TO 2MHZ |
| 34972acal | 34972A / LXI DATA ACQUISITION SWITCH UNIT WITH LAN AND USB |
| 11667a | (PRICE/EA) POWER SPLITTER, ACCESSORY TYPE:POWER SPLITTER, FOR USE WITH:KEYSIGHT POWER MONITERING INSTRUMENTS, PRODUCT RANGE:-, ROHS COMPLIANT: NA |
| 8656a | SIGNAL GENERATOR 100 KHZ TO 990 MHZ FREQUENC RANGE |
| N9342ck-1dc | |
| U8903a-114 | |
| 3782b | DETECTOR |
| 83018a | |
| 33220a-Gsacaldu | WAVEFORM GENERATOR ARB / FUNCTION, 20MHZ, SIGNAL GENERATOR TYPE:ARB / FUNCTION |
| 33250a-Gsa | (PRICE/EA) WAVEFORM GENERATOR ARB / FUNCTION, 80MHZ, PRODUCT RANGE:332XX SERIES, NO. OF CHANNELS:1 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, DIRECT DI |
| 33502a | (PRICE/EA) ISOLATION AMPLIFIER, 2-CHAN, 50V, 100KHZ, PRODUCT RANGE:-, NO. OF CHANNELS:2 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, BANDWIDTH:100KHZ, SI |
| 1121a | |
| 1965a | MODULE |

| | |
|--------------------------------|---|
| 87222c | |
| N6765a | |
| 8684d | |
| N9344c/Sim | |
| Dso6014a | |
| 5063-9240 | |
| N9340bk/Ama | |
| N5767a/861 | |
| N5770a | |
| U3400a-1cn | |
| Msox3054a-Demo | |
| 909d | |
| 54522a | |
| 54100a | OSCILLOSCP NS |
| P752c | |
| Msox3034a | |
| N9330bk1dc | |
| 33503a | BENCHLINK WAVEFORM BUILDER PRO, ACCESSORY TYPE:BENCHLINK WAVEFORM BUILDER PRO, FOR USE WITH:33200 33500 SERIES FUNCTION / ARBITRARY WAVEFORM GENERAT |
| Dso7054b-Gsa | |
| E3620a-Gsa | |
| 87104b | |
| U1602b | |
| 81050bl | |
| 6628a | |
| N5181a-503 | |
| 34401a/120cald | DIGITAL MULTIMETER, 6.5 DIGIT, 120-V AC LINE SELECTION, |
| U1602b-001 | |
| 6290a | |
| 86240a | |

| | |
|---------------------------------|---|
| 54120t | |
| Hpe1460a | MULTIPLEXER 64-CHANNEL RELAY |
| 87206c | |
| 44470d | MULTIPLEXER MODULE 20CHANNEL 2AMP 250V |
| 4937a | |
| 62605m | |
| 44955a | ANALYZER |
| Dsox2004a | |
| 3562a | ANALYZER |
| 33210a/002caldu | 33210A / 8 K-POINT ARBITRARY WAVEFORM GENERATOR |
| 33521a Cal D | 33521A / 1-CHANNEL 30 MHZ FUNCTION/ARBITRARY WAVEFORM GENERATOR |
| Hp54601a | |
| Hp-4273a | |
| 8504b | |
| 33326-60005 | ATTENUATOR 50GHZ 4SCN |
| 6443b | POWER SUPPLY 0-2.5AMP 0-120VDC |
| N8754a | |
| E2940a | |
| 3458acald | 3458A / DIGITAL MULTIMETER, 8.5 DIGIT |
| N9910x-821 | |
| 33502a-001 | (PRICE/EA) REAR OUTPUT CHANNEL, ISOLATION AMPLIFIER, ACCESSORY TYPE:OUTPUT CHANNEL, FOR USE WITH:KEYSIGHT 33502A ISOLATED AMPLIFIER, PRODUCT RANGE:-, |
| 4280a | METER |
| L7206a/T24 | |
| 1201b | OSCILLOSCOPE DUAL TRACE 500KHZ |
| 34907a-Gsa | |
| U1211acald | |
| E3647acal | |
| 53181a/015caldu | ADD 1.5 GHZ CHANNEL 2 TO STANDARD 225 MHZ CHANNEL 1 |

| | |
|------------------------------|--|
| 423b | |
| U8002a-1cm | |
| Dsox2mask | |
| 34908acald | |
| 50867628 | FILTER |
| 54642a | OSCILLOSCOPE, SCOPE BANDWIDTH:500 MHZ, SCOPE CHANNELS:2 SCOPE, SCOPE TYPE:DIGITAL, SERIES:54600, MEMORY SIZE:8MB, SAMPLE RATE:2 GSPS, CALIBRATED:NO RO |
| 33325-60004 | ATTENUATOR 60DB 3SCN |
| 4142b | MONITOR |
| 6626a | |
| 54201d | SCOPE |
| 34972a | (PRICE/EA) LXI DATA ACQUISITION / DATA LOGGER SWITCH UNIT, NO. OF CHANNELS:1CHANNELS, SAMPLING RATE:-, INPUT VOLTAGE MAX:240V, INPUT CURRENT MAX:-, BA |
| 3325b | |
| 3746a | |
| 54504a | OSCILLOSCOPE |
| Dso1012a | |
| 3490a | MULTIMETER |
| 1631d | LOGIC ANALYZER 43-CHANNEL 50MHZ 16TIMING CHANNEL |
| 16531a | |
| N9342ck-Ca7 | |
| Mso7052a | |
| 85071e | |
| N9342ck-Tg7 | |
| N1913a | |
| Msox3104acal | |
| 54601b | OSCILLOSCOPE 4CHANNEL 100MHZ |
| 5343a | |
| N5391a | |
| 11792a | SENSOR |

| | |
|--|--|
| 53230acaldu | (PRICE/EA) CALIBRATED W/ DATA UNCERT, 532230A-FREQ COUNTER |
| 83631a | |
| 11667c | (PRICE/EA) POWER SPLITTER, ACCESSORY TYPE:POWER SPLITTER, FOR USE WITH:KEYSIGHT POWER MONITORING INSTRUMENTS, PRODUCT RANGE:-, ROHS COMPLIANT: NA |
| 5382-A | |
| N5745acal | |
| 11716c | |
| 3458a-R1295a(Optiononly) | R1295A OPTION ONLY FOR 3458A |
| 1200b | |
| Dsox4b2t34u | |
| 3705a | DETECTOR |
| 8648a | SIGNAL GENERATOR 100KHZ-1000MHZ 3AMP 250V |
| 33512b | (PRICE/EA) GENERATOR, WAVEFORM, 20MHZ, 2 CHANNEL, ARB, PRODUCT RANGE:33500B SERIES, NO. OF CHANNELS:2 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTI |
| 8482h | |
| 85070e | |
| U2022xa | |
| 34411acal | 34411A / DIGITAL MULTIMETER/DIGITIZER, 6.5 DIGIT |
| 33220acalibrated | FUNCTION / ARBITRARY WAVEFORM GENERATOR, SIGNAL GENERATOR TYPE:ARB, BANDWIDTH MAX:9MHZ, MODULATION TYPE:AMPLITUDE/FREQUENCY/PHASE/ASK/FSK, SWEEP TIME |
| E1418a | CHANNEL CONVERTER 8CHANNEL -24/24VDC |
| 400fl | VOLTMETER |
| 84100a | |
| 33522a-002 | WAVEFORM GENERATOR, ARB/FUNCTION, 30MHZ, SIGNAL GENERATOR TYPE:ARB, FUNCTION, BANDWIDTH:30MHZ, MODULATION TYPE:AM / BPSK / FM / FSK / PM / PWM, SUPPLY |
| N6781a | |
| N9010ak-1cp | |
| 6032acald | |

| | |
|---------------------------------|--|
| 3458a\r-50g-562 | DIGITAL MULTIMETER, 8.5 DIGIT, R-50G-562-QC PRIMARY STDS LAB CAL |
| 53132acal | FREQUENCY COUNTER, 225MHZ, 12 DIGIT, COUNTER MEASURING FUNCTIONS:DUTY CYCLE / FR |
| W4000c-U75 | |
| 53132acald | FREQUENCY COUNTER, 225MHZ, 12 DIGIT, COUNTER MEASURING FUNCTIONS:DUTY CYCLE / FR |
| 6691a | |
| 16047a | |
| Mso6014acald | |
| Mso6014a-Gsa | |
| 34410a-Gsa | (PRICE/EA) MULTIMETER, DIGITAL, BENCH, 6-1/2 DIGIT, DMM FUNCTIONS:AC/DC CURRENT, AC/DC VOLTAGE, CAPACITANCE, CONTINUITY, FREQUENCY, RESISTANCE, TEMPER |
| N8734a | |
| 6234a35a | |
| 3852x | |
| 355c | |
| 34906a-Gsa | (PRICE/EA) RF MULTIPLEXER MODULE, 34970A 34972A DAU, ACCESSORY TYPE:DUAL RF MULTIPLEXER 4 CHANNEL, FOR USE WITH:KEYSIGHT 34970A DATA LOGGER, PRODUCT |
| 54008a | |
| 5450 | OSCILLOSCP NS |
| 42942a | |
| 34104a | |
| 54622a | OSCILLOSCOPE SCOPE 2 CH DELTA-TIME/VOLT SELF CALIB |
| 34401a-Gsa | (PRICE/EA) MULTIMETER, DIGITAL, BENCH, 6-1/2 DIGIT, DMM FUNCTIONS:AC/DC CURRENT, AC/DC VOLTAGE, CONTINUITY, FREQUENCY, RESISTANCE, TEMPERATURE, CURREN |
| 3575a | PREC METER |
| 8920a001004 | |
| E1411b | MULTIMETER 5.5-DIGIT SIZE C |
| E9301a | |
| 66103a/760cal | |
| 6284a | DC POWER SUPPLY 3AMP 20VDC |

| | |
|---------------------------------|--|
| 11500fk36 | |
| 5065a | STANDARD |
| 6633a | |
| L7204c | |
| N5746acal | |
| 8473b | |
| 11947a | |
| E3630a/0e3caldu | |
| N8739a | |
| N6777a | |
| 66101acal | |
| N9344ck-Gpa | |
| L4437a | |
| N9912a-104 | |
| 86634a | |
| L7104a | |
| U1251b-Gsa | |
| N6775acal | |
| 16048g | |
| N9914a | |
| 4944a | |
| N2917b | |
| Msox3032a | |
| N2786a | |
| N9342ck-Bat | |
| 1cp014a | |
| 34952acaldu | 34952A / MULTIFUNCTION MODULE WITH 32-BIT DIO, 2-CH D/A AND TOTALIZER FOR 34980A |
| 85039b | |
| N5432a | |
| 3468b | MULTIMETER |

| | |
|--------------------------------|---|
| 5381a | |
| 33521a-400 | |
| N9344ck-Bcg | |
| 34908acaldu | 34908A / SINGLE-ENDED MULTIPLEXER MODULE FOR 34970A, 40-CHANNEL |
| 8654b | |
| 1cm002a | |
| Dsox2012acaldu | |
| 33220acal | CALIBRATED AGILENT 33220A |
| 34825a | |
| Dsox3054a | |
| N6773acaldu | |
| 8447e | |
| 6654a | |
| U8002acal | |
| 83556a | |
| 3421a | SYSTEM |
| 34401acald | |
| 5090-4833-Each | |
| N9320bk/G01 | |
| E2663a | |
| U1193a | |
| N2876a | |
| 54111d | OSCILLOSCOPE DIGITIZING IS A 1 GS/S TWO-CHANNEL |
| 6217a | |
| 8495a | |
| 33210a001 | |
| N5430a | |
| N6735b | |
| 66101a | (PRICE/EA) POWER SUPPLY, BENCH, 8V, 128W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT VOLTAGE |

| | MAX:8V |
|-------------------------------|--|
| U1731p | |
| 34410acald | MULTIMETER, DIGITAL, BENCH, 6-1/2 DIGIT, DMM TYPE:BENCH, VOLTAGE MEASURING RANGE DC:100MV TO 1000V, VOLTAGE MEASURING RANGE AC:100MV TO 750V, CURRENT |
| 11095a | |
| U8050 | |
| Dso6034acal | |
| N6735bcald | |
| 1cn007a | |
| E1419a-Kit | |
| E8401a | RACK 500W 13SLOT |
| 6050a | ELECTRONIC LOAD MAINFRAME 1800W DC |
| N9320b | |
| N5443a | |
| N5767a | |
| 34907a | |
| U1187a | |
| 87206b | |
| E1406a | COMMAND MODULE C-SIZE 1SLOT |
| Dsox2022a-Gsa | |
| Dsox2014a | |
| 6023a | |
| N5765a | |
| Mso7054b-Gsa | |
| Hpe1411b | 5.5-DIGIT MULTIMETER, C-SIZE |
| E3600a-100 | |
| 4338a | |
| 8445b | |
| U1164a | |
| N6741b | |

| | |
|---------------------------------|--|
| Dso7104a | |
| 34970a/001caldu | 34970A/001 CALIBRATED W/ DATA + UNCERT |
| 3455a | MULTIMETER |
| E4438c | |
| 5440b | CONVERTER DIGITAL |
| 54603b | OSCILLOSCOPE 60MHZ |
| 10534a | |
| U1733c | |
| 16190b | |
| Dso7052b-Gsa | |
| Msox3052a-Gsa | |
| 8769m | |
| U1251a | |
| 8769k | |
| 85620a | |
| 35677a | |
| Dso7012b | |
| R281a | |
| N5181aep-003 | |
| N6773a | |
| N4000a | |
| Q281b | |
| 10529a | |
| 86061c | LIGHTWAVE SWITCH |
| Q11644a | |
| 3586c | PREC METER |
| 8496acaldu | |
| X281a | |
| 01160-68701 | |
| 11636a | |

| | |
|---------------------------------------|--|
| 8116a | |
| 3781a | GENERATOR |
| 6652acaldu | |
| Y1136a | |
| 34420a17025calibrated | 34420A CALIBRATED TO 17025 STANDARD |
| N9342c | |
| 16521a | GENERATOR |
| Dso1152b | |
| N1294a-031 | |
| 85130dc02 | |
| N6752a/761 | |
| R422a | |
| E2669a | |
| U1252a | |
| 11900c | |
| N5751acal | |
| E3631acal | |
| 141t | |
| 16339a | |
| 33521a-010 Cal Du | 1-CHANNEL 30 MHZ FUNCTION/ARBITRARY WAVEFORM GENERATOR WITH OPTION 010 |
| N5751acaldu | |
| 86603a | |
| E3631acald | |
| 8971b | |
| 6253a | POWER SUPPLY 3AMP 20V |
| 54503a | DIGITAL OSCILLOSCOPE 500MHZ |
| N9344ck-Adp | |
| E3646acalibrated | |
| N9910x-875 | |
| 6034a | POWER SUPPLY 0-60V 10A 200W |

| | |
|------------------------------------|--|
| 54112d | OSCILLOSCOPE DIGITIZING 115/230V 650VAC 48/66HZ |
| E4404bstg | |
| N3300a | |
| N9000a/H6584a-0y6 | |
| 5334b | COUNTER UNIVERSAL |
| 5340a | HS COUNTER |
| Dsox3054a17025cald | |
| Mso6034acaldu | |
| 34947a-020 | DATA LOGGER, FOR USE WITH:TYPE 34980A MAINFRAME, RANGE:20GHZ ROHS COMPLIANT: NA |
| 6573a | |
| 16541a | CIRCUIT CARD |
| 82335b | |
| 6031a | |
| N4433a | |
| 6632a | SYSTEM DC POWER SUPPLY 0-20V/0-5A 100W |
| 85032e | |
| N1913a-102 | |
| 34405a-Gsa | MULTIMETER, DIGITAL, BENCH, 5-1/2 DIGIT, DMM TYPE:BENCH, VOLTAGE MEASURING RANGE DC:100MV TO 1000V, VOLTAGE MEASURING RANGE AC:100MV TO 750V, CURRENT |
| N6776acal | |
| N9928a | |
| 66105acaldu | |
| 11094b | |
| 34420a | (PRICE/EA) NANO VOLT/MICRO OHM METER, BENCH 7- 1/2 DIGIT, DMM FUNCTIONS:DC VOLTAGE, RESISTANCE, CURRENT MEASURE AC MAX:-, CURRENT MEASURE DC MAX:-, VOLTAGE |
| E3648a | (PRICE/EA) POWER SUPPLY, 2CH, 20V, 5A, PROGRAMMABLE, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:2 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT VOLTA |
| N5748acaldu | |

| | |
|------------------------------------|---|
| 16048d | (PRICE/EA) TEST CABLE, BNC, 30MHZ, 2M, ACCESSORY TYPE:TEST CABLE, FOR USE WITH:KEYSIGHT 4263B, 4268A, 4279A, 4284A, 4285A, 4288A, E4980A, E4981A, PROD |
| U2002h | |
| 34410acaldu | 34410A / DIGITAL MULTIMETER, 6.5 DIGIT |
| 33519b | (PRICE/EA) GENERATOR, WAVEFORM, 30MHZ, 1 CH, PRODUCT RANGE:33500B SERIES, NO. OF CHANNELS:1 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTION, BANDWI |
| Hp8552b | |
| N5181ak-Unw | |
| 6942a | |
| 34826a | |
| E5006a-1fp | |
| U3402acal | |
| 33220a/Abacald | |
| Dsox3034a17025cald | |
| Dsox4mask | |
| 54502a | OSCILLOSCP NS |
| Dsox2002acald | |
| 8683d | |
| 606a-34a | |
| 85046a | |
| U1253a/001cald | |
| E146666201 | |
| N9000aep-001 | |
| 33220a/Abacaldu | 20 MHZ FUNCTION/ARBITRARY WAVEFORM GENERATOR WITH OPTION ABA (ENGLISH MANUAL) |
| 8477a | |
| 85038a | |
| 6271b | |
| U1242bcal | |
| 3570a | ANALYZER |

| | |
|----------------------------------|--|
| U2000a | |
| V3500a-ShI | |
| 44428a | |
| 34972acald | 34972A / LXI DATA ACQUISITION SWITCH UNIT WITH LAN AND USB |
| Dsox3wavegen | |
| N8757a | |
| 3779d | ANALYZER PRIMARY MULTIPLEX |
| 34921a | (PRICE/EA) ARMATURE MULTIPLEXER MODULE KEYSIGHT 34980A SERIES, ACCESSORY TYPE:ARMATURE MULTIPLEXER, FOR USE WITH:KEYSIGHT 34980A MAINFRAME, PRODUCT RA |
| 8664a | |
| 11850b | SPLITTER |
| 1cp001a | |
| 34907acal | |
| 34904acal | |
| 16540a | ANALYZER |
| N9010ak-P03 | |
| E2373a | |
| U8481a-200 | |
| 4285a | (PRICE/EA) LCR METER, 498MM X 426MM X 177MM, 16KG, LCR TYPE:BENCH, TEST FREQUENCY MAX:30MHZ, INDUCTANCE MEASURE MAX:-, CAPACITANCE MEASURE MAX:-, RESI |
| 81010bl | |
| N9322ck-1cm | |
| N5745acaldu | |
| 54201a | |
| U8481a-100 | |
| Dsox2014a-Gsa | |
| 33521a-010 Cal D | 33521A-010 CALIBRATED BY NEWARK SERVICES |
| Dso6054acal | |
| 44472a | VHF SWITCH WILL SWITCH DC UP TO 300MHZ 50 OHM |
| N8761a-861-208 | |

| | |
|-------------------------------|---|
| N5748acald | |
| 11904s | |
| 8555a | |
| N9344ck-Tmg | |
| Y1157a | |
| 6428b | |
| 8501a | STORAGE NORMALIZER 240V 50/60HZ |
| 34980a | |
| Msox2004a-Gsa | |
| 3480d3842a | |
| 1cm023a | |
| 11636c | |
| 34952acal | |
| 83059ac02 | |
| 6629a | |
| Q8486a | |
| N9322ck-Pwp | |
| N2744a | |
| U1233acaldu | |
| 335bw1u | |
| 85519a | |
| 44788a | |
| N6752acald | |
| Dsox3bw34 | |
| 120b | OSCILLOSCOPE 450KHZ BW |
| E4405bstg | |
| E3640a | |
| 85101b | DISPLAY/PROCESSOR W/ 010 FOR NETWORK ANALYZER |
| N9311x-504 | |
| 83051a | |

| | |
|-----------------------------|--|
| N1294a-001 | |
| 87222d | |
| 85332a | |
| 53220a-Gsa | (PRICE/EA) FREQUENCY COUNTER, 12-DIGIT, 0.2 PPM, BANDWIDTH:-, COUNTER MEASURING FUNCTIONS:FREQUENCY, TIME INTERVAL, TEST FREQUENCY RANGE:1MHZ TO 350MH |
| Hpe1328a | |
| Mso8104a | |
| N8486ar | |
| N1912a | |
| 87300d | |
| 34951acaldu | CHANNEL ISOLATED D/A CONVERTER WITH WAVEFORM MEMORY FOR 34980A |
| 59306a | |
| 522ia | |
| 34922a | |
| 66104a | |
| Dsox4usbh | |
| 86260b | |
| Hp53132a010 | |
| N6774acaldu | |
| 53131a/Aba | FREQUENCY COUNTER, BANDWIDTH MAX:225MHZ, COUNTER MEASURING FUNCTIONS:FREQUENCYPERIODRATIO TIME INTERVALPULSE WIDTH RISE/FALL TIMEPHASE ANGLE DUTY CYCLET |
| E2679a | |
| E2637a | |
| 54624acald | OSCILLOSCOPE, SCOPE TYPE:DIGITAL, SCOPE CHANNELS:4 SCOPE, SAMPLING RATE:200MSPS, ROHS COMPLIANT: NA |
| U2032a | |
| N5463b | |
| Hpe8460a | 256CHANNEL RELAY MULTIPLEXER |
| 5183 | RECEIVER |
| | |

| | |
|----------------------------------|--|
| 33522u-400 | |
| Hp-3497a | |
| N2795a | |
| U1572a | |
| 1cm020a | |
| 33522a | |
| R281b | |
| 8406a | |
| 4945a | |
| 11867a | |
| N2781bcal | |
| 335iqpu | |
| 8510b | |
| N9010ak-Kyb | |
| N9340bk/Pa3 | |
| 34932t | |
| 3582a | |
| 7958a | |
| N6742bcald | |
| Dsox4052a | |
| 335mem2u | |
| L7204a | |
| 84906l | |
| Hp11941a | |
| N5181a-501/1cm | |
| 34401a/120cal | DIGITAL MULTIMETER, 6.5 DIGIT, 120-V AC LINE SELECTION |
| 8502a | |
| Dsox3054acal | |
| 4191a | ANALYZER |
| N9923au-305 | |
| E3631acalibrated | |

| | |
|-----------------------------------|---|
| E4421b | |
| 64100a | |
| U8903a-115 | |
| Mso7014a | |
| 5063-2135 | |
| 10073c | |
| E3611a-Gsa | |
| N6762acaldu | |
| 1122a | POWER SUPPLY |
| U1177a | |
| 66102a/760cal | |
| 34411a-Gsa | (PRICE/EA) MULTIMETER, DIGITAL, BENCH, 6-1/2 DIGIT, DMM FUNCTIONS:AC/DC CURRENT, AC/DC VOLTAGE, CAPACITANCE, CONTINUITY, FREQUENCY, RESISTANCE, TEMPER |
| N6700b | |
| 83036c | |
| 34193a | |
| 6633b | |
| N9343ck-Bcg | |
| 10085-68701 | |
| 11930a | |
| E3645acal | |
| 3779b | |
| Dso6012acaldu | |
| 34970a/001cald | 34970A/001 CALIBRATED W/ DATA |
| 34161a | |
| 33220a | (PRICE/EA) WAVEFORM GENERATOR, ARB/FUNCTION, 20MHZ, PRODUCT RANGE:332XX SERIES, NO. OF CHANNELS:1 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTION, |
| 1980b | |
| N9923a/H65874-0y3 | |
| Dsox3102a | |

| | |
|-------------------------------|-----------------------|
| E2308a | |
| E4418b | |
| 54542a | |
| U2031c | |
| 6214a | |
| E3631a-Gsa | |
| Hp-6261b | |
| E3640acaldu | |
| 34192a | |
| N6775acald | |
| U1211a | |
| 345590003 | |
| 1cn012a | |
| Y1131a/003 | |
| 3403c | HV VOLTMETER |
| 6236a | |
| Mso6012acaldu | |
| N2838a | |
| N5181ak-Unz | |
| 33510b | |
| 16096a | |
| E9300a | |
| Hpe1458a | 96CHANNEL DIGITAL I/O |
| N3302acald | |
| 6641a | |
| L4421a | |
| 346a | |
| 546a | |
| 3780a | |
| N9910x-803 | |

[34904acaldu](#)

[Dso6014acal](#)

[34905a](#)

[Dso6104a](#)

[N2884a](#)

[U1253a/001cal](#)

[Dsox3054acald](#)

[N5750acaldu](#)

[U8903a-103](#)

[3400a](#)

[N9344ck-Sim](#)

[33500u-Ocx](#)

[33326-60003](#)

[82939a](#)

[8496b/001](#)

[85050a](#)

[N9342ck-Bcg](#)

[U7233a](#)

[N9342ck-Sec](#)

[16334a](#)

[N4690b](#)

[16034h](#)

[E3611acal](#)

[N9010ak-1cr](#)

[33511b](#)

[54200a](#)

[10880-60202](#)

[8672a](#)

[773d](#)

[81150a-001](#)

| | |
|---------------------------------------|-------------------------------------|
| 8903b | |
| 1cp002a | |
| 8114acal | |
| Y1132a | |
| N9398c | |
| 81618a | |
| 34920a | |
| Dsox3012a | |
| 83624a | |
| 8165a | |
| 11730a | |
| U2902a | |
| U1180a | |
| U3401acal | |
| N5181ak-1ea | |
| E4980a/002 | |
| E3648acald | |
| 34934t/002 | |
| 5384a | |
| 3755a | |
| 8763a/024 | |
| E5412a | |
| 8182a | |
| 10753b | LASER TRIPOD FOR 5519A/B LASER HEAD |
| N9923a-104/H6584a-0y6 | |
| N9342ck-Tad | |
| Mso6054acald | |
| 4145b | |
| N5476a | |
| N5746acaldu | |
| N3302a | |

[5253b](#)

[Y1131a/005](#)

[N9344ck-Tg7](#)

[8662a](#)

[35670a/U-8ze](#)

[34951a](#)

[Dsox3bw52](#)

[Dsox3aero](#)

[N2793a](#)

[E5071c/2k5](#)

[3788a](#)

[8013b](#)

[N5183aep-001](#)

[34906a](#)

[54602a](#)

[10833f](#)

[W4000c-U80](#)

[Dsox4flex](#)

[N9322ck-Rm7](#)

[10541a](#)

[N5423a](#)

[N9915a](#)

[427a](#)

[N9910x-873](#)

[E4416a/005](#)

[Dso7052a](#)

[U2921a-100](#)

[N9923au-308](#)

[37722a](#)

[Dso6034acaldu](#)