

Keystone



Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Keystone** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Keystone T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen Özel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
ISV-1329922	Keystone electric actuator for 1/4-turn, Series EPI-2, model KPE-063 with MO handwheel, footprint to ISO 5211-F05+F07 & DD20 x 14, Single phase power supply 100-240V AC/DC, WP enclosure to IP68, adjustable speed 18-28-48s, (default = 28s) Nominal torque output: 63 Nm (100%) PN: KPE063HVPD002E3
206.080.014.021 REOI dr2801 c2 EPDM	
89E-00901XXP14N2MM07D20	Keystone F89 pneumatic quarter turn actuator 89E Baureihe/Modell: F89 Keystone ISO (Metric threaded) 009 Size: Modell 009 0 Variante: Standard 1 MaŐnahme: DA XX Feder-Dimensionierung: nicht zutreffend P14 Luftanschluss: 1/4" BSPP N Temperature Service: Standard 2 Travel Stops: Doppelwelle (Standard) M Flange Threading: Metrisch M07 Operator Mounting Flange: F05 + F07 (ISO5211) D20 Wellen-/Spindelverbindung: DD 20,0 x 14,0
Keystone F89	pneumatic swivel drive 89E-00901XXP14N2MM07D20
Keystone F360/F370 KLOK	High performance butterfly valve 360-0400W0A100A1-CAS00KBR1PGSNKB ***** We offer the successor model. ***** Please check the design of the butterfly valve offered, in particular the pressure level, as this is not specified in your request. 360-0400W0A100A1-CAS00KBR1PGSNKB 360 Series / Model: Figure 360, 150 ASME, Wafer 0400 Size: DN0400/ NPS 16" W0 Style: Wafer A1 Flange Drilling: ASME 150 00 Face to Face: Standard (refer to product literature) A1 Pressure Rating: ASME 150 CA Body Material: Carbon Steel A216 WCB S00 Disc Material: Stainless Steel 316 KB Stem Material: Stainless Steel A564 Type 630 - H1075 (17-4) R1 Seat Material: RPTFE / SS / Stainless Steel PG Packing/Gasket: PTFE, Graphite SN Bearing

	Material: Stainless Steel 316 Nitrided K Actuator Mounting: Keystone Design B Actuation: Bare Stem
Type: 91/94, Set Pressure 98.1MBAR G,size 10*12 In	DRG.No: 30585A/Catalogue No: 941012RS 1) Main valve kit 3 Pcs 2) Pilot valve kit 3 Pcs 3) Bellows Mat. SS.T300 / Vaccum breaker 1 Pc Type: 96A. Size. Inlet 8 In. Vaccum. 22MM WC (1/2 OZ) DRG No: 30585B 4) Vaccum Valve kit 3 Pcs
ISV-1202459	
IP66/68M	
ISV-1332373	Proximity switch IFM type IN5331 Voltage: 10-36V DC, 2-wire Output: 2xNO, PNP/NPN Connection: 4-pin connector M12x1 external thread. (without cable box)
ISV-1238914	Mounting set for building IND initiators to 79U/79E/F89/PA or to NAMUR Material: see drawing
ISV-1104068:SEAT;;OPTI;DN 40 / NPS 1.5;EPDM - FG;;	
ISV-1108029:SEAT;;OPTI;DN 50 / NPS 2;EPDM - FG;;	
ISV-1103817:SEAT;;OPTI;DN 65 / NPS 2.5;EPDM - FG;;	
ISV-1103374:SEAT;;OPTI;DN 80 / NPS 3;EPDM - FG;;	
ISV-1105605:SEAT;;OPTI;DN 100 / NPS 4;EPDM - FG;;	
ISV-1102179:SEAT;;OPTI;DN 150 / NPS 6;EPDM - FG;;	
ISV-1106086:SEAT;;OPTI;DN 200 / NPS 8;EPDM - FG;;	
ISV-1007413:Sitzring für Fig. 14/16, DN 250	Material Werkstoff: EPDM
ISV-1105303:SEAT;;OPTI;DN 300 / NPS 12;EPDM - FG;;	
ISV-1007147:Sitzring für Fig. 15/17, DN 350	Material : EPDM
ISV-1227861:SEAT;;OPTI;DN 400 / NPS 16;EPDM - FG;;	
ISV-1102675:SEAT;;OPTI;DN 500 / NPS 20;EPDM - FG;;	
AMP CAT6 MODÜLER TELPHONE PLUG 24/26 AWG	
89E140Q1XX0PM00	F89E Actuator Keystone F89E-140 DA - Double Acting, repair kits
OPTİ-0065W0M10010-I3S00S0E100IB	
OPTİ-0080W0M10010-I3S00S0E100IB	
OPTİ-0100W0M10010-I3S00S0E100IB	
OPTİ-0125W0M10010-I3S00S0E100IB	
OPTİ-0150W0M10010-I3S00S0E100IB	
OPTİ-0200W0M10010-I3S00S0E100IB	

OPTİ-0350W0M10010-D5S00S2E1001B OPTİ-0450W0M10010-D5S00S2E1001B	
K-LOK FIG.360-158	DN400
PNEUMATIC BUTTERFLY VALVE. DN350v	
KD1 SIMPLEX CLP. GASKET	
Keystone Figure 990/920	soft-sealing butterfly valve + actuation/accessories 990-0150W0M10010-I0S00S0E000KB-PED+PS-A-89U02001XXN2M+Z Additional Items: ISV-1263831(x1) - BRACKETS ADAPTERS FLANGES;;STEM ADAPTOR;ACT. BORE: Ø28.6 x K6.35 mm;VALVE STEM: DD19.05 x 12.7 mm, DEEP 30 mm;NOT APPLICABLE;MATERIAL: SINTERED METAL;STANDARD
BUTTERFLY VALVE 10" 150LB, SD, W, TE	VALVE DURCO TYPE 10RS115NK VALVE: BODY: DUCTILE IRON (SD) DISC: AISI 316 SEAT: BUNA-N CONNECTION: WAFER TYPE (W) L: 70 MM ACTUATOR: SINGLE ACTING (TE) ACTUATOR: AUTOMAX SPRING RETURN MODEL: S175 SR (S09 SPRING KIT INSTALLED) FAIL CLOCK WISE N/C SHUT OFF VALVE AUTOMAX LVI VALVE WILL NORMALLY BE MOUNTED OPEN. VALVE + ACTUATOR WILL BE SHIPPED ASSEMBLY.
BUTTERFLY VALVE 2" 150LB, SD, W, KK	847 T BODY: GGG40.3 PTFE LINEAR DISC: 3 MM PTFE COATED CONNECTION: WAFER KK: 1 SET REPAIR KIT WILL BE GIVEN FOR EACH LEVER CONTROLLED VALVE. IT WILL BE ORIGINAL PRODUCT. EQUIVALENT WILL NOT BE ACCEPTED.,TOMOE
Keystone Figur 990/920	soft-sealing butterfly valve + actuation/accessories 990-0100W0M20010-I0S00S0E000KB+PS-A-89U01401XXN2M Additional Items: ISV-1019668(x1) - ACCESSORY MOUNTING PARTS;MABSU70U4000E00+MABSU40U3000E00;;MOUNTING KIT;,,,,,,;
PremiSeal38L-112	
155-94-874	
91tu00	
79u/79e-012(S)	
206-120-100-003	
016200137110b00	
2633 Nd 16 Nw 80/88.9-022.8	
1042249 79u-024-Da	
379sbefe 181 1/8quot; - Not Available	
Nbr 40 X 32	
79e00601	
Fig. 9-102, Dn 150	
F251	
155-46-557	
En 558-1/T5 Single Acting	
Kpe063lvpd002e3 (24-48 V Dc)	
155-94-914	
Optiseal F14; 50 Mm - 2quot; Stainl.Steel En 1.4408 Body; Stainl.Steel En 1.4408 Disc;	

F79e-012m-07914
Type: 79u Actuator Size: 012s
419cs0ape00
F79u/E-036(S)
Dn300 Pn10
009300102w10b00
990730130010000
Keystone 65
14-677 / Dn 50 Pn 10
F738-P7-P9
41-111-A21
6? Vana
Fig 38-102 Dn 32 Body Gg25
F79u/E-006(S)
F990 T106
Kpe250hvdp002e5
793ted4208p5clb
908+79e012s+ip 6100
14/677 Dn 200
Keystone Bfv
155-94-866
Gasket For 21912-01 3quot; Fig.990 Trim 727
89e032q1xx0pm00
155-94-916
14/677 - Dn50
Fig.38-635 - By Grw080112wmdb00 Or Grl080112l10b00
116535
79u00301xxopm00
139-080-Spewa1b00
Mabse20e1000e00
014050102wmdb00
88gk32
89e052q1xx0pm00
360-405a/Body-1.4408 /Shaft 17-4-Ph Dn150
Seat For Duck Keel Suction Valve Water Type Bfv Dia 80a [subs001]

F990805cee2/F79u003da
Epi2 063
38-106 172041
Fig 9 -102 Dn 300 Pn 10
200 F990 805 Cee2
Keystone 80
F793010df (F793-Fdn00g0)
155-94-920
14-190
Type: F990 Cee2 805 040 An150
Part No:14
360 -362
Kpe063lvpd002e3 (100-240vdc)
014080102wmdb00
Kpu063uvpa002u4
Ar1
71da33
155-94-868
79u01203080pm00
Gr1080112110b00
155-94-858
796 - 012
71ym34
155-94-922
976-090
Din2501pn10dn80
Fig. 89u-032 Sr
Fig 7911
778-012 - By Kpe125hvpd002e5 Or Kpe250hvpd002e5
79u00601xx0pm00
Kspr495con1000
Figure 55
Butterfly Valve Optiseal F14;
20rda-40-2-Sbn0-D
Kpspr440pow1000

Part No:15a
79u18001xx0pm00
Kpe063uvpa002e3, 100-240 V , Kpe063hvpd002e3
79e00201
Kit-Job02/172722
792kka2e003xp00
419cs0ane00
Mabse90e6000300
Seat For Fig 9-102, Dn300, Pn 10
Fig:9-102+79u 012s
A906-20k
009150102w10b00
Actuator: Complete Set, Type F-79u-036, 60 Lb, Single Acting, Fail Close 221 952 036 79u 002 For 3?-
Grw125116wmdb00
Repair Kit 103383910 For Valve
014065102wmdb00
F. 79e-024
014250102wmdb00
016100240l10b00
Contact 52 Battery
79e02401xx0pm00
014200102wmdb00
14-102
F738 P8 Key
F738 P6 Key
Fig 793
03.24.3024.2330
Hw 071914
79e00301xx0pm00
014100677wmdb00
79e00201xx0pm00
5251
Fig 38-102
10076466

Gu 60
015350261wmdb00
54ab40
Fig.14-677 Dn250
016050240l10b00
F793-010m Ps-030000d0b
Fig. 9-102, Dn 100
360-405a/Body-1.4408 /Shaft 17-4-Ph Dn125
Fig.362
Key Bfv Seat Kit Assy 300 F360/370
Premiair 002 Pra00201xx0pm00 - Not Available
79u06601xx0pm00
Grw100116wmdb00
016200137la1b00
534-464
En 558-1/T5 Double Acting
V8013234e
14-677 Dn250 Pn10
79e01201
Fig.14-677 Dn200
79e09001xx0pm00
F79u/E-002(S)
Fig 10-105 Dn300 Pn10 So:63171
79e- 090
Part No:15
38d025112wm1b00
Seat 12quot; Figure 16, Class Or Pn 16
Job02/0172722
Keystone Butterfly Valve Fig.611-Dee2 Dn100 Ansi 150
Ar1. 4quot; F990
Dn 200 Jis 5 K
Pn105
2994342
Ansi150-Ggg40
Iec144

14-102 M
F738 P6 2019545
Ji02-08 104-080-001-000
84nz25
Ar1 Trim 463 2quot; F990
Type F-79u-036, 60 Lb
155-94-870
Fig 9-106 Ud ,Dn250 Pn10
79u00301xx0pm00 Obsolete- Replaced By 89u
08 Fpt
014100102wmdb00
360-405a/Body-1.4408 /Shaft 17-4-Ph Dn100
03.07.9010.0420
Fig. 89u-014 Sr
Kpe063uvpa002e3 , By Kpe063lvpd002e3
796 - 024
Fig.14101+976-090s
79e00601xx0pm00
534-360
9-102, Dn 300
476-2
79e02401xxopm00
89e052q3s80pm00
14-730
Ep000/D/Tb
Keystone 100
360-405a/Body-1.4408 /Shaft 17-4-Ph Dn65
360-405a/Body-1.4408 /Shaft 17-4-Ph Dn80
Trim Cs/Ss/Ss/Rtfe/G/S
89u-009-01-Xx-N14-N-2
796-036 For 14-102,Dn150
Model 7911
Grw 80 Dw2n M1 I H1
Type: F990 Cee2 805 150 Anae
Grw080112wmdb00
F79u

Ansi150-C8fm
155-94-918
Butterfly Valve For 4o-4202u
44fg58
14-677 Dn200 Pn10
Grw080116wmdb00
009250102w10b00
Reparatursatz Fur K-Lok 360/302
Reparatursatz Fur Fig. 1, 2, 9, 10, 12, 100, 1000, Ar1, Ar2, Dn 300
3587-Atc
71bo32
Part For Figure 16 Seat 12 In
Fig:9-102 , Reductor 422.020
98dp66
F79e-024da
Fig 9/R
Pln284258
F9-102+79 U 024s
05.9040.221