

Kieselmann

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyatı ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Kieselmann Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Kieselmann Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
4326025000-050	Special seal for butterfly valve DN 25 HNBR black 70 ° Shore Total weight in kg: 0.125
4304025130-041	Butterfly valve K / M-G manually operated DN 25 AISI 316L EPDM Total weight in kg: 2.72
4304065130-041	Butterfly valve K / M-G manually operated DN 65 AISI 316L EPDM Total weight in kg: 6.82
4304050130-041	Butterfly valve K / M-G manually operated DN 50 AISI 316L EPDM Total weight in kg: 6.81
4377050000-054	Special seal for Leakage butterfly valve DN 50 EPDM + 4328050000-054 Special seal for butterfly valve DN 50 EPDM
4326050000-052	Special seal for butterfly valve DN 50 VMQ red Customs tariff number: 39269097
dn50 VMQ V5-2 3214	
003600 / 4200.100.000	
003642 / 4200.100.000	
003683 / 4200.100.000	
003722 / 4200.100.000	
2004020000-056	

2004025000-056	
2004100000-056	
2005080000-054	
2008015000-051	
2008025000-051	
2008040000-051	
2008050000-051	
2008065000-051	
2008080000-051	
2008125000-051	
2024032025-020	
2024040025-020	
2050065000-020	
2066050040-041	
2066065040-041	
2353076066-114	
2353090081-114	
2353109100-114	
2356028007-069	
2356277245-055	
27833032	
4084040000-055	
4084050000-055	
4084065000-055	
4100100000-022	
4200100000-022	pneum. Rotary drive l-fs AISI 304L
4200075000-022	
4200075000-022 PNEUM.-DREHANTRIEB LO-FS AISI 304L	
4200080100-022	
42001 100 100-022	
4200100000-022 PNEUM.-DREHANTRIEB LO-FS AISI 304L	
4200100040-022	
4200100100-22	
4200100200-K022	
4221050170-040	

4301032002-041
4301040130-021 Scheibenventil S-S handbetatigt DN 40 AISI 304L EPDM
4301050002-021
4301065130-021
4301080130-021
4310065130-021
4310080130-021
4310100130-041
432 6 050 000-50H 1 13/1A
432 6 065.000-5
4326040000-052
4326050000-050
432605000-52S
4326065000-052
4326080000-052
4327 100 000 051
4327.050.000-51
4327.080.000-51
4328.025.000-54
4328025000-054
4328032000-054
4328080000-054
4328125000-054
4345038130-041
4365065003-131
4377065000
4377065000-054
4377080000-054
4377100000
4378080000-050
4501032130-021
4501065130-021 Scheibenventil S-S pneum. lo- fs DN 65 AISI 304L EPDM
4501065130-K620
4502065000-021

4503080000-021
4510025130-041
4510032130-021
4510040130-021
4510050130-021
4510065130-021
4510100130-021
4866065130-041
4867065130-041
4902040000-021
5071032448-041
5093025000-020
5093032000-020
5093065000-020
5099080000-060
5620050739-000
5620065739-000
5629080739-000
5630
5630.000.002-094
5630601013-000
5631000013-000
5714065990-054
5820080020-194
5844080993-000
5844080993-194
6007015990-000
6136065000-021
6139050000-021
6147050300-021
6162
6212518060-020
6246025200-021
6357025123-150
6357040123-120
700105000-021 S DN 50 AISI 304L

7021050050-041	
7023100100-041	
7049050460-021	
7049080000-021	
7079050200-158	
9689 NW 65	
AISI316L	
DN 100 AISI 316L	
DN 125 AISI 316L	
DN 40 EPDM	
DN65	
K/M-G DN 40 (6357040123-1XX)	
KIE4131050000-040	
ZA310067	
ZAD10028	
7004150080-020	
5706025990-054	Spare parts kit DN 25 EPDM for corner, T, cross, arch, Angle seat and ring line valve
5200157051-032	Pneumatic lifting drive DN 80-100 air opening - spring closing without spindle AISI 304L
5631601000-000	Control head KI-TOP for rotary valve Control board SPS 24V DC / 2.0-6.0 bar 2 position sensors 1 solenoid valve Cable gland ø 4.5-10 mm LED position indicator transparent hood
4328025000-054	Special seal for disc valve DN 25 EPDM
4327050000-051	Special seal for disk valve DN 50 FKM-FDA grey
7004080000-021	Tank lighting S DN 80 AISI 304L complete with sight glass
4326065000-050	Special seal for disc valve DN 65 HNBR black 70° Shore
4328125000-054	Special seal for disc valve DN 125 EPDM
4328150000-054	Special seal for disc valve DN 150 EPDM
4328100000-054	Special seal for disc valve DN 100 EPDM
2005025000-054	Sealing ring G DN 25 EPDM DIN 11851
2005040000-054	Sealing ring G DN 40 EPDM DIN 11851
7004150080-020	Sight glass lighting DN 50-150 MicroLED MVLR 2 LED on-off switch Tilt hinge 1 2W 24V AC/DC IP 65 with 3 meter connection cable
4100100000-022	Pneumatic rotary drive lö-ls AISI 304L
4200075000-022	pneum. Rotary drive lö-fs AISI 304L
4200100000-022	pneum. Rotary drive lö-fs AISI 304L

4302050130-041	Disc valve G-S manually operated DN 50 AISI 316L EPDM
4302065130-041	Disc valve G-S manually operated DN 65 AISI 316L EPDM
4327065000-051	Special seal for butterfly valve DN 65 FKM-FDA grey PN 10
4225050000-040	Straight ball valve S-S pneum. l-fs DN 50 AISI 316L
4262020000-042	Straight ball valve S-S pneum. l-fs DN 20 AISI 316L Industrial version
4510150130-021	Intermediate flange butterfly valve S-S pneum. l-fs DN 150 AISI 304L EPDM
4510065130-021	Intermediate flange butterfly valve S-S pneum. l-fs DN 65 AISI 304L EPDM
5506025030-041	KI-DS angle valve S-S pneum. l-fs DN 25 AISI 316L EPDM-FDA Operating pressure 9.5 bar Control air pressure min. 5.5 bar
5506050030-041	KI-DS angle valve S-S pneum. l-fs DN 50 AISI 316L EPDM-FDA Operating pressure 6 bar Control air pressure min. 5.5 bar
5506065030-041	KI-DS angle valve S-S pneum. l-fs DN 65 AISI 316L EPDM-FDA Operating pressure 6 bar Control air pressure min. 5.5 bar
5514050130-041	2-way changeover valve KI-DS S-S-S DN 50 AISI 316L EPDM-FDA pneum. actuator ls-f Operating pressure 6.6 bar Control air pressure min. 5.5 bar
5514065130-041	KI-DS 2-way changeover valve S-S-S DN 65 AISI 316L EPDM-FDA pneum. actuator ls-f Operating pressure 7.2 bar Control air pressure min. 5.5 bar
5516050130-041	KI-DS 2-way changeover valve SS-S-S DN 50 AISI 316L EPDM-FDA pneum. actuator ls-f Operating pressure 6.6 bar Control air pressure min. 5.5 bar
5516065130-041	KI-DS 2-way changeover valve SS-S-S DN 65 AISI 316L EPDM-FDA pneum. actuator ls-f Operating pressure 7.2 bar Control air pressure min. 5.5 bar
5629065732-041	Double seat tank outlet valve T-shape pneum. l-fs S-S DN 65 AISI 316L EPDM Tank connection: flange connection (tank flange not included) Pipe connection: welded end according to DIN EN 10357 with cyclic valve disks product loss-free switching
5629065002-040	Tank welding flange for double seat tank outlet valve DN 65 AISI 316L
5684065730-041	Double seat valve DN 65 AISI 316L EPDM pneum. l-fs Top connection: 2 x welding ends Bottom connection: 2 x welding ends with cyclic valve plate product loss-free switching pressure shock-proof up to 40 bar
5572065112-114	KI-DS T-overflow valve SS-S DN 65 AISI 316L EPDM Setting range 2.0 - 7.0 bar pneumatically liftable with limit switch holder
5631601100-000	KI-TOP control head for rotary valve Control board PLC 24V DC / 2.0-6.0 bar 2 position sensors 1 solenoid valve Cable screw connection / ø 4.5- 10 mm Stainless steel cover with rotating light
5631301100-000	KI-TOP control head for lifting valve Control board PLC 24V DC / 2.0-6.0 bar 2 position sensors 1 solenoid valve Cable screw connection/ ø 4.5-10 mm Stainless steel cover with rotating light
5502065005-K000	Use of complete pulse generator KI-DS single seat valve DN 50-65 and double seal valve DN 40-65
5631003100-000	Control head KI-TOP for double seat valve Control board PLC 24V DC / 2.0-6.0 bar 2 position sensors 3 solenoid valves Cable screw connection / ø 4.5-10 mm Stainless steel cover with rotating light

5502065005-K000	Use of complete pulse generator KI-DS single seat valve DN 50-65 and double seal valve DN 40-65
5632203150-000	KI-TOP control head for double seat valve IO-Link Light board 24 V DC / 2.0 - 8.0 bar 2 position sensors 3 solenoid valves Cable connection plug M12/4-pin Stainless steel cover with rotating light
5632501150-000	KI-TOP control head for lift valve IO-Link Light board with magnetic sensor and magnetic valve without manual operation Cable connection plug M 12/4-pin Stainless steel cover with rotating light
5632801150-000	KI-TOP control head for rotary valve IO-Link Light board for PDA 90/100 with magnetic sensor and magnetic valve without manual operation Cable connection plug M 12/4-pin Stainless steel cover with rotating light
4200100000	pneum. Rotary drive lö-fs AISI 304L
4200075000-022	pneum. Rotary drive lö-fs AISI 304L
4200100000-022	pneum. Rotary drive lö-fs AISI 304L
B / 19977 - 4200 . 100 . 000	
6357040423-120	
4377125000-054	
4200100000-022	pneum. Rotary drive Lö-fs AISI 304L
4328040000-054	
Ventil Mit Antrieb Epdm Dn 100 Kieselmann (Mit Kontrolle Des Durchflusses) 4865.100.130-042	
2008025000-051 Dichtung Der Kupplung	
2004100000-056 Dichtring G Dn 100 Nbr Din 11851zolltarif-Nr.: 40169300	
Dn 125 Aisi 316l	
8615150168-000	
4377065000 4377065000 (Dn65 Gummi)	
5670065739-020	
4328050000-054	
5506051030-041	
2353035026 114	
4326025000 052	
4446050000-041	
Pneumatischer Drehantrieb 4200100100-022 Identisch Zu 4200100000-22	
Dichtung Epdm Dn 40 Kieselmann 4328 040 000 054	
4503050000-021	
4301065130-021 Scheibenventil S-S Handbetö;Tigt Dn 65 Aisi 304l Epdm	
049.10.2828	

4327125000-051	
4327040000-051	
2005032000-054	
4200075100-022	
7100150008-040	
4301032002-041 Drehklappe Dn 32 Aisi 316l	
4328080000-054 Artikel Epdm Nr. V2a Dn 80	
Dichtung Epdm Dn 100 Kieselmann 4 328 100 000 054	
5506026030-041	
K/M-G Dn 25/32	
4327025000-051	
4501050000-021	Disc valve S-S pneum. luh-fs DN 50 AISI 304L silicone Tariff No .: 84818085 Total weight in kg: 6.22
Pneumatisch Pda 90/125 4500.125.125-022	
432 6 050 000 50h 1 13 1a	
5514051030-041	
4510100130-021 Ventil Mit Antriebdn100normally Closed	
4200125100-022	
4328025000-054 Dichtung Epdm	
4510065130-021 Ventil Mit Antriebdn65normally Closed	
6357050123-140	
4321065100-021	
4865065130-041	
8615150136-000 Winkelkabeldose M 12 Zolltarif-Nr.: 85366990	
6147040100-021	
4327065000-051	
8615150138-000 - , By 8615150168-000	
8615150136-000	
4301040130-021 Scheibventil S-S Handbetö;Tigt Dn 40 Aisi 304l Epdm	
4327065000-051 Dichtung Dn65	
Tqn00189	
4200.100.000 - Alternative 4200100000-022	
2004020000-056 Dichtring G Dn 20 Nbr Din	

11851zolltarif-Nr. : 40169300
049.10.2828 (Box= 250 Stk)
6139025000-021
42001 100 100-022 42001 100 100-022 (Pneumatisch Drehen)
Dichtung Epdm Dn 15 Kieselmann 4 328 054 015 000
4501080130-021
K-Flex Dn100 - O-Ring 2353 109 100 - 114
Kieselmann-049102828-10000-St3;Ck-Istanbul- Turkiye
2353047038-114
4447076130-041
2353059050-114
4547076130-041
833-630746 - Sold Only As Part Of 5630601013-000
4200100100-22 Pneumatischer Antrieb
2008125000-051 Dichtung Der Kupplung
2008040000-051 Dichtung Der Kupplung
2042050210-020
6125404410-041
4510040130-021 Ventil Mit Antriebdn40normally Closed
4377100000-054
4867050130-041
6180004830-022
Dichtung Epdm Dn 25 Kieselmann 4 328 054 025 000
7049.050.460-021
6146020000-021
4327080000-051
6261025000-042
4328065000-054
4100100100 022
Dn 150 Aisi 316l
4510050130-021 Ventil Mit Antriebdn50normally Closed
4446100000-041

2304060030-170
4200.100.100 - Alternative 4200100100-022
7100150005-020
Aisi316l
6272050328-041
2030080000 040
5631601000-000
8050015010-060
4326050000-050 Dichtung Dn 50 Artikel Nr. V2a
4902040000-021
4062040000-040
8050020015-156
2005025000-054
4510080130-021 Ventil Mit Antriebdn80normally Closed
8210005001-000
4327 025 000 51
2042050210 020
440050100-022
4200100100-022 (Mit Endschaltheralter M 12 X 1)
5000571589-114
Pneumatisch Pda 90/100 4500.100.100-022
2353109100-114 2353109100-114 K-Flex (Streifen)
4328040000-054 Dichtung Epdm
4865050130-041
2353090081-114 2353090081-114 K-Flex (Streifen)
6246025110-021
6125841110-041
Dichtung Epdm Dn 80 Kieselmann 4 328 054 080 000
5091015000-041
5076032398-041 Art. Nr.5076032100-041
2008050000-051 Dichtung Der Kupplung
6157040350-041
2231050050-040

4262040000-042	
049.10.2828 (Box=1000 Stk)	
4510080130-041	
5630001013-000	
4377100000 4377100000 (Dn100 Gummi)	
7100080020-041	
2231050000-040	
2004025000-056 Dichtring G Dn 25 Nbr Din 11851zolltarif-Nr.: 40169300	
8615.126.041 -000	
4131080650-040	
5091065000-021	
Dichtung Epdm Dn 50 Kieselmann 4328 054 050 000	
5824050000-041	
2354012006-054	
Spare Seal For Butterfly Valve Dn 100 Viton Order No.: 4327 100 000 051	
5670065739-000	
4100100100-022	Pneumatic rotary drive L¼ Is AISI 304L with limit switch holder M 12x1 Tariff No .: 84123900 Total weight in kg: 3,4
4200100100-022	
4328032000-054 Dichtung Epdm	
6009010000-021	
4327050000-051	
5631301000-000	
2005015000-054	
4510032130-021 Ventil Mit Antriebdn32 Normally Closed	
2005050000-054	
Epdm-Dichtung Dn 65 Kieselmann (Mit Kontrolle Des Durchflusses) 4 377 054 065 000	
4326050000-052	
7100080001-041	
4510080130-021	
5506038030-041	
4100.100.000	
Dichtung Epdm Dn 100 Kieselmann (Mit Kontrolle Des Durchflusses) 4 377 100 000 054	

2008080000-051 Dichtung Der Kupplung
6138050000-021
4551076130-041
432 040.000 5 2 /A
6357050423-140
2353035026-114
4125065000-040
4328100000-054 4328100000-054 (Dn100 Gummy)
4328080000-054 4328080000-054 (Dn80 Gummy)
7100080015-041
2356356324-054
2042065210-020
2005040000-054
4545 076 - , By 4547076130-041
4301050130-021
4545 076. - , By 4328076000-054
2008015000-051 Dichtung Der Kupplung
5674080730-041
4328100000-054
2008065000-051 Dichtung Der Kupplung
2030080000-040