

Kieselmann

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyatı ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Kieselmann Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Kieselmann Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

| rn | Aıklama |
|---------------------------------------|---|
| 4326025000-050 | Special seal for butterfly valve DN 25 HNBR black 70 ° Shore Total weight in kg: 0.125 |
| 4304025130-041 | Butterfly valve K / M-G manually operated DN 25 AISI 316L EPDM Total weight in kg: 2.72 |
| 4304065130-041 | Butterfly valve K / M-G manually operated DN 65 AISI 316L EPDM Total weight in kg: 6.82 |
| 4304050130-041 | Butterfly valve K / M-G manually operated DN 50 AISI 316L EPDM Total weight in kg: 6.81 |
| 4377050000-054 | Special seal for Leakage butterfly valve DN 50 EPDM + 4328050000-054 Special seal for butterfly valve DN 50 EPDM |
| 4326050000-052 | Special seal for butterfly valve DN 50 VMQ red Customs tariff number: 39269097 |
| dn50 VMQ V5-2 3214 | |
| 003600 / 4200.100.000 | |
| 003642 / 4200.100.000 | |
| 003683 / 4200.100.000 | |
| 003722 / 4200.100.000 | |
| 2004020000-056 | |

| | |
|---|-------------------------------------|
| 2004025000-056 | |
| 2004100000-056 | |
| 2005080000-054 | |
| 2008015000-051 | |
| 2008025000-051 | |
| 2008040000-051 | |
| 2008050000-051 | |
| 2008065000-051 | |
| 2008080000-051 | |
| 2008125000-051 | |
| 2024032025-020 | |
| 2024040025-020 | |
| 2050065000-020 | |
| 2066050040-041 | |
| 2066065040-041 | |
| 2353076066-114 | |
| 2353090081-114 | |
| 2353109100-114 | |
| 2356028007-069 | |
| 2356277245-055 | |
| 27833032 | |
| 4084040000-055 | |
| 4084050000-055 | |
| 4084065000-055 | |
| 4100100000-022 | |
| 4200100000-022 | pneum. Rotary drive l-fs AISI 304L |
| 4200075000-022 | |
| 4200075000-022 PNEUM.-DREHANTRIEB LO-FS AISI 304L | |
| 4200080100-022 | |
| 42001 100 100-022 | |
| 4200100000-022 PNEUM.-DREHANTRIEB LO-FS AISI 304L | |
| 4200100040-022 | |
| 4200100100-22 | |
| 4200100200-K022 | |
| 4221050170-040 | |

| |
|--|
| 4301032002-041 |
| 4301040130-021 Scheibenventil S-S handbetatigt DN 40 AISI 304L EPDM |
| 4301050002-021 |
| 4301065130-021 |
| 4301080130-021 |
| 4310065130-021 |
| 4310080130-021 |
| 4310100130-041 |
| 432 6 050 000-50H 1 13/1A |
| 432 6 065.000-5 |
| 4326040000-052 |
| 4326050000-050 |
| 432605000-52S |
| 4326065000-052 |
| 4326080000-052 |
| 4327 100 000 051 |
| 4327.050.000-51 |
| 4327.080.000-51 |
| 4328.025.000-54 |
| 4328025000-054 |
| 4328032000-054 |
| 4328080000-054 |
| 4328125000-054 |
| 4345038130-041 |
| 4365065003-131 |
| 4377065000 |
| 4377065000-054 |
| 4377080000-054 |
| 4377100000 |
| 4378080000-050 |
| 4501032130-021 |
| 4501065130-021 Scheibenventil S-S pneum. lo- fs DN 65 AISI 304L EPDM |
| 4501065130-K620 |
| 4502065000-021 |

| |
|---|
| 4503080000-021 |
| 4510025130-041 |
| 4510032130-021 |
| 4510040130-021 |
| 4510050130-021 |
| 4510065130-021 |
| 4510100130-021 |
| 4866065130-041 |
| 4867065130-041 |
| 4902040000-021 |
| 5071032448-041 |
| 5093025000-020 |
| 5093032000-020 |
| 5093065000-020 |
| 5099080000-060 |
| 5620050739-000 |
| 5620065739-000 |
| 5629080739-000 |
| 5630 |
| 5630.000.002-094 |
| 5630601013-000 |
| 5631000013-000 |
| 5714065990-054 |
| 5820080020-194 |
| 5844080993-000 |
| 5844080993-194 |
| 6007015990-000 |
| 6136065000-021 |
| 6139050000-021 |
| 6147050300-021 |
| 6162 |
| 6212518060-020 |
| 6246025200-021 |
| 6357025123-150 |
| 6357040123-120 |
| 700105000-021 S DN 50 AISI 304L |

| | |
|--|---|
| 7021050050-041 | |
| 7023100100-041 | |
| 7049050460-021 | |
| 7049080000-021 | |
| 7079050200-158 | |
| 9689 NW 65 | |
| AISI316L | |
| DN 100 AISI 316L | |
| DN 125 AISI 316L | |
| DN 40 EPDM | |
| DN65 | |
| K/M-G DN 40 (6357040123-1XX) | |
| KIE4131050000-040 | |
| ZA310067 | |
| ZAD10028 | |
| 7004150080-020 | |
| 5706025990-054 | Spare parts kit DN 25 EPDM for corner, T, cross, arch, Angle seat and ring line valve |
| 5200157051-032 | Pneumatic lifting drive DN 80-100 air opening - spring closing without spindle AISI 304L |
| 5631601000-000 | Control head KI-TOP for rotary valve Control board SPS 24V DC / 2.0-6.0 bar 2 position sensors 1 solenoid valve Cable gland ø 4.5-10 mm LED position indicator transparent hood |
| 4328025000-054 | Special seal for disc valve DN 25 EPDM |
| 4327050000-051 | Special seal for disk valve DN 50 FKM-FDA grey |
| 7004080000-021 | Tank lighting S DN 80 AISI 304L complete with sight glass |
| 4326065000-050 | Special seal for disc valve DN 65 HNBR black 70° Shore |
| 4328125000-054 | Special seal for disc valve DN 125 EPDM |
| 4328150000-054 | Special seal for disc valve DN 150 EPDM |
| 4328100000-054 | Special seal for disc valve DN 100 EPDM |
| 2005025000-054 | Sealing ring G DN 25 EPDM DIN 11851 |
| 2005040000-054 | Sealing ring G DN 40 EPDM DIN 11851 |
| 7004150080-020 | Sight glass lighting DN 50-150 MicroLED MVLR 2 LED on-off switch Tilt hinge 1 2W 24V AC/DC IP 65 with 3 meter connection cable |
| 4100100000-022 | Pneumatic rotary drive lö-ls AISI 304L |
| 4200075000-022 | pneum. Rotary drive lö-fs AISI 304L |
| 4200100000-022 | pneum. Rotary drive lö-fs AISI 304L |

| | |
|---------------------------------|--|
| 4302050130-041 | Disc valve G-S manually operated DN 50 AISI 316L EPDM |
| 4302065130-041 | Disc valve G-S manually operated DN 65 AISI 316L EPDM |
| 4327065000-051 | Special seal for butterfly valve DN 65 FKM-FDA grey PN 10 |
| 4225050000-040 | Straight ball valve S-S pneum. l¼-fs DN 50 AISI 316L |
| 4262020000-042 | Straight ball valve S-S pneum. l¼-fs DN 20 AISI 316L Industrial version |
| 4510150130-021 | Intermediate flange butterfly valve S-S pneum. l¼-fs DN 150 AISI 304L EPDM |
| 4510065130-021 | Intermediate flange butterfly valve S-S pneum. l¼-fs DN 65 AISI 304L EPDM |
| 5506025030-041 | KI-DS angle valve S-S pneum. l¼-fs DN 25 AISI 316L EPDM-FDA Operating pressure 9.5 bar Control air pressure min. 5.5 bar |
| 5506050030-041 | KI-DS angle valve S-S pneum. l¼-fs DN 50 AISI 316L EPDM-FDA Operating pressure 6 bar Control air pressure min. 5.5 bar |
| 5506065030-041 | KI-DS angle valve S-S pneum. l¼-fs DN 65 AISI 316L EPDM-FDA Operating pressure 6 bar Control air pressure min. 5.5 bar |
| 5514050130-041 | 2-way changeover valve KI-DS S-S-S DN 50 AISI 316L EPDM-FDA pneum. actuator ls-f¼ Operating pressure 6.6 bar Control air pressure min. 5.5 bar |
| 5514065130-041 | KI-DS 2-way changeover valve S-S-S DN 65 AISI 316L EPDM-FDA pneum. actuator ls-f¼ Operating pressure 7.2 bar Control air pressure min. 5.5 bar |
| 5516050130-041 | KI-DS 2-way changeover valve SS-S-S DN 50 AISI 316L EPDM-FDA pneum. actuator ls-f¼ Operating pressure 6.6 bar Control air pressure min. 5.5 bar |
| 5516065130-041 | KI-DS 2-way changeover valve SS-S-S DN 65 AISI 316L EPDM-FDA pneum. actuator ls-f¼ Operating pressure 7.2 bar Control air pressure min. 5.5 bar |
| 5629065732-041 | Double seat tank outlet valve T-shape pneum. l¼-fs S-S DN 65 AISI 316L EPDM Tank connection: flange connection (tank flange not included) Pipe connection: welded end according to DIN EN 10357 with cyclic valve disks product loss-free switching |
| 5629065002-040 | Tank welding flange for double seat tank outlet valve DN 65 AISI 316L |
| 5684065730-041 | Double seat valve DN 65 AISI 316L EPDM pneum. l¼-fs Top connection: 2 x welding ends Bottom connection: 2 x welding ends with cyclic valve plate product loss-free switching pressure shock-proof up to 40 bar |
| 5572065112-114 | KI-DS T-overflow valve SS-S DN 65 AISI 316L EPDM Setting range 2.0 - 7.0 bar pneumatically liftable with limit switch holder |
| 5631601100-000 | KI-TOP control head for rotary valve Control board PLC 24V DC / 2.0-6.0 bar 2 position sensors 1 solenoid valve Cable screw connection / ø 4.5- 10 mm Stainless steel cover with rotating light |
| 5631301100-000 | KI-TOP control head for lifting valve Control board PLC 24V DC / 2.0-6.0 bar 2 position sensors 1 solenoid valve Cable screw connection/ ø 4.5-10 mm Stainless steel cover with rotating light |
| 5502065005-K000 | Use of complete pulse generator KI-DS single seat valve DN 50-65 and double seal valve DN 40-65 |
| 5631003100-000 | Control head KI-TOP for double seat valve Control board PLC 24V DC / 2.0-6.0 bar 2 position sensors 3 solenoid valves Cable screw connection / ø 4.5-10 mm Stainless steel cover with rotating light |

| | |
|---|---|
| 5502065005-K000 | Use of complete pulse generator KI-DS single seat valve DN 50-65 and double seal valve DN 40-65 |
| 5632203150-000 | KI-TOP control head for double seat valve IO-Link Light board 24 V DC / 2.0 - 8.0 bar 2 position sensors 3 solenoid valves Cable connection plug M12/4-pin Stainless steel cover with rotating light |
| 5632501150-000 | KI-TOP control head for lift valve IO-Link Light board with magnetic sensor and magnetic valve without manual operation Cable connection plug M 12/4-pin Stainless steel cover with rotating light |
| 5632801150-000 | KI-TOP control head for rotary valve IO-Link Light board for PDA 90/100 with magnetic sensor and magnetic valve without manual operation Cable connection plug M 12/4-pin Stainless steel cover with rotating light |
| 4200100000 | pneum. Rotary drive l-fs AISI 304L |
| 4200075000-022 | pneum. Rotary drive l-fs AISI 304L |
| 4200100000-022 | pneum. Rotary drive l-fs AISI 304L |
| B / 19977 - 4200 . 100 . 000 | |
| 6357040423-120 | |
| 4377125000-054 | |
| 4200100000-022 | pneum. Rotary drive L-fs AISI 304L |
| 4328040000-054 | |
| Ventil Mit Antrieb Epdm Dn 100 Kieselmann (Mit Kontrolle Des Durchflusses) 4865.100.130-042 | |
| 2008025000-051 Dichtung Der Kupplung | |
| 2004100000-056 Dichtring G Dn 100 Nbr Din 11851zolltarif-Nr.: 40169300 | |
| Dn 125 Aisi 316l | |
| 8615150168-000 | |
| 4377065000 4377065000 (Dn65 Gummi) | |
| 5670065739-020 | |
| 4328050000-054 | |
| 5506051030-041 | |
| 2353035026 114 | |
| 4326025000 052 | |
| 4446050000-041 | |
| Pneumatischer Drehantrieb 4200100100-022 Identisch Zu 4200100000-22 | |
| Dichtung Epdm Dn 40 Kieselmann 4328 040 000 054 | |
| 4503050000-021 | |
| 4301065130-021 Scheibenventil S-S Handbet;Tigt Dn 65 Aisi 304l Epdm | |
| 049.10.2828 | |

| | |
|--|--|
| 4327125000-051 | |
| 4327040000-051 | |
| 2005032000-054 | |
| 4200075100-022 | |
| 7100150008-040 | |
| 4301032002-041 Drehklappe Dn 32 Aisi 316l | |
| 4328080000-054 Artikel Epdm Nr. V2a Dn 80 | |
| Dichtung Epdm Dn 100 Kieselmann 4 328 100 000 054 | |
| 5506026030-041 | |
| K/M-G Dn 25/32 | |
| 4327025000-051 | |
| 4501050000-021 | Disc valve S-S pneum. luh-fs DN 50 AISI 304L silicone Tariff No .: 84818085 Total weight in kg: 6.22 |
| Pneumatisch Pda 90/125 4500.125.125-022 | |
| 432 6 050 000 50h 1 13 1a | |
| 5514051030-041 | |
| 4510100130-021 Ventil Mit Antriebdn100normally Closed | |
| 4200125100-022 | |
| 4328025000-054 Dichtung Epdm | |
| 4510065130-021 Ventil Mit Antriebdn65normally Closed | |
| 6357050123-140 | |
| 4321065100-021 | |
| 4865065130-041 | |
| 8615150136-000 Winkelkabeldose M 12 Zolltarif-Nr.: 85366990 | |
| 6147040100-021 | |
| 4327065000-051 | |
| 8615150138-000 - , By 8615150168-000 | |
| 8615150136-000 | |
| 4301040130-021 Scheibventil S-S Handbetö;Tigt Dn 40 Aisi 304l Epdm | |
| 4327065000-051 Dichtung Dn65 | |
| Tqn00189 | |
| 4200.100.000 - Alternative 4200100000-022 | |
| 2004020000-056 Dichtring G Dn 20 Nbr Din | |

| |
|--|
| 11851zolltarif-Nr. : 40169300 |
| 049.10.2828 (Box= 250 Stk) |
| 6139025000-021 |
| 42001 100 100-022 42001 100 100-022 (Pneumatisch Drehen) |
| Dichtung Epdm Dn 15 Kieselmann 4 328 054 015 000 |
| 4501080130-021 |
| K-Flex Dn100 - O-Ring 2353 109 100 - 114 |
| Kieselmann-049102828-10000-St3;Ck-Istanbul- Turkiye |
| 2353047038-114 |
| 4447076130-041 |
| 2353059050-114 |
| 4547076130-041 |
| 833-630746 - Sold Only As Part Of 5630601013-000 |
| 4200100100-22 Pneumatischer Antrieb |
| 2008125000-051 Dichtung Der Kupplung |
| 2008040000-051 Dichtung Der Kupplung |
| 2042050210-020 |
| 6125404410-041 |
| 4510040130-021 Ventil Mit Antriebdn40normally Closed |
| 4377100000-054 |
| 4867050130-041 |
| 6180004830-022 |
| Dichtung Epdm Dn 25 Kieselmann 4 328 054 025 000 |
| 7049.050.460-021 |
| 6146020000-021 |
| 4327080000-051 |
| 6261025000-042 |
| 4328065000-054 |
| 4100100100 022 |
| Dn 150 Aisi 316l |
| 4510050130-021 Ventil Mit Antriebdn50normally Closed |
| 4446100000-041 |

| |
|--|
| 2304060030-170 |
| 4200.100.100 - Alternative 4200100100-022 |
| 7100150005-020 |
| Aisi316l |
| 6272050328-041 |
| 2030080000 040 |
| 5631601000-000 |
| 8050015010-060 |
| 4326050000-050 Dichtung Dn 50 Artikel Nr. V2a |
| 4902040000-021 |
| 4062040000-040 |
| 8050020015-156 |
| 2005025000-054 |
| 4510080130-021 Ventil Mit Antriebdn80normally Closed |
| 8210005001-000 |
| 4327 025 000 51 |
| 2042050210 020 |
| 440050100-022 |
| 4200100100-022 (Mit Endschaltherhalter M 12 X 1) |
| 5000571589-114 |
| Pneumatisch Pda 90/100 4500.100.100-022 |
| 2353109100-114 2353109100-114 K-Flex (Streifen) |
| 4328040000-054 Dichtung Epdm |
| 4865050130-041 |
| 2353090081-114 2353090081-114 K-Flex (Streifen) |
| 6246025110-021 |
| 6125841110-041 |
| Dichtung Epdm Dn 80 Kieselmann 4 328 054 080 000 |
| 5091015000-041 |
| 5076032398-041 Art. Nr.5076032100-041 |
| 2008050000-051 Dichtung Der Kupplung |
| 6157040350-041 |
| 2231050050-040 |

| | |
|---|---|
| 4262040000-042 | |
| 049.10.2828 (Box=1000 Stk) | |
| 4510080130-041 | |
| 5630001013-000 | |
| 4377100000 4377100000 (Dn100 Gummi) | |
| 7100080020-041 | |
| 2231050000-040 | |
| 2004025000-056 Dichtring G Dn 25 Nbr Din 11851zolltarif-Nr.: 40169300 | |
| 8615.126.041 -000 | |
| 4131080650-040 | |
| 5091065000-021 | |
| Dichtung Epdm Dn 50 Kieselmann 4328 054 050 000 | |
| 5824050000-041 | |
| 2354012006-054 | |
| Spare Seal For Butterfly Valve Dn 100 Viton Order No.: 4327 100 000 051 | |
| 5670065739-000 | |
| 4100100100-022 | Pneumatic rotary drive L¼ Is AISI 304L with limit switch holder M 12x1 Tariff No .: 84123900 Total weight in kg: 3,4 |
| 4200100100-022 | |
| 4328032000-054 Dichtung Epdm | |
| 6009010000-021 | |
| 4327050000-051 | |
| 5631301000-000 | |
| 2005015000-054 | |
| 4510032130-021 Ventil Mit Antriebdn32 Normally Closed | |
| 2005050000-054 | |
| Epdm-Dichtung Dn 65 Kieselmann (Mit Kontrolle Des Durchflusses) 4 377 054 065 000 | |
| 4326050000-052 | |
| 7100080001-041 | |
| 4510080130-021 | |
| 5506038030-041 | |
| 4100.100.000 | |
| Dichtung Epdm Dn 100 Kieselmann (Mit Kontrolle Des Durchflusses) 4 377 100 000 054 | |

| |
|--|
| 2008080000-051 Dichtung Der Kupplung 6138050000-021 |
| 4551076130-041 |
| 432 040.000 5 2 /A |
| 6357050423-140 |
| 2353035026-114 |
| 4125065000-040 |
| 4328100000-054 4328100000-054 (Dn100 Gummy) |
| 4328080000-054 4328080000-054 (Dn80 Gummy) |
| 7100080015-041 |
| 2356356324-054 |
| 2042065210-020 |
| 2005040000-054 |
| 4545 076 - , By 4547076130-041 |
| 4301050130-021 |
| 4545 076. - , By 4328076000-054 |
| 2008015000-051 Dichtung Der Kupplung |
| 5674080730-041 |
| 4328100000-054 |
| 2008065000-051 Dichtung Der Kupplung |
| 2030080000-040 |