



Kinetrol

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Kinetrol Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Kinetrol T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
10 Manufacturer/Model	
054-100	KINETROL rotary actuator, double acting Standard version without NAMUR plate
Sp_043	Kinetrol wear part set for model 07
Sp_042	Kinetrol wear part set for model 05
Sp_045	Kinetrol wear part set for model 09
Sp_046	Kinetrol wear part set for model 12
Sp_047	Kinetrol wear part set for model

	14
10a-100	----- -- KINETROL quarter turn actuator double acting DIN version (female drive) with NAMUR adapter plate
074-004uv02000	KINETROL VLS limit switch unit 2 x V 3 microswitches, DIN 41635
10a-104uv02000	alternatively complete unit according to photo, Pos. 1 + 2 assembled. KINETROL rotary actuator DIN version double acting with limit switch unit (2xV3 micro changer) including NAMUR plate Customs tariff number: 8479 8997 Country of origin: United Kingdom (Great Britain)
P3074-07002d130	P3-Positioner without actuator CW on rising signal without limit-switches 24V, DC angle retransmit fail-down function
124-100	KINETROL quarter turn actuator double acting standard version without NAMUR adapter plate
Sp1609	Adapter Flange for positioner (if Pos. 1 and Pos 2 shall be assembled together)
Model 418-104N	repair kit
094-100	KINETROL swivel drive, double acting Standard version without NAMUR plate Net weight: 3.80 Customs tariff number: 84798997 Country of origin: United Kingdom
SP 045	Kinetrol wear parts kit for model 09
074-134UV02000	KINETROL swivel drive single acting including limit switch unit (2xV3) without NAMUR plate
103-700EL1000	KINETROL-EL actuator 4-20 mA (clockwise) double acting DIN version with stepless feedback Net weight: 8.20 Customs tariff number: 84798997 Country of origin: United Kingdom
	KINETROL swivel drive, double acting Standard version without

054-100	NAMUR plate Net weight: 1.60 Customs tariff number: 84798997 Country of origin: United Kingdom
004-800APM-4860	
014-100-7920	
016120	
020-120Z	
020-900-4662	
024-120Z	
030-100	
033-120	
033F120	
03A-100	
03B-100	
050-600AP0000	
051-100-2119	
053-100	
053-700EL0000	
054-100Z	
054-106U002000 alternative is 054-10NU002000	
054-10NU002000	
054-400EL0000 / - /	
054-420EL00C0	
054-500AP0000	
054-520AP0000	
054-600AP0000	
057-100	
057-500AP0000C	
05A-104U002000	
070-100Z TECH.FILE KTR118ATEX	
070-1205	

070730eI2000
070-923-6672
073-700EL0000
073S030-1016
074-040EL0000
074-070EL1000M
074-400EL0000
074-404AP0500
074-404AP7500
074-600AP4000C
074-730AP7500
074-P734XAP5770
077-104U005000M
079100FMC0204LT
083-104UV02000
092 106U002050
093-100
094-400EL0000
094-420AP7500
094-600AP0000
094-730AP7500
094-900AP6710 SN:1417951
097-104U005000M
099100FMC0204LT
09A-106U002050
09B-100
09B-100- alternatif
09B-104U002000
0M0-900 7860
0M0-900-7861

102-000EL-1000
102-100
102-400EL1000
102-700EL-1000
10300
103-104UV02000
103-400EL1000
103-602MP0000
103-700EL0000
10A-104U002000
120-100
1237045 P 3,5-7 BAR (50-100 PSI) 4-20MA 2-WIRE INPUT
124-001U002000
124-007U002000
124-104U002000
124-700EL1000
127-104U005004M
127-400MP0300C
140-600MP0000
143-100
143-40NEL10C0 (Modell 143-406EL1000)
144-104UV02000
144-520-49MP1000
147-100
164-100
164-104U002000
183-104UV02000
30N20097381
41600
43605
609 287

644.001.004.035
883621
9000
914697
92376 S-CRD P277
95K05B14X0-0000
CE GU9 9NU
DSP 167
DSP 241
DSP 271
DSP 800
EAF-2000 F01D
EL1000
GU9 9NU PMAX= 7 BAR
KINETROL 054-100
KINETROL 12 REPAIR SATZ
KINETROL 14
KL50-034X100-00-000
KL50-124X100-00-000
KL50-144X100-00-000
KL89-05RKIT-00-100
KL89-12RKIT-00-100
KL97-SP241XX-00-000
KL97-SP253XX-00-000
LA3-DD
Model 07
MODEL 124-100
OMO-100
OMO-900-7860-OEM
P:3,57 BAR (50-100 PS)

QCRD 500000	
RONI18/80ES	
S/N: 1258084	
S-CRD30000	
Serial No 969208	
SP 045,	
SP 053 (Modell 16)	
SP 055 (KINETROL VERSCHLEI?TEILSATZ FUR MODELL 0M0)	
SP 121	
SP 353	
SP 783	
SP 944 HM	
SP 978	
SP 979	
SP1280	
SP253	
SP451	
VCP 100DE	
X04249	
GU9 9NU UK	Pneumatic Actuator
054-400EL00C0M	KINETROL-EL actuator electro-pneumatic, 4-20 mA double acting standard version with DIN connector incl. monitor Net weight: 4.28 Customs tariff number: 84798997 Country of origin: United Kingdom
Dozervals Valve (Air Band Type)	Kinetrol brand British origin Pneumatic Actuator and Positioner• Precise Proportional Position Control (0-100%)• 4-20mA Input Feed Signal• 4-20mA Position Feedback Signal• 2 Pieces 2xV3 Mechanical Limit Switch• Switching to off position in case of power failure• 2x3 wire microswitches for SPDT• Easy and fast maintenance cassette seal type• Steel

	Construction Body and Drum• Manual control lever included
SP_046	Kinetrol consumable kit for model 12
SP_047	Kinetrol wear parts set for model 14
SP_047	Kinetrol wear parts set for model 14
103-704EL1000M	KINETROL-EL actuator electro- pneumatic, 4-20 mA (clockwise) double acting standard design with stepless feedback 4-20 mA incl. limit switch (2xV3 micro changer) and display monitor ---- ----- ----- Kinetrol quarter turn actuator double acting Default version with electropneumatic positioner 4- 20mA with angle retransmit 4- 20mA rising signal gives clockwise responses with limit switch unit (2 x V3 microswitches) incl. clear cone monitor
SP_046	Kinetrol consumable kit for model 12
EL positioner for 074-100 actuator Model: P00EL240	
SP043	Kinetrol wear parts set for model 07
SP354	Spare parts for model 070Retaining plate for SP 354 spring locking unit
074-020	KINETROL spring unit, Spring Stroke Clockwise Model 074-020 (Internal: supply 074-030 when ordering)
SP_053	Kinetrol consumable kit drive size 16
143-100	KINETROL slewing drive, double acting DIN version without NAMUR plate Net weight: 14.06
THROTTLE ACTUATOR KINETROL MODEL 14	4860.060.0464
TYPE 12A-100	
	KINETROL-EL Actuator Model 12

123-400EL1000M	electro-pneumatic, 4-20 mA double-acting, DIN version counterclockwise with continuous feedback and position indicator dome
077-040EL5000	KINETROL-EL actuator, e/p 4-20 mA, with ATEX acceptance with continuous feedback counterclockwise, USA version
144-404EL1000M	KINETROL quarter turn actuator with EL positioner 4-20 mA and angle retransmit with limit switches (2 x V3 microswitches) incl. clear cone monitor
07B-MP020U100	
SP043	Seal kit model 07
SP054	Seal kit model 07
SP 352	Keeper plate for spring return model 03 SP 352
094-100	swivel drive, double acting Standard version without NAMUR plate
077-040EL5000	KINETROL-EL actuator, e/p 4-20 mA, with ATEX acceptance with continuous feedback counterclockwise, USA version
SP 043	Kinetrol wear parts set for model 07
077-040EL5000	KINETROL-EL actuator, e/p 4-20 mA, with ATEX approval with stepless feedback left-turning, USA version
2096751	PN ACTUATOR WORKING PRESSURE: 3.5-7 BAR 4.20 MA 9V
SP 045	Kinetrol wear parts kit for model 09
103-404EL5000M	KINETROL-EL actuator electro-pneumatic, 4-20 mA with ATEX approval with limit switch 2 x V3 micro changer and continuous feedback 4-20 mA incl. position indicator dome
093S121UV02000A	10300 Kinetrol Type 09 square socket (multi-tooth), clockwise rotation, spring return Proximity

	switch 001 IFM, Atex Clear Cone Monitor
143-107UV02005	KINETROL rotary actuator double-acting, DIN version without NAMUR plate, with limit switch unit (4x V3 micro changer)
404EL500M	
074-100	KINETROL rotary actuator, double-acting standard version without NAMUR plate
7 Blue Epoxy Switch	
077-P101U5460	KINETROL rotary actuator, double-acting, blue epoxy with adapter for direct mounting on 2"-6" Weco model 12/12N butterfly valve, air connections 1/4 NPT with limit switch box IP65 with 2 proximity sensors P+F NJ2-V3-N ATEX approved Ex II 1GD Ex ia IIC T4 Ga cable entry ISOM20, RoHS compliant Net weight: 5.50
Pneumatic actuator-1	10 Output Torque:416 Nm at Pressure:7bar Volume:1025 cm ³ With EL Electropneumatic positioner Type: 07 EL with 2-wire 4-20mA signal, Drive side:Square female 22x24mm Positioner side:Square Male19.89x20mm Man.
S-Crd-500000	
Kinetrol-Sp-054-F3;R-Modell-03-Istanbul-Turkiye	
070-1205 Kinetrol Schwenkantriebmit Feder "spring To Center"modell 070-1205	
M14 Vane Assemble-M14 Model 14 Rotary 1/4 Turn Actuator	
097-400ap0300c	
15778b5b	
074-070el1000	
034-120 Antrieb	
10a-100-2148	
Sp 054	
1398606	

058-520	
M10 Seal Kit-M10 Model 10 Double Acting Actuator	
054-020	
074-070eI0000 Kinetrol-El-Stellungsreglerelektropneumatisch, 4-20 Marechtsdrehend	
Sealing Petal Assemblies	
Omo-100 Schwenkantrieb,Doppeltwirkend	
070-124 Obsolete, Replaced By 07b-124u002000	
077-100	
074-040eI0000 Kinetrol-El-Stellungsreglerelektropneumatisch, 4-20 Malinksdrehend	
054-520ap0000 Antrieb Mit Stellungsregler	
050-400eI0000 4-20ma	
07af120	
05b-103u002000	
124-400eI	
0971002100	ACTUATOR
123-100	
La3-120	
129-100 129fmc12boss Antrieb Pneumatisch Model 12	
054-030	
Adh1714s	
0771002100	ACTUATOR
074-020	
Stem Connector	
Valve Kinetrol Type 034-100	
05.0144d-10 Model 5	
140-100	
084-P10-3900	
1777819 Exia I/P Controller To Suit	
094-020	
123-100 Stellantrieb	

Sp 041	
074-724eI0000	
1495002100mp00vo	ACTUATOR
Model 05 Type 057-100 Pneumatischer Antrieb	
074-104u002000	
034-100-2104	
054-120 Antrieb	
187100	ACTUATOR
M14 Seal Kit-M14 Model 14 Actuator Double Acting	
0m0-100 Schwenkantrieb,Doppeltwirkend	
094 400 EI 0000	
103-100	
074-070eI1000 Positioner (Clockwise)	
020-100z	
054-104u002000	
093-700eI1000	
- Swivel Pneumatikantrieb Serie 07 Mit P3 On/Off Positioner	
07.Sk01y	
024-100 Antrieb	
83127 Obsolete!! Replaced By 074-104u002000	
Sp 946	
074-040eI1000m	
5	
M12 Vane Assemble-Model M12 12 Rotary 1/4 Turn Actuator	
Modell 07 Power-Antrieb	
S-Crd-30000	
0m0-100 Antriebkinetrol-Schwenkantrieb,Doppeltwirkend	
Dsp 140	
143f-400eI	
034-020	

P3094-12402-100	
127-100I	
Type: 024-100	
914697 Positioner	
Actuator Model 02http://W ww.Kinetrol.Com/Actuator/Model/Actuator_Model_02.Html	
0795002100ap00vo	ACTUATOR
127-100	
074-434eI0000	
054-120 Actuator	
092100	ACTUATOR
05318 Stellwerk EI	
50032922-1000	
033-100 Antrieb	
094-400eI2000	
024-100z	
144-100	ACTUATOR 1375NM7BAR 3294CM3-VOL DISPLACEMENT
077-500ap0000c	
077-400ap0300c	
187-126xe0b014a	
099-120 Obsolete, Replaced By 097-120	
127-100	
054-500ap0000 Stellungsregler	
M10 Vane Assembly-Model M10 10 Rotary 1/4 Turn Actuator	
Sp 942	
05b-100I	
2 Sam_0159 Order	Kinetrol Elektropocumatic Positioner "EL" P 3.5 to 7.0 4-20 Ma 2 Wire Input Max. 9V Farhan Surrey GU 9NU ENGLAND
143-400eI0000	
91-159-A	

097-100I	
Valve Control	Kinetrol Elektropocumatic Positioner "EL" P 3.5 to 7.0 4-20 Ma 2 Wire Input Max. 9V Farhan Surrey GU 9NU ENGLAND
053 Actuator	
094-030	
034-120 Antrieb Kinetrol Vollstaendig	
093f120-4200	
03b-100 Kinetrol-Schwenkantrieb,Doppeltwirkend	
Sp 937	
245712 Pneumatikantrieb	
Sp 900	
070-100 Obsolete,Replaced By 074-100	
143-401el1000	
094-420ap7500 Typ 094-420ap7500 10 6 1	
073-400el0000	
057-P01u3150	
054-720el5000	
097-120	
074-100z	
Model 12 - Pneumatic Actuator Repair Kit	
Eh1071200020	ACTUATOR
074-104u002000m	
Pneumatic Actuator	
03a-100 Kinetrol-Schwenkantrieb,Doppeltwirkend	
Sp975	
050-124 Obsolete, Replaced By 05b-124u002000	
074100 Aktuator	
014-100-7920 Schwenkantrieb, Doppeltw.	
074-030	
0703 11016 070 406-4I	

103-404el1000m	KINETROL actuator, 4-20mA with limit switch and stepless feedback 4-20mA Model 103-404EL1000M incl. position indicator dome Zolltarifnummer: 8479 8997 Ursprungsland: United Kingdom
034-030	
071-100-2119 Antrieb Pneumatisch Model 07	
077-040el1000m	
074-130-4000	
054-400el0000	
054-520ap0000 Pneumatic Positioner	
Omo-900-7860	
034-100 Kinetrol Model 03 Double Acting Actuator	
058-400apo100	
07b-100	
10a-100 Kinetrol Schwenkantrieb doppelwirkend	
12a-100	
41vc75	
014-100-7920 Schwenkantrieb,	
059-424-El-0000m	
070-130-4000	
074-004u002000	
084-100	
M12 Seal Kit-M12 Model 12 Actuator Double Acting	
074-120 Antrieb Kinetrol Vollstaendig	
Actuator Model 02	
079-040el1000m	PNEUMATIC POSITIONER
P3074-13402-100	ACTUATOR
074-070el0000	
Omo-100 Drive	
103-700el0000 Kinetrol-El-Stellantriebelektropneumatisch, 4-20	

Mamode!! 103-700el0000serien-Nr.	
149-100	ACTUATOR QUARTER TURN PNEUMATIC VANE
073f120 Antrieb	
X03082	(Pos. 4 Inquiry) Identification: X03082 Right-hand version 1 103-700EL1000 KINETROL EL Actuator 4-20 mA (Clockwise) double acting DIN version with stepless feedback 1 SP 944SRA Harting connector set Confection according to drawing no. 59018813 from 30.03.2009 1 pc. 102-ENTL1-SRA Venting possibility of the Drive chambers with mini tap and sintered bronze silencers, Size 102 1 pc. 4006 push-in fitting G 1/8 " IQSG 188
124-700el0000 El-Stellantriebelektropneumatisch, 4-20 Ma	
073f120-4000	
09a-104u002000	
074-100-2104	
05.Sk01y	
004-000ap0400	Kinetrol e / p converter for AP positioner Input signal 4-20 mA Model 004-000AP0400 Customs tariff number: 8479 8997 Country of origin: United Kingdom (Great Britain)
054-500ap0000	
124-700el0000	
141-100 , 143-100	
Sp 975	
054-120 Antrieb Kinetrol Vollstaendig	
074-134 U002000	
073f120	
074-120 Actuator	
1082150 Obsolete!! Replaced By 054-040el0000	
050 - 100 Obsolete, Replacement 054-104u002000	
074-100-2152	

079-500ap0000c Lowtemp 079fmc12boss Antrieb Pneumatisch Mit Stellungsregler Model 07	
057-424el0000m	
8010777.3036.024.00	
12b-100	
09.0144d-10 Model 9	
034-120 Actuator	
054-004u002000	
054-400el0000 Double Acting Actuator With 4-20ma EI Positioner (Anti-Clockwise On A Rising Signal)	
124-004/Nu002000	124-004 / NU002000 each with 2 microchangers u. PNP Proximity switches (3-wire) Model 124-004 / 6U002000 Pos 1 + 2 mounted
07.0144d-10 Model 7	
05b-124u002000	
Gu9 9nu Type 033-100 Schwenkbarer Pneumatikzylinder Des Zuteiler Gliedes	
054-040el0000	
14b-100	
024-100z Antrieb Pneumatisch	
X03721	(Pos. 3 - request) Identification: X03721-New Right version closing counterclockwise 1 10A-100 KINETROL quarter turn actuator double acting DIN version including NAMUR plate 1 pc MV-SO-53-SRA-FO-230 HERION solenoid valve, 5/3-way Best.Nr. MV-SO-53-SRA-230-50-FO de-energized left-handed closing 1 pc. 102-ENTL1-SRA Venting possibility of the Drive chambers with mini tap and sintered bronze silencers, Size 102 2 T20C2800FB exhaust air throttle with damper Order No. T20C2800FB 1 W-0056 Extra charge for position indicator with 90 graduations Size 102 W-0056
070-100z Tech.File Ktr118atex	

N4071-3	
07b-124u002000	
Sp_056	
054-400el0000 Antrieb	
074-100	
073-100	
074-044el0000m	
0m0-100 Kinetrol-Schwenkantrieb,Doppeltwirkend	
074-040el1000	
090-900ap6717	
07a-100	
094-900ap6717	
09b-100l	
124-107u002000m	
87-059	PCB
074-044el1000	
09.Sk01y	
094-100	
09a-100	
0m0-100 Schwenkantrieb	
Ip Converter (4-20ma, 3-15psi, Exd) Elektropneumatische Wandler	
070/923/6672	
034-120	
Sp942	
034-104	
079-10 079fmc12boss Antrieb Pneumatisch Model 07	
05a-100	
054-120	
883621 Antriebtype 050-100	
Omo-100 Kinetrol-Schwenkantrieb,Doppeltwirkend	
074-120	

[034-100](#)

[Sp 042 Repair Kit Kinetrol Model 05](#)

[124-400el10c0m](#)

[033-100](#)

[0m0-900-7861 Antrieb](#)

[0m0-100](#)

KINETROL quarter turn actuator
double acting 0,2 kg

[024-100](#)

[103-400el10c0m](#)

[Sp 041 Reparatursatz](#)