

Kitz Valve

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Kitz Valve Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Kitz Valve T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunulmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
COMPATIBLE WITH KITZ 2 " PNEUMATIC BOTTOM	BALL VALVE (FLANGED) FA-2 ACTUATOR MODEL
KITZ ACTUATOR MODEL NO: FA-2	
n KITZ C-2 SERIE NR.: R325917 PNEUMATISCHES	BETÄTIGTES VENTIL 2 " EDELSTAHL 0,4-0,7MPA -20 / + 60C
VALVES B-10UTB50A	
B-10FCT-3/4B	CONNECTION:THREADED,ACTUATOR TYPE:B-0,VALVE MUST HAVE LIMIT SWITCHES AND A 5/2 SOLENOID VALVE (AC 110V/50HZ) MFG NO: CBC942817-01,KİTZ
BALL VALVE PNEUMATIC CONTROLLED 1 1/4	VALVE MUST CONTAIN BODY ACTUATOR AND ACCESSORIES WITH DC 24V SOLENOID VALVE WILL BE ORIGINAL PRODUCT. EQUIVALENT WILL NOT BE ACCEPTED, KITZ, Picture No: LE2583S/2 B-10FCTB
	1 1/4 VALVE MUST CONTAIN BODY ACTUATOR AND ACCESSORIES WITH AC 110V / 50HZ NORMALLY OPEN. SOLENOID VALVE WILL BE ORIGINAL PRODUCT. EQUIVALENT WILL NOT BE ACCEPTED. VALVE MUST CONTAIN BODY,

BALL VALVE PNEUMATIC CONTROLLED	ACTUATOR, AND ACCESSORIES (1 SOLONOID VALVE AC 110V/ 50HZ KOGANEI, 2 SPEED CONTROL VALVE SMC AS3000, 1 LIMIT SWITCH AMRON WLCA2, 1 AIR SET SMC AW30-2BG-R). NORMALLY OPEN. VALVE MANUFACTURER IS KITZ COMPANY AND EQUIVALENT PRODUCT WILL NOT BE ACCEPTED. PRODUCTS SPECIFIED AS ACCESSORIES WILL BE DELIVERED AS MOUNTED ON THE VALVE. OFFERS WITHOUT ACCESSORIES WILL NOT BE ACCEPTED.,KITZ,Picture No: LE2583S/2 B-10FCTB
BALL VALVE PNEUMATIC CONTROLLED 1 1/2	VALVE MUST BODY ACTUATOR AND ACCESSORIES WITH AC 110V / 50HZ NORMALLY OPEN SOLENOID VALVE WILL BE ORIGINAL PRODUCT. EQUIVALENT WILL NOT BE ACCEPTED VALVE MUST CONTAIN BODY, ACTUATOR, AND ACCESSORIES (1 SOLONOID VALVE AC 110V/ 50HZ KOGANEI, 2 SPEED CONTROL VALVE SMC AS3000, 1 LIMIT SWITCH AMRON WLCA2, 1 AIR SET SMC AW30-2BG-R). NORMALLY OPEN. VALVE MANUFACTURER IS KITZ COMPANY AND EQUIVALENT PRODUCT WILL NOT BE ACCEPTED. PRODUCTS SPECIFIED AS ACCESSORIES WILL BE DELIVERED AS MOUNTED ON THE VALVE. OFFERS WITHOUT ACCESSORIES WILL NOT BE ACCEPTED.,KITZ,Picture No: LE2583S/3 B-10FCTB
BALL VALVE PNEUMATIC CONTROLLED 2	VALVE MUST CONTAIN BODY ACTUATOR AND ACCESSORIES WITH DC 24V NORMALLY OPEN SOLENOID VALVE WILL BE ORIGINAL PRODUCT. EQUIVALENT WILL NOT BE ACCEPTED. VALVE MUST CONTAIN BODY, ACTUATOR, AND ACCESSORIES (1 SOLONOID VALVE DC 24V KOGANEI, 2 SPEED CONTROL VALVE SMC AS3000, 1 LIMIT SWITCH AMRON WLCA2, 1 AIR SET SMC AW30-2BG-R). NORMALLY OPEN. VALVE MANUFACTURER IS KITZ COMPANY AND EQUIVALENT PRODUCT WILL NOT BE ACCEPTED. PRODUCTS SPECIFIED AS ACCESSORIES WILL BE DELIVERED AS MOUNTED ON THE VALVE. OFFERS WITHOUT ACCESSORIES WILL NOT BE ACCEPTED.,KITZ,Picture No: LE2583S/4 B-10FCTB
1a15669	
Valve __ Fa-1	
Ball Valve, Material Ss-316,Size: 1/2 In, Pressure Rating 300 Lbs	
Aw300-Umm, Alternative Asme Gate Valve, Å189;?	
Valve, Butterfly, Aluminium Body With Ss Disc, Flanged Connection, Size Dn65, Pressure Rating 150	
T60s/G-3005f3tcs	
Vz922 Replaced By 1a15669	
B-10fctb	BALL VALVE PNEUMATIC CONTROLLED VALVE MUST CONTAIN BODY ACTUATOR AND ACCESSORIES WITH DC 24V (1 SOLONOID VALVE DC 24V KOGANEI, 2 SPEED CONTROL VALVE SMC AS3000, 1 LİMİT SWİTCH AMRON WLCA2, 1 AIR SET SMC AW 30-2BG-R) NORMALLY OPEN.

[T60s/G-300sf3tcs](#)

[150scls](#)

[Nrv \(Non Return Valve\) For Gt Ccw
Pumps, Nominal Size: Dn 150 / 6quot;,
Body Material: A216 Wcb](#)