

Koenig Expander

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Koenig Expander Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Koenig Expander T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
26202 300122391	
26202 300122396	
26202 300134275	
26300	
300110687	
300110812	
300122396	
300133461	
300135434	
MB850-040 4 / 4 / 5,2	KOENIG EXPANDER MB 850 MB 850-040 Ø4 KOENIG EXPANDER® MB850 Case-hardened steel, galvanized Sleeve: case-hardened steel, zinc-plated, thick-layer passivated Ball: tempered roller bearing steel REACH: CAS-No 7439-92-1, Pb >0.1% (100pcs)

MB 040 4 / 3,8 / 10	Setting stamp, mechanical for sealing plugs series MB Tool steel tempered ~50 HRC
MB600-040	4 / 4 / 5,1 sealing plug KOENIG EXPANDER® MB600 INOX 1.4305, colorless passivated Customs tariff number: 73269098900 Total weight: 0.04kg Sleeve: INOX 1.4305 colorless passivated MIL-S-5002, aviation quality Ball: INOX 1.4301 colorless passivated
MB600-060	6 / 6.5 / 8.6 sealing plug KOENIG EXPANDER® MB600 INOX 1.4305, colorless passivated Customs tariff number: 73269098900 Total weight: 0.12kg Sleeve: INOX 1.4305 colorless passivated MIL-S-5002, aviation quality Ball: INOX 1.4301 colorless passivated
MB600-080	8 / 8.5 / 11.6 sealing plug KOENIG EXPANDER® MB600 INOX 1.4305, colorless passivated Customs tariff number: 73269098900 Total weight: 0.61 kg Sleeve: INOX 1.4305 colorless passivated MIL-S-5002, aviation quality Ball: INOX 1.4301 colorless passivated
MB 060	6 / 5.8 / 15 Setting stamp, mechanical for sealing plugs series MB KOENIG EXPANDER® MB Tool steel tempered ~50 HRC
MB 080	8 / 7,8 / 20 Setting stamp, mechanical for sealing plugs series MB KOENIG EXPANDER® MB Tool steel tempered ~50 HRC
MB600-050	5 / 5,5 / 7,1 Dichtstopfen KOENIG EXPANDER® MB600 INOX 1.4305, colorless passivated Customs tariff number: 73269098900 Total weight: 0.07kg Sleeve: INOX 1.4305 colorless passivated MIL-S-5002, aviation quality Ball: INOX 1.4301 colorless passivated min. order 100pc
MB600-070	7 / 7,5 / 10,1 KOENIG EXPANDER® MB600 INOX 1.4305, colorless passivated Customs tariff number: 73269098900 Total weight: 0.19 kg Sleeve: INOX 1.4305 colorless passivated MIL-S-5002, aviation quality Ball: INOX 1.4301 colorless passivated min. order 100pc
MB600-090	9 / 10 / 13,5 KOENIG EXPANDER® MB600 INOX 1.4305, colorless passivated Customs tariff number: 73269098900 Total weight: 0.21 kg Sleeve: INOX 1.4305 colorless passivated MIL-S-5002, aviation quality Ball: INOX 1.4301 colorless passivated min. order 50pc
MB 050	5 / 4,8 / 12 Setting stamp, mechanical for sealing plugs series MB KOENIG EXPANDER® MB Tool steel tempered ~50 HRC
MB-850-160	16 / 17 / 23.4 sealing plug KOENIG EXPANDER® MB850 Case-hardened steel, galvanized Customs tariff number: 73269098900 Total weight: 0.45kg Sleeve: case-hardened steel, zinc-plated, thick-layer passivated Ball: tempered roller bearing steel REACH: CAS-No 7439-92-1, Pb >0.1%
	14 / 15 / 20.6 sealing plug KOENIG EXPANDER® MB850 Case-hardened steel, galvanized Customs tariff number:

MB-850-140	73269098900 Total weight: 0.73 kg Sleeve: case-hardened steel, zinc-plated, thick-layer passivated Ball: tempered roller bearing steel REACH: CAS-No 7439-92-1, Pb >0.1% PU = 50 pieces
MB-850 -180	18 / 19 / 26.4 sealing plug KOENIG EXPANDER® MB850 Case-hardened steel, galvanized Customs tariff number: 73269098900 Total weight: 0.30kg Sleeve: case-hardened steel, zinc-plated, thick-layer passivated Ball: tempered roller bearing steel REACH: CAS-No 7439-92-1, Pb >0.1%
SK550-060	6 / 6,5 / 3,4 Dichtstopfen KOENIG EXPANDER® SK550
MB600-040	
MB 850-090	9 / 10 / 13.6 Sealing plug KOENIG EXPANDER® MB850 Case hardened steel, galvanized
Ø5mm AVSEAL Sealing Plug	
Ø6mm AVSEAL Sealing Plug	
Ø8mm AVSEAL Sealing Plug	