

Koyo



Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Koyo Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Koyo T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
F2-08DA-2	DirectLogic DL205 analo output module , 8-channel , voltage , 12-bit
APS10-18MG-Z NPN NO M18 3M cable	
F2-08AD-1	DirectLOGIC DL205 analog input module 4-20mA , external 24 VDC
F2-08AD-2	DirectLOGIC DL205 analog input module 0-5 VDC , 0-10 VDC , external 24 VDC
SEİKO 6914	
TRD-2T 100BF	
torrington hj-9612048-m.s.51961-56	
APS-12A-4N	Koyo Inductive proximity sensor, Non-Flush Mount Type, Rectangular made with PBT Resin, Iron /Non Ferrouss metal Reaction Material and Ambient temperature is -10 to 50 Santigrat, Front Surface Detector , 3 wire DC NPN Normally Open(NO) Output Format 500 VAC WithStand Voltage and 20-30 VDC Working Voltage with Rated operating distance of 4 mm, Standard Frequency
ROTARY ENCODER TRD-J500-RZ- 2M	

TRD-N500-RZWD	Koyo TRD-N series , rotary encoder medium duty 5-30VDC 500ppr radial exit push pull(totem) output 8mm solid shaft 500mm Diameter body , IP65 6,5ft/2m cable length pigtails
TRD-N500-RZB	Koyo TRD-N series , encoder Incremental medium duty 5-30VDC 500ppr radial exit push pull(totem pole) output 8mm solid shaft 50mm Diameter body , IP50 (Dust proof) 0.5 meter CABLE Tinned ends MOUNTing screws included
F2-08DA-2	Direct Logic DL205 analog output modul 8-channel voltage 12-bit output voltage signal range of 0-5VDC and 0-10VDC external 24VDC required item shipping weightt 0,17lb
MHSA 70928	Outer diameter:92mm Inner diameter: 70mm Thickness: 8mm rotary shaft seal
F2-08AD-1	DirectLogic DL205 analog input module 8channel current 12bit, input current signal nrange of 4-20mA, external 24 VDC required Item shipping Weight 0,25lb
APS4-12M-E-D	inductive proximity sensor rectangular, 12x27x12mm body, polycarbonate housing, front sensing, NPT, N.O output, 4mm sensing distance, non-flush, 200 Hz switching frequency, IP 67, pigtail
F2-04-AD-1	DirectLOGIC DL205 analog input module, 4-channel, current, 12-bit input current signal range(s) of 4-20 mA, external 24 VDC required. Item shipping Wight: 0.24 lb
F2-02-DA-2	DirectLOGIC DL205 analog output module, 2-channel, current, 12-bit output current signal range(s) of 0-5 VDC, 0-10 VDC, +/- 5 VDC and +/- 10 VDC, external 24 VDC required. Item shipping Wight: 0.17 lb
F2-08AD-1	DirectLOGIC DL205 analog input module, 8-channel, current, 12-bit input current signal range(s) of 4-20 mA, external 24 VDC required. Item shipping Wight: 0.25 lb
F2-08DA-2	DirectLOGIC DL205 analog output module, 8-channel, current, 12-bit output current signal range(s) of 0-5 VDC and 0-10 VDC , external 24 VDC required. Item shipping Wight: 0.17 lb
D2-262	DirectLOGIC DL205 CPU 15.8k words ladder memory, (1) RS-232 (RJ12) and (1) RS-232/RS422/RS485 (DB15HD female) port(s), Purchase D2-BAT-1 backup battery separately. Item shipping weight: 0.18 lb
D2-250-1	
TRD-S2000BD	Koyo TRD-S series incremental (quadrature) rotary encoder, light duty, 12-24 VDC, radial exit, NPN open collector output, 2000 ppr, 6mm solid shaft, 38mm diameter body, IP40, 6.5ft/2m cable length, pigtail. Item Shipping Weight: 0.50 lb. Für technische Details siehe Datenblatt TRD-S(H)-Series.
TRD-SR2000AD	Koyo TRD-SR series incremental (quadrature) rotary encoder, light duty, 5-26 VDC, radial exit, NPN open collector output, 2000 ppr, 6mm solid shaft, 38mm diameter body, IP50, 6.5ft/2m cable length, pigtail. Item Shipping Weight: 0.50 lb.

F¼r technische Details siehe Datenblatt TRD-SR-Series.	
DIRECT LOGİC 405 CPU	
TRD-2TH1024BF	Encoder Incremental Light Duty, 1024 Pulses per Revolution, 8mm Hollow Shaft, 38mm Diameter Body, 12-24 VDC, Push-Pull(Totel Pole), IP50(Dust Proof), 1 meter Cable, Tinned Ends.
TRD-NA360NW 10M	JTEKT(Japan), Encoder, Absolute (Gray Code), Medium Duty, 360 Pulses per Revolution (9 bit), 8mm Solid Shaft, 50mm Diameter Body, 10-26VDC,NPN Open Collector, IP65(Waterjet Proof), 10 meter Cable, tinned Ends, Mounting Screws included
TRD 2T600BF	Encoder Incremental Light Duty 600 Pulses per Revolution 6mm Solid Shaft 38mm Diameter Body 12-24VDC push-Pull totem Pole IP50 Dust Proof 1meter Cable Tinned ends Mounting Screws included Fiber Coupling included
TRD 2T600BF	
TRD-N5000-RZVWD	Koyo TRD-N series incremental (quadrature) rotary encoder, medium duty, 5 VDC, radial exit, line driver (differential) output, 5000 ppr, 8mm solid shaft, 50mm diameter body, IP65, 6.5ft/2m cable length, pigtail
TRD-J100-RZ	JTEKT (Japan) Encoder, Incremental, Medium Duty, 100 Pulses per Revolution, 8mm Solid Shaft, 50mm Diameter Body, 5-30VDC, PushPull (Totem Pole), IP50 (Dust Proof), 0.5 meter Cable, Tinned Ends, Mounting Screws included.
TRD-N100-RZWD	Koyo TRD-N series incremental (quadrature) rotary encoder, medium duty, 5-30 VDC, radial exit, push-pull (totem) output, 100 ppr, 8mm solid shaft, 50mm diameter body, IP65, 6.5ft/2m cable length, pigtail.
TRDSHR100A5D	Koyo TRD-SR series incremental (quadrature) rotary encoder, light duty, 5-26 VDC, radial exit, NPN open collector output, 100 ppr, 8mm hollow shaft, 38mm diameter body, IP50, 6.5ft/2m cable length, pigtail. TRD-SH100B(D) has been discontinued. Please consider TRD-SHR-100A5D as a direct replacement
TRD-2T360BF	Koyo (China) Encoder, Incremental, Light Duty, 360 Pulses per Revolution, 6mm Solid Shaft, 38mm Diameter Body, 12-24VDC, Push-Pull (Totem Pole), IP50 (Dust Proof), 1 meter Cable, Tinned Ends, Mounting Screws included, Fiber coupling included Position net weight (kg): 0.16
Ucfl 205j	
Trd-J10-Rzc	
F2-04ad-1	Automatisierungs-SPS-Module f¼r Klimaanlage Modul Analog Input / F2-04AD-1
1109063	
1109050	

[Aps-12a-4n Proximity Sensor Aps-12 Series, Pbt Resin Square Type, 2-Wire/3-Wire Dc System.](#)

[1109913](#)

[Trd-J300-Rz Encoder](#)

[5210-2rs Lager](#)

[Trd-J750-Rzl](#)

[Aps-12a-4n Induktiver](#)

[E-31n](#)

Input Module

[Uc 209 Lager](#)

[593x/594 Lager](#)

[Uc 205 Lager](#)

[1109165](#)

[6309-2rs C3 Lager](#)

[Wa-1000 \(Red\)*100](#)

[6092529 Ysx Lager](#)

[04- 16 Tr](#)

[1108991](#)

[32324 R Lager](#)

[6205-2rs Lager](#)

[Trd-J60-Rzc](#)

[75x95x12 Basl Nbr Blue Lager](#)

[6206-2rs Cm Lager](#)

[Trd-J40-Sc](#)

[Ycrs 24](#)

[Trd-J120-Sc](#)

[Trd-Na360nwe](#)

[6820 Zz Lager](#)

[63112rscm Lager](#)

[Nj316 Lager](#)

[6316-2rs Lager](#)

Ukfc 210 Lager	
32015 Jr Lager	
Hm 807843/Hm807810 Lager	
Trd-J1000-Sc	
30209 Jr Lager	
Mi 16 Lager	
Ys360 400 17 2d6	
33211 Jr Lager	
Wa-1500 (Green)*50	
6308-2rs Cm Lager	
Dac 3055 W3cs31 Lager	
1108990	
614 43-59 Ysx	
Trd-J240-Sc	
1110002	
Su-6m	CPU Module
Trd-Na360pw5m	
Trd-J60-Rzl	
7311 B Lager	
Trd-J100-Sc	
6205-2rs Cm Lager	
33017 Jr Ya1 Lager	
Trd-J400-Rzvw	
Trd-J200-Rzv	
6313 Zz Lager	
B 2020 Lager	
Ucf 210 J Lager	
6207n Lager	
Ir 162020 Bearing	
1108977	
1109162	

Mr 20 Lager	
640x690x25	
G1760I-7	
Trd-J100-Rzc	
32216-A	
32210jr	
Wa-4000 (Grass Green)*100	
32205 Jr Lager	
1109028	
Dg 3278 Js0-9tcs33 Bearings	
A-1000	
Trd-J60-Sc	
Ucfl 204	
2002htx17	
Wa-600 (Indigo Blue)*50	
33213 Jr Lager	
Trd-J10-Rzl	
Nj 312 Lager	
Sr-400-Ex	Kostac Programming Unit
Ee 7 S-2rs Lager	
Ha 207 Lager	
Nu 313 Lager	
Lm 48548/10 Lager	
Trd-J750-Rz	
Aps4-12m-E2 Sensor	
Dg 176221-2rmzuj4s0ztg Lager	
Trd-J600-Rzv	
Nu 2312 Lager	
Est-1s-Tr	Programming Keyboard Display
Uct 210 J Lager	

Ucc 207 Lageranordnung	
Bfli-150-Ts	OPERATOR INTERFACE 15IN DISPLAY 12VDC 1.5A
Trd-J500-Rzl	
Wr350x414x35-6	
KI5945s	
Su-6-C	CPU Module
E-01b	5 Slot Rack
Esh-1	Programming Keyboard Display
32215jr	
22324 C3, Alternative 22324-Eae4-C3 Bearing	
Rtd-J1000-R2w	
6006-2rscm Lager	
Aps5-12gk-E2 Pnp Induktiver Sensor	
220uc314	
609 A 08-15 Ysx Lager	
32013 Jr Lager	
Trd-J360-Rz-2m Sensor	
Su-6b-Ex	CPU Module
405 Ex - D 4 - Ex	
205 D2-09b-1	
1109338	
Trd-J50-Sc	
Mr20+mi-16 Lager	
Ucf 212 J Lager	
9734801	
Trd-J1000-Rzv	
22312 C3, Alternative 22312-Eae4-C3 Bearing	
Trd-J10-Sc	
Uctx16	
8-Sitzer-Skelett D4-08b-1	

6206 Bearing	
2s5 29z	
J 1012	
Trd-J30-Rzc	
22216rzw33 Lager	
6312-2rs Lager	
D4440b	PROCESSING UNIT CPU 110/220VAC
Trd-J120-Rzvw	
Trd-J1024-Rzv	
Trd-J360-Rzl	
Trd-J1000rz	
Trd-J1024-Rzl	
Trd-J500-Rzvw	
Nu 213 Lager	
33017 - Rulman	
U-03pm2	Pulse Positioner
B-5612-D	
Wa-2000 (Blue)*50	
304210 (Zz)	
Ez-Sp	OPERATOR PANEL 20-30VDC 6.5W
32313 Jr	
6202 Zz Cm Lager	
31314jr/30314 Djr Lager	
Trd-J50-Rzv	
Trd-J200-Rzvw	
Jm 822049/Jm 822010 Lager	
Dg 175218-2rdhcm Fgp0s00k8k Kjp Lager	
Trd-J30-Rzv	
Trd-J400-Rzv	
Trd-J600-Rzvw	

Trd-J50-Rzl	
Trd-J60-Rzv	
32207	
Esp-1s-Tr	Programming Keyboard Display
Trd-J1000-Rzw Encoder	
Ucf 215 Lager	
32007 Jr Bearing	
Su-6b-Y	CPU Module
F2-08da-2	Automatisierungs-SPS-Module für Klimaanlage Modul Analog Out / F2-08DA-2
57305/30207j	
614 13-17 Ysx	
Trd-J100-Rzv	
32213jr	
Esc-1s-Tr	Programming Keyboard Display
Nutr50dz Bearing	
221pp12pt	
T7fc060=jw6049/10 Lager	
Trd-J1024-Sc	
Aps4-12s-E Sensor	
41800356	
1108976	
Trd-J300-Sc	
Trd-J240-Rzv	
D006dd2	
28680/22	
32217-A	
Sr-20-4128	CPU Module
33013 Jr Lager	
220ctx16	

D416ne3(Ti405u55t)	
Sc 0081 Llh1ac Mpx2 Lager	
Sr-21-8365	CPU Module
Ucc 212 Lager	
1124718	
Trd-J400-Rzl	
Wa-1000 (Red)*50	
Trd-J30-Rzl	
Trd-J100-Rzl	
Trd-J750-Rzvw	
6313-2rs Lager	
E-03b	10 Slot Rack w/ Power Supply
Trd-J500-Sc	
6821 Lager	
Sr-21-3365	CPU Module
Trd-J600-Rzl	
Wa-3000 (Light Orange)*50	
Dg2568hnsh2c3 Lager	
6317 Zzx Lager	
Esh-1-Tr	Keypad Display Module for Programmer Unit
Wa-800 (Yellow)*100	
Wa-3000 (Light Orange)*100	
Trd-J200-Sc	
Ucp 213	
1109958	
Ucp212	
1109956	
32218-A	
Trd-J10-Rzv	
Trd-J500-Rz-2m	
Ycrs 24 Lager	

Trd-Na2048nwe-2603	TRD-NA2048NWE-2603
6209-2rs Lager	
Trd-J1024-Rz	
Trd-J50-Rzc	
Sr-21-Ex	CPU Module
Trd-J240-Rzl	
E-01b-4130	5 Slot Rack w/ Power Supply ESC-1S-TR
Ukpb210	
1109192	
D4440(435cpu)	
Trd-J30-Sc	
Trd-J750-Rzv	
6916-2ru=61916-2rz Lager	
1109129	
6211-2rs/C3 Lager	
6204-2rscm Lager	
Mr24+mi-20 Lager	
752525602 Bearing	
50x72x7,5 Babsl Fpm Lager	
Jm 207049/10 Lager	
Wa-600 (Indigo Blue)*100	
F2-08ad-1	Automatisierungs-SPS-Module für Klimaanlage Modul Analog Imput / F2-08AD-1
A-20p	Keypad Display Module for Programmer Unit 8407
Trd-J120-Rzl	
D416td2	
30206 Jr Lager	
Trd-J500-Rzv	
Dbf 11015	
33015 - Rulman	
65uzs418t2x-Sx Bearing	

Ucf 210	
E-01t	Output Module
Rb 207-20 Lager	
Trd-J360-Rzv	
Trd-J10-Sw	
Su-6b-C	CPU Module
6319 Zzx C3 Lager	
34300/34478 Lager	
Hvs1m	
7312 B Lager	
220ctx16- Uctx16	
1109163	
Wa-800 (Yellow)*50	
6304-2rs Lager	
Wa-2000 (Blue)*100	
E-05n	Input Module
Trd-J40-Rzl	
Trd-J200-Rzl	
609 25-29ysx	
Sa-20	CPU Module
24124 Cc W33 C3, Alternative 24124-Ce4-C3 Bearing	
Rax718 Lager	
E-01t-4131	Output Module
Wa-400 (Orange)*50	
G-01w	POWER SUPPLY MODULE 100/200VAC
Ea7-T15c-05y16b021	OPERATOR INTERFACE 33W 24V
220pp13	
1109006	
Svm-210	SURESERVO AC BRUSHLESS SERVO MOTOR, 1 KW, 230 VAC THREE-PHASE, MEDIUM INERTIA, 2,500 LINE COUNT ENCODER (10,000 COUNTS PER REVOLUTION), NO

BRAKE2:MC	
Le1280s Pos.177	
Trd-J1000-Rzl	
Trd-J40-Rzv	
30306 Jr Lager	
22314 C3, Alternative 22314-Eae4-C3 Bearing	
Trd-J300-Rzvw	
Trd-J240-Rzvw	
Sa-21	SA21 CPU Module
E-01t-4157	Output Module
Aps5-12gk-E Npn Induktiver Sensor	
30?42?10 (Zz)	
E-31n-4132	Input Module
Trd-J100-Rzvw	
Sf 1412/2e	
Su-6	CPU Module
E-01n	Input Module
Trd-J1024-Rzvw	
Ucpx14	
Trd-J300-Rzv	
386a/382a Lager	
6207rkmo Bearing For Mitsubishi Mini Bus	
Trd-J40-Rzc	
Sc 0081 Llh1acmpx2 Lager	
Trd-J600-Sc	
30213	
Ucfc 212 J Lager	
Ucc 209 Lageranordnung	
Trd-J750-Sc	
Trd-J300-Rzl	

Nj 311 Lager	
Ucfx-16	
D2-250-1	Automatisierungs-SPS-Module für Klimaanlage Modul PLC / D2-250-1
22328 Rhr W33 C3, Alternative 22328-Eae4-C3, Bearing	
Nutr 17 Lager	
Koyo Aps-12a-4n (Induktiv)	
Trd-J360-Rzvw	
30213 Jr Lager	
G-28b	RACK 11SLOT
5306 Zz Lager	
Ez-S6c-Ks	OPERATOR PANEL TOUCH 6INCH 512K RAM 24VDC
62052rscm	
32307jr	
Dac 357234 Acs20	
B 5612 D Radial Cylindrical Roller Bearings	
65uzs418t2-Sx+15-21 Eccentric Bearing	
614 2935 Ysx Lager	
Nj 218 Lager	
Su-6b	CPU Module
E-15t	Output Module
Mi 20 Lager	
Trd-J360-Sc	
607 Ysx	
Aps5-18f-E2-5m Induktiver Sensor	
Trd-J120-Rzv	
E-20t	Module 891111
672-9/687-1 Lager	
Jlm 710949/10 Lager	

[H 62 Uzsf45-1t2s6 Lager](#)

[607 11-17 Ysx](#)

[30310jr](#)