

K¼bler



Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
K¼bler Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız K¼bler T¼rkiye Distrib¼t¼r¼ veya temsilcisi deęildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

| ¼r¼n | A¼ıklama |
|---|---|
| 8.5000.0000.1024.S066 | Product designation Incremental encoder Sendix® Flange customized Solid shaft 6 x 12 mm Output switching push-pull with Inv./ 10-30 V DC Special M23 connection, 12-pin, radial Customs tariff number: 90314990 encoder |
| 8.A020.52aa.1024.0050 | |
| 8.RI20.045.2500.111 | Magnetring |
| 46BSH90-3977-1037 ENCODER | |
| 8.M5861.3534.3412.EX | Encoder with ; Art.-Nr.: 8.0000.5116.0000 Mating connector Art.-Nr.: 8.0010.8200.0006 Bearing block |
| 8.0010.8200.0006 | Designation type: Storage box for shaft encoder Customs tariff number: 90319000 Parts for encoder / measuring system |
| BG-36 | 329288 8.3620.0060.1000.0040 Hollow shaft 12mm Output signals LD Number of impulses 1000 Reference signal 1 Cable radial 2.55m D-Sub 5V V007 90314990 Encoder |
| 8 5850 128T G132 0100.EX | |
| ARV 1,5VOUU-L 500-12 V44A | |

| | |
|--|---|
| 8.5020.2522.0100 | Product designation Incremental encoder Sendix® Flange with spring element long, IP65 Hollow shaft Ø 12 mm Output switching push-pull 7272 m.I./ 5-30 V DC Connection type M12 connector, 8-pin, radial Customs tariff number: 90314990 encoder |
| 289579 8.5834FS3.0410.102 | |
| Male M23 Connector | Male M23 Connector |
| 6.130.012.852 | |
| 266744 | Order key 8.5873.3324.G221 Product designation absolute rotary encoder -ST- Sendix® Flange stator coupling, IP65, Ø 65 mm Hollow shaft Ø 10 mm Interface SSI or BiSS-C / 10-30 V DC Customs tariff number: 90314990 encoder |
| 8.5020.0060.1024.S262.0008 | Product designation incremental rotary encoder Sendix® Flange with adapter plate, IP65 Hollow shaft Ø 15mm with insulating insert Ø 12mm Output circuit push-pull with Inv./ 10-30 V DC Customs tariff number: 90314990 encoder |
| MANGETİC SWITCH TYP BGU | |
| 8.5020.0940.2500.0031 | Product designation incremental rotary encoder Sendix® Flange special flange IP65 Hollow shaft ø 8 mm Output circuit RS 422 with inv. / 5VDC Connection type cable radial, 2 m Customs tariff number: 90314990 encoder |
| 8.A02H.5C5E.1024 | Incremental rotary encoder Mounting plate long diameter 20 mm push-pull with inv. / 5-30VDC Customs tariff number: 90314990 encoder |
| 8.3651.2634.1311 | 234834 Synchronous flange IP67 Ø8x12.5mm solid shaft 10-30VDC/4-20mA Connector radial M12 Customs tariff number: 90318020 Encoder alternative article to: 8.5850.1283.G132 ATTENTION: no 1:1 replacement Attention: design not the same. RoHS |
| M12X1, 8 PİNLİ 43-20978 25 M | CABLE WILL BE SCREENED |
| 8.5000.8352.1000 | Product designation incremental rotary encoder Sendix® Flange clamp flange, IP65, Ø 58 mm Solid shaft Ø 10 x 20 mm Output circuit push-pull with Inv./ 10-30 V DC Connection type cable radial, 1 m PVC Customs tariff number: 90314990 encoder |
| 8.5020.0060.1024.S262.0008 | Product designation incremental rotary encoder Sendix® Flange with adapter plate, IP65 Hollow shaft Ø 15mm with insulating insert Ø 12mm Output circuit push-pull with Inv./ 10-30 V DC |
| 8.5020.0A50.1024.S076 | Product designation incremental rotary encoder Sendix® Flange Customized Hollow shaft ø 14 mm Output circuit push-pull with Inv./ 10-30 V DC Connection type cable radial, 5 m Customs tariff number: 90314990 encoder |
| 8.KIH50.235F.0050.0050 | Product designation incremental rotary encoder Sendix® Flange with long spring element, IP65 Hollow shaft Ø 10 mm |

| | |
|---|---|
| | Output circuit push-pull m.Inv/ 10-30 V DC |
| Type:8.iN88.1721.123 | Sensor Measuring Range 0 ... 360° Sensor Resolution 0.01° Acceleration Sensor Output Type CANopen Operating Voltage Min. 10 V Operating Voltage Max. 30 V Current Consumption 70 mA Operating Temperature Min. -40 °C Protection Rating IP69K Housing Material Aluminium Termination Type Connector, M12 Width 75 mm Height 23 mm Depth 80 mm |
| 8.3651.2634.1311 | 234834 Synchronous flange IP67 Ø8x12.5mm solid shaft 10-30VDC/4-20mA Connector radial M12 Customs tariff number: 90318020 Encoder |
| N8.5805.1a4b.10000.0020 Drehgeber | |
| 231207 | 8.5883.0484.G321.S010 Absolute encoder -MT- Sendix® Customized Ø 12 mm SSI or BiSS-C / 10-30V D |
| 8.5020.0060.1024.S232 | |
| D1060 | SR085-30-02-02-21302-V100 slip ring Type of mounting hollow shaft 30mm Signal/data channel 2 x 48V/2A, silver/precious metal Load channels 2 x 240V/25A |
| 290965 | order deadline. 8.5020.0010.1000.S211 Product designation incremental rotary encoder Sendix® Flange with long spring element, IP65 Hollow shaft ø 15 mm Output circuit RS 422 with inv. / 5-30VDC Type of connection Cable tangential, 1 m PVC |
| 130131 | 8.0000.5016.0001 Connector for cable (coupling) |
| 8.5020.4921.1000 | Product designation incremental rotary encoder Sendix® Art: 250055 Flange mounting plate long, IP65 Hollow shaft Ø 8 mm Output circuit push-pull 7272 m.I./ 5-30 V DC Connection type cable radial, 1 m PVC |
| 130265 | 8.0000.6900.0002 2 PVC 6x2x0,14 mm |
| 6.534.012.300 | 319728 LED process indicator DIN,Dimensions;Volt DIN 48x24mm/10-30V DC Label, function Codix 534 Kübler |
| SR085-30-02-02-21302-V100 | D1060 Montage type hollow shaft 30mm Signal/data can 2 x 48V/2A, silver/precious metal Load channels 2 x 240V/25A Media leaders |
| 8.KIH50.235F.0050.0050 | 307992 Incremental Sendix® Flange with spring element Lang, IP65 Hollow shaft Ø 10 mm Starting switch. |
| 8.5020.0050.1024.S110.0015 | 273848 Product designation incremental rotary encoder Sendix® Flange special stator, IP67, ø 63mm Hollow shaft ø 12 mm Output circuit push-pull with Inv./ 10-30 V DC Type of connection Cable tangential, 1.5 m PUR |
| 8.5020.4352.2000 | Product designation incremental rotary encoder Sendix® Flange mounting plate long, IP65 Hollow shaft Ø 10 mm Output circuit push-pull with Inv./ 10-30 V DC Connection type M12 connector, 8-pin, radial |
| | Incremental rotary encoder special torque arm ø 12 mm, IP66 |

| | |
|---|---|
| 8.5824.0820.1024.5087 | SinCos with inv. / 10-30VDC |
| 8.5020.0010.4096.S138 | Product designation incremental rotary encoder Sendix® Flange Customized Hollow shaft ø 14 mm, clamping cover. Output circuit RS 422 with inv. / 5-30VDC Connection type cable tangential 0.4m, M23, CW |
| AVR -BSP 1 1/2 " VK15-TS-L450/12-V44R | |
| 8.5020.0044.10205222 | |
| 46BSH90-3977-1037 ENCODER | |
| 8.M5861.3534.3412 | Product designation absolute rotary encoder -MT- Sendix® Flange clamp flange, IP65, ø 58 mm Shaft ø 10 x 20 mm Output/UB 4-20 mA/ 12 bit /10-30 V DC |
| ENCODER 8.5000.8328.10005-30VDC | 218329 Product designation incremental rotary encoder Sendix Flange clamp flange, IP65, ø 58 mm Solid shaft ø 10 x 20 mm Output circuit push-pull 7272 m. Inv/ 5-30 V Connection type M23 connector, 12-pin, radial Customs tariff number: 90314990 encoder |
| SR085-25-02-02-11301-V100 | D0742 Mounting type hollow shaft 25mm Signal/data channel 2 x 48V/2A, silver/precious metal Load channels 2 x 240V/16A Media pass none |
| KP-67951/2 | |
| 8.5000.8358.0010 | 232801 Product name Sendix® incremental encoder Flange clamping flange, IP65, ø 58 mm Solid shaft ø 10 x 20 mm Output circuit push-pull with inv./ 10-30 V DC Connection type M23 plug, 12-pin, radial |
| 8.5020.2544.1024 | Product name Sendix® incremental encoder Flange with spring element long, IP65 Hollow shaft ø 12 mm Output circuit RS 422 with inv. / 5V DC Connection type M23 plug, 12-pin, radial |
| 8.5020.0064.1024.S222 | Product name Sendix® incremental encoder 300287 Flange customer specific Hollow shaft customer-specific Output circuit push-pull with Inv/ 10-30 V DC Connection type M23 plug, 12-pin, radial |
| EVE1/8-VU-L55-SVK27 LEVEL SWITCH | |
| HB:204426576 | TYPE: 8.A020.2200.5000.S001 PARTNO: 20442657 |
| 8.50.20.0A40.2048.S182.0006 | incremental encoder Sendix Special version IP65 diameter 14mm RS 422 with INV. /VDC Cable tangential, 0.6m 278065 |
| 8.KIH50.235F.0050.0050 | 307992 Incremental Encoder with spring element long. IP65 10mm Push-pull m.Inv/ 10-30V DC Cable tangential 5m PVC |
| 8.KIH50.235F.0200.0050 | 307993 Incremental Encoder with spring element long. IP65 10mm Push-pull m.Inv/ 10-30V DC Cable tangential 5m PVC |
| D8 4B1 0300 6832 3113 | Cable pull transmitter 3m stainless steel rope sendix absolutely 5868 profibus DP V0/ 10-30 VDC 3 xM12 5-pin |

| | |
|--|--|
| | radial |
| 8.5020.2A22.0100 | rotary encoder Sendix, with long spring element IP6514mm Push-pull 7272m.l./ 5-30V DC M12 connector. 8 pole, radial 286218 |
| 9901792 | |
| 8.5020.2A22.4096 | Incremental encoder with spring element long IP65 Dia 14mm Push-pull 7272m.l. / 5-30V DC M12 connector, 8-pin, radial 251568 |
| 8.KIS40.1342.1000 | incremental Encoder clamp synchronizer 40nn IP64 |
| SR060E 25-2-2-131-V126 | |
| 8.5853.4224.G323.EX | 8.5853.4224.G323.EX Absolute Encoder -ST- Sendix® Synchro flange, IP67, ø 58 mm 10x 20 mm SSI or BiSS-C / 10-30 V DC M23 connector, 12-pin, radial SSI, Gray 13 bit ST A4 INFO: Order key adjusted after consultation! |
| D8.1106.F324.G223 (Ex. D8.1106.62s24.2003) | |
| 8.5020.D352.3600 | |