

## Landis Gyr



Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Landis Gyr** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Landis Gyr T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunulmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*

### ¼r¼n

### A¼ıklama

[ZG405CR-0923](#)

E550 ZMG405CR4.000b.03 S2 ASN: ZG405CR-0923 - Meter type: E550 ZMG405CR4.000b.03 S2 - Transformer connection meter with digital measuring system - Three-phase four-wire meter - Combination meter for active and reactive energy - Active energy measurement accuracy class 0.5 according to IEC 62053-21 - Reactive energy measurement accuracy class 2 according to IEC 62053-23 - two directions of energy with the measured quantities - for active energy + A, -A, + A (L1), + A (L2), + A (L3) and | AL1 | + | AL2 | + | AL3 | - for reactive energy + R and -R - Nominal voltage: 3 x 64 / 110V, 50Hz - Nominal current: 5 (10) A - Energy and performance maximum - Tariff-free energy measurement for + A, -A, + R, -R and | AL1 | + | AL2 | + | AL3 | - Tariff-free maximum performance for + A, -A and | AL1 | + | AL2 | + | AL3 | - Tariff control - possible via internal timer (when delivered without values) - No tariffs are pre-configured, as only energy and Performance measurement - Real-time clock with SuperCap, power reserve approx. 20 days

<a href="#">ZMD402</a>	3x58/100V & 3x240/415V 50Hz
<a href="#">(E550 ) ZMG405CR4.000b.03</a>	
<a href="#">Rated flow rate: 2.5 m3/h dn 20-25 ultrasonic heat</a>	meter for heating line
<a href="#">Rated flow rate: 6.0 m3/h dn 25-32 ultrasonic heat</a>	meter for heating line
<a href="#">Rated flow rate: 10.0 m3/h dn 40 ultrasonic heat</a>	meter for heating line - PN25
<a href="#">ZMD402CT44.0457S3</a>	
<a href="#">Landis&amp;GRYQRB3</a>	
<a href="#">E650</a>	
<a href="#">ZMG405CR4 ZMG405CR4.041b.37 S2</a>	
<a href="#">LANDIS GYR E550</a>	
<a href="#">VGG10.404P GAZ VALFİ 1 ½"</a>	
<a href="#">VGG10.254P GAZ VALFİ 1"</a>	
<a href="#">VGG10 GAS VALVE ADJUSTMENT DEVICE</a>	
<a href="#">E550 ZMG405CR4.000b.03S2 P07</a>	Cl:0,5s
<a href="#">0401</a>	
<a href="#">115 595 00 33</a>	
<a href="#">7462500050</a>	
<a href="#">Agr450240650</a>	
<a href="#">0705 Rar7</a>	
<a href="#">691b709 30vo</a>	
<a href="#">1092360</a>	
<a href="#">Qaa35 941205a - 041877</a>	SIEHE ANHANG
<a href="#">4 502 1131 0</a>	
<a href="#">4502 4065 0</a>	
<a href="#">Aga 60</a>	
<a href="#">080035</a>	
<a href="#">Rwf 32</a>	SIEHE ANHANG
<a href="#">50211310 Qra 10 C</a>	
<a href="#">7ez2500 0bh89</a>	

<a href="#">115 596 00 39</a>	
<a href="#">7ez250 00ea68</a>	
<a href="#">1092340</a>	
<a href="#">100033</a>	
<a href="#">115 994 01 36</a>	
<a href="#">114 309 04 35</a>	
<a href="#">129464m For C7061</a>	
<a href="#">015600 8320</a>	
<a href="#">Uv Spare Parts Agr 4 502 4268 0</a>	for QRA50M Dimensions 35 20 20mm 84169000 DE
<a href="#">E650 Zmd405ct44.0459</a>	ARTIKEL_HH - Type: E650 ZMD405CT44.0459 - Converter connection meter with digital measuring system - Three-phase four-wire counter - Combination counter for active and reactive energy - Active energy class C according to IEC 50470-3 - Reactive energy 1% accuracy or class 2 according to IEC 62053-23 - with auxiliary voltage connection 100-240 V AC / DC - DC magnetic detection and load profile Note: The exact configuration must be coordinated with the order in detail! Previously known further requirements: - Nominal voltage: 3 x 58 / 100V .. 240 / 415V (wide range), 50Hz