

Leadshine

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Leadshine Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Leadshine T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
d57cm31 und 86cm45	
CSM22331 Closed loop stepper motor 3.1 Nm	
CSD508 Closed loop stepper driver 8A (20-50VDC)	
86HS120	
SPS487	Unregulated Switching Power Supply
Integrated Easy Servo Motor iES-2320	
EL5-M1500-1-51 High Voltage AC	
EL5-D1500 High Voltage AC Servo Drive	
ELDM80100V48HM-A4-HD(V2.0)	
ELD2-RS7030B	
34H2080-300-4A-001-Q	

42HS03-	
57HS22	
86HS120.	
DB810-50V	
M012658	
M013403	
M015236	
MD882	
MSD880	
SPS705	
TB6560	
M016358	57HS22-A Specification Motor type hybrid stepper motor Flange NEMA nema 23 Flange size x mm 57.2 Flange size y mm 57.2 Shaft Dia mm 8.0 Motor length mm 81.0 No. of phases 2 Step angle degree 1.8 Rated current per phase A 5.6 Resistance per phase Ohm 0.4 Resistance per phase tolerance percent +/-10 Inductance per phase mH 1.8 Inductance per phase tolerance percent +/-20 Holding torque Nm 2.2 Rotor inertia gcm ² 480.0 Insulation resistance at 500VDC MOhm 100.0 Lead wires type UL1430 AWG22 Heat rise °C 80.0 Weight kg kg 1.15 Lead wires length mm 450.0
M016758	DM542EU Controller type Stepper controller Min. voltage V 20.0 Max. voltage V 50.0 Min. current A 1.0 Max. current A 4.2 Max. microsteps msteps p rev 25600 No. of phases 2 Pulse input frequency kHz 200.0 Open loop yes Closed loop no Suitable motor size nema 17-24 Communication interface step direction
M100546	CS-M22331-L
M016774	CS-D508
M101552	42CM06C
EI5-M1500	
EI5-D1500	
L-305 Obsolete No Replacement	
57bl180d-1000	
86hs45	
Es-M22430	
Sps705 Obsolete Alternative Rsp-320-	

60v.	
Dm 870	
86hs120	
H8-Md81-338	
Dm2282	
Acs806	
M880a	Microstepping Driver, max. 80V, max. 5,6A rms (7,8A peak), Step/Dir (harm code: 8537 1099, country of origin: China)
M760 Obsolete/Replaced By M880a	
Acm602v60	
3 Sps705	
M542	
Ma860	
EI5-D1500 Servo Controller	
130hs45	
Model: Db810-50v Sn: 3080200493ms11m - Obsolete!!Replaced With Quot;Dcs810quot;	
Enc-Cable-05	
Rs232cbl-01	
M860	
86 Hs65	
Rps608	
86hs22 Step Motor	
EI5-P1500	
Dcs810	
86hs85	
M542pbf Ser. No:2110819884ms20b	
Mtr-Cable-05	
EI5-M1500 Servo Motor	
110hs20	

3nd2283
57hs22-A Obsolete, Replacement 57bygh450e-05 Stepping Motor Model
Dmc2410
57bygh450e-05
FI86sth80-4208a-15 Obsolete Replaced By H8-Md81-338
57hs22-A Obsolete, Replacement 57bygh450e-05
Es-D808
Acm604v60-2500
86hs22