


Leybold

Garanti: 12 ay
Bu rne ait Trkiye
ii kapı teslim fiyat
ve teslim sresi
ieren teklifimizi
almak iin
info@yursat.com.tr
e-posta adresine
baŐvuru yapabilir ya
da ayrıntılı bilgi iin
+90 224 240 03 04
numaralı
telefonumuzdan
bizlere
ulaŐabilirsiniz.
Leybold Markası,
tedarik sresi iin
ltfen bizimle
iletiŐime geiniz.

*Firmamız Leybold Trkiye
Distribtr veya temsilcisi
deĐildir. Firmamız sipariŐ
durumunda, belirtilen
rnlerde sadece Orjinal ve
yeni rn teklifi
sunmaktadır. Bu sitede
gsterilen zel marka adları
ve ticari markalar ilgili
sahiplerinin
mlkiyetindedir, talep
durumunda
kaldırılmaktadır.*





Ürün	Açıklama
Filter set	for 31002003933
AF 25-S	Apparatus for gas filtration (not for air) Exhaust filter Connection DN 25 KF Annotation: The catalog number you requested: 19053 is no longer available and can be replaced by the offered cat.-no .: 19055
LVO 100-	
LVO 130	
E200008173	Pirani
Trivac D 40 B	

230070V02	PENNINGVAC combination transmitter PTR90N Electronic vacuum pressure gauge Cold cathode and MEMS Pirani pressure sensor Measuring range: 1xE-8 - 1000mbar Connection flange: DN25 KF Operating voltage: 9 to 30 VDC Signal voltage: 2 - 8.668V log Electrical connection: 8 pin. RJ45 / FCC68 Recommended accessories Baffle DN 25 KF 230078 Control gear DISPLAY ONE 230001 DISPLAY TWO 230024 DISPLAY THREE 230025 GRAPHIX ONE 230680V01 GRAPHIX TWO 230681V01 GRAPHIX THREE 230682V01 Connection cable (5-100 meters) Type a 5m 12426 10m 230012
10101	
10926	
110002677	
11078	
11266	
11266-KAT.	
11276	
1128612	
11406	
11410	
12090	
12284	
12416	
140160	
15734	
15734-I	
15734V02	
16.F4	
17495	
18283	
18326	
18327	
18341	
18342	
18347	
18356	
18387	
18437	
18441	
18811	
18972	

18973
19460
19721
20020548
20028711
20039059
215325
21881
22210
22750
230001
230002
230003
230004
230011
230024
230025
230035
230035 TTR 91
230035V02
230040
230040 TTR91S
230040-I
230040V02
230070
230070-I
230110
230302V02
230350V01
230350V02
230354V02
252003
252003,
26842
27224
27225

31000947587
31000947587_01
314_44
314_46
314111
314181
412200V0706
4230035
450511
450511_BULB 6 V/30 W, E14, SET OF 2
501590V1000
501591A1000
501592V00001000
501592V02000000
575451
575451_COUNTER P
60034
652_17
710_64_763
71001664
71010280
71015460
71015463
71015473
71017930
71018850
71018858
71024973
71049444
71064773
71067243
71073040
71076170
71117724
71117773

[71117774](#)

[71119209](#)

[71212400](#)

[71212640](#)

[71212648](#)

[71214598](#)

[7121740](#)

[71218540](#)

[71219480](#)

[71219488](#)

[71219488,](#)

[71223708](#)

[71231643](#)

[71232023](#)

[71234890](#)

[71237034](#)

[71237082](#)

[71237140](#)

[71237142](#)

[71256380](#)

[71401510](#)

[71403510](#)

[71403560](#)

[71404982](#)

[71405310](#)

[71405360](#)

[71412000](#)

[71412010](#)

[71417210](#)

[71418750](#)

[71420400](#)

[71420420](#)

[71421180](#)

[71436200](#)

[71436740](#)

[71436770-12012](#)

725852
800075V0002
800100V0003
800100V0004
800102V0002
800110V0027
800160V0009
800160V0021N
830081V1000
85670
85675
86681
86803
877012
88321
88346
88347
88351
88352
88353
88396
88441
88641
88642
88703
88707
88726
88771
89650
89654V02
898199
899602
95127
95391
960180V2065
960305V2013

960305V2040
960507
960702
960716V
971 97 152
971267890
971400630
971427640
971427650
971427660
971427690
971431120
971440510
971445400
971445750
971445760
971456590
971463890
97197252
97197652
AFE SV16/25
AMM 71Z BA4 IEC 60034
Anschlussleitung Typ A
Art.Nr: 16 F4 C2H 4G01, SN:04281535/0533187 (OEM)
D16B
D25B.
D65BCS
DI2001
DIAVAC DV 1000 (1 - 760 TORR)
E20039838
E840003503
EK110002100
EK110002612
EK110002613
EK110002618

EK110002665
EK840005100
EK96005
ES19080
ES19081
ES19083
ES20010656
ES71213263
FS-2F2101-0095
HUEILE G32
L10020 LVO 100, 20 LITER
L10099
L13005
L13020
L13099
L20005
L21005
L21020
L21020,
L50005
LEYBONOL LVO 200
LVO 100, 5 LITER
LVO 220, 1 LITER
M0119225.01
M0306727.01
NT 340M
P/N: 15734V02 PTR 225N
P/N: 230035V02 TTR 91N
PF 120-016 KF16
PR26
PTR225 DN 25KF
RUTA WAU 251-D65B/G
SOGEVAC SV 16
SOGEVAC SV100 - BR2
SOGEVAC SV16 B
SV 16 220/380/50

T1600	
T1600 RS232	
TMP361-85675	
TPR 280, DN 16 ISO-KF PTR 26 950	
TPR265	
TPR281	
TRIVAC D16B	
TST D 2500 G NR. 877012	
TTR 101	
TTR 101N	
TTR 91 N	
TTR 91.	
TTR 91N S (230040V02)	
TTR216S	
TTR96-S	
Typ 354003-YE	
TYP: TR216 / NO : 15787 / F-NO:4026	
WAU1001	
WAU501	
WS-501	
WSU251	
WSU501	
TTR 101, DN16 KF	230350V01 without SP, without display Electronic vacuum pressure gauge Display range 5*10 ⁻⁵ - 1500 mbar Measuring range 5*10 ⁻⁴ - 1500 mbar Vacuum flange DN16 KF Tungsten Measuring Line Supply voltage +15 - +30 V DC Output signal 0 - 10.23 V Successor to THERMOVAC TTR 101N - P/N: 230350V02, DN 16 ISOKF
15812V01	Pressure sensor DI 200, DN 16 KF Parts and accessories for pressure gauges absolute pressure sensor Measuring principle: capacitive Measuring range 0.1 - 200 mbar Vacuum flange DN 16 KF with measuring line 5 m and connection plug Viton (FPM) seal Output signal 4 - 20mA Supply voltage 12-30 V DC, + 24 V typ
15813V01	Pressure sensor DI 2000, DN 16 KF Parts and accessories for pressure gauges absolute pressure sensor Measuring principle: piezo-resistive Measuring range 1 - 2000 mbar Vacuum flange DN 16 KF with measuring line 5 m and connection plug Viton (FPM) seal , output signal 4 - 20 mA, Supply voltage 12-30 V DC, + 24 V typ
SOGEVAC SV750 B	Rotary vane vacuum pump single-stage, oil-sealed, air-cooled, with integrated oil mist separator and automatic oil return, suction port valve, thermal protection switch, with manual gas ballast valve, Nominal airflow 840 m ³ h ⁻¹ , pumping speed 755 m ³ h ⁻¹ , water vapor tolerance with 1 gas ballast: 50 mbar Final partial pressure without gas ballast: <= 8 10 ⁻² mbar, Final total pressure with gas ballast: <= 0.7 mbar with three-phase motor 18.5kW 400V delta connection 50Hz, Connections :

DN 25 KF	„Suction side: DN100 PN10 100 ISO-K „Exhaust side : option
12092	ITR 90 DN40 CF
83689	REDUCING FLANGES CF DN100/63 STAINLESS STEEL
ES83944	COPPER GASKETS FOR CF FLANGES DN63CF
ES83943	DN40 CF COPPER GASKETS FOR CF FLANGES
83503	CF BLANK FLANGES DN40 CF STAINLESS STEEL
ES83945	DN100 CF COPPER GASKETS FOR CF FLANGES
18341	CLAMPING RING ISO-KF16 STAINLESS STEEL
820061V1000	TURBOVAC 250 I WITH CF FLANGE
88346	CENTERING RING ISO-KF 16 STAINLESS STEEL
83687	REDUCING FLANGES CF DN100/40 STAINLESS STEEL
800120V0013	PURGEGAS VALVE 24V-DC G1/8"
83636	CF CROSSES DN 63 CF STAINLESS STEEL
83504	CF BLANK FLANGES DN63 CF STAINLESS STEEL
88471	TEES DN16 ISO KF STAINLESS STEEL
11245	TRIVAC D4B FORE VACUUM PUMP 1PH 230V 50HZ
85414	DN16 ISO KF INLET DUSTRUP TOZ TUTUCU FİLTRE
21L1011120	TERMOVAC TTR91 DN16 KF 1.9 TO 10V
800100V0004	TURBO CONTROL I
18906	EXHAUST FILTER AF4-8 DN16 ISO KF
86801	VACUUM HOSSES WITH FLANGES DN16 ISO KF 1000MM
800096V0500	CABLE TURBOVAC TURBOPOWER INTEGRA 5M
800132V0021	PROTECTION SCREEN DN100
TURBOVAC TW 250/200/40 Cartridge	800160V0020C Vacuum Turbo Molecular Pump wide range version; stored mechanically Pumping speed: HV=250l/s IS1= 200l/s IS2= 40l/s for N2 Voltage: 24VDC
SL300 sniffer line	252003 to parts/accessories for devices for PHOENIX 4 and PHOENIX L300i, 4m long, with red/green status LED, fixed sniffer tip and ZERO push button
TTR96RNS	21L2211100 Filament (Platinum/Iridium) Pirani pressure sensor Measuring range: atmosphere to 1e-4 mbar Connection flange: 16KF Signal output: analog 0-10v Electrical connection: RJ45/FCC68 Operating voltage: 15 to 48 V d.c. Compatible with GRAPHIX Successor for the mat. no. 230045V02 TTR 96N
230680V01 GRAPHIX ONE	Electronic vacuum pressure gauge Digital controller for active sensors Display range 1*E-10 - 2000mbar 1-channel device with analogue output 3.5" graphic touch display Intuitive menu navigation Visualization of measurement data Internal memory USB port for data storage Leak detection function via pressure rise test 6 freely selectable switching points 6 potential-free changeover contacts 9 languages: English, German, Chinese, Japanese... RS 232 C / RS 485 interface Mains connection 50/60 Hz 100-240 V AC Recommended accessories: ----- Sensor measuring principle

	<p>pressure range ----- TTR 91/96 Pirani 5*E-4 – 1000mbar TTR 911/916 Pirani 5*E-5 – 1000 mbar TTR 101 Pirani/CDG 5*E-4 - 1000mbar PTR 90 Penning/Pirani 5*E-9 – 1000mbar PTR 225 Penning 1*E-9 – 0.01 mbar CTR 100/101 CERA VAC 1*E-5 - 1000 Torr ITR 90 IONIVAC 5*E-10– 1000mbar DU sensors DU2000 series 0.1 - 2000 mbar further active sensors with 0-10V log/lin signal</p>
Sv630 B	
THERMOVAC TTR91RN	<p>Filament (Tungsten/Rhenium) Pirani pressure sensor Measuring range: atmosphere to 5e-4 mbar Connection flange: 16KF Signal output: analog 0-10v Electrical connection: RJ45/FCC68 Operating voltage: 15 to 48 V d.c. Compatible with GRAPHIX</p>
GRAPHIX ONE	<p>Electronic vacuum pressure gauge Digital controller for active sensors Display range 1*E-10 - 2000mbar 1-channel device with analogue output 3.5" graphic touch display Intuitive menu navigation Visualization of measurement data Internal memory USB port for data storage Leak detection function via pressure rise test 6 freely selectable switching points 6 potential-free changeover contacts 9 languages: English, German, Chinese, Japanese... RS 232 C / RS 485 interface Mains connection 50/60 Hz 100-240 V AC ----- Recommended accessories: ----- Sensor measuring principle pressure range ----- TTR 91/96 Pirani 5*E-4 – 1000mbar TTR 911/916 Pirani 5*E-5 – 1000 mbar TTR 101 Pirani/CDG 5*E-4 - 1000mbar PTR 90 Penning/Pirani 5*E-9 – 1000 mbar PTR 225 Penning 1*E-9 – 0.01 mbar CTR 100/101 CERA VAC 1*E-5 - 1000 Torr ITR 90 IONIVAC 5*E-10– 1000mbar DU sensors DU2000 series 0.1 - 2000 mbar further active sensors with 0-10V log/lin signal</p>
Connection cable type A	<p>Assembled cable < 80 V Length 5 meters, with 2 FCC 68 plugs . Annotation: We offer this cable as an option for your request.</p>
15813V01	<p>Pressure sensor DI 2000, DN 16 KF Parts and accessories for pressure gauges absolute pressure sensor Measuring principle: piezo-resistive Measuring range 1 - 2000 mbar Vacuum flange DN 16 KF with measuring line 5 m and connection plug Viton (FPM) seal output signal 4 - 20 mA, Supply voltage 12-30 V DC, + 24 V typ</p>
Vacuum Leybonol LVO 100	
Vacuum Leybonol LVO 130	
TW 220/150/15S	double-inlet turbomolecular pump
WH668	
15812V01	<p>Pressure sensor DI 200, DN 16 KF 15812V01 Parts and accessories for pressure gauges absolute pressure sensor Measuring principle: capacitive Measuring range 0.1 - 200 mbar Vacuum flange DN 16 KF with measuring line 5 m and connection plug Viton (FPM) seal Output signal 4 - 20mA Supply voltage 12-30 V DC, + 24 V typ</p>
88396 Fine filter on centering ring	<p>Pipe fittings made of stainless steel for flange DN 16 KF Centering ring stainless steel 1.4305 Fine filter stainless steel 1.4404 Gasket O-ring FPM pore size 4 microns</p>
88398 Fine filter on centering ring	<p>Pipe fittings made of stainless steel for flange DN 40 KF Centering ring stainless steel 1.4305 Fine filter stainless steel 1.4404 Gasket O-ring FPM pore size 4 microns</p>
21L1011100	<p>THERMOVAC TTR91RN Filament (Tungsten/Rhenium) Pirani pressure sensor Measuring range: atmosphere to 5e-4 mbar Connection flange: 16KF Signal output: analog 0-10v Electrical connection: RJ45/FCC68 Operating voltage: 15 to 48 V d.c. Compatible with GRAPHIX -</p>
Connection cable type A	<p>Assembled cable < 80 V Length 5 meters, with 2 FCC 68 plugs</p>

Display One	electronic pressure gauge, Single channel display device for the transmitter THERMOVAC TTR and PENNINGVAC PTR90, incl. EU&US power cable digital display, Supply voltage 100 - 240V AC, 50/60Hz, Pressure output in mbar, Pa, Torr on rear panel via DIP switch adjustable, mbar normal position, Recorder output 0 - 10 V log. 7 decades Recorder output of the TTR 90 S and trigger output looped through Recorder and trigger output screwable, Mains ON/OFF switch on the rear panel, Euro power cord included, Housing 2 U high 1/4 19" wide, Front black according to design template, housing aluminum natural anodised, Device with CE conformity and mark
971431120	EXHAUST FILTERS WITH BY PASS SV300 B to 750 B(F) parts of apparatus for filtering or cleaning
1RS-4RS Oil Pump	Manufacturer: Trochoid Pump Model: TOP-208HBMRVB Mfg. No: 1111 Note: Pump must be purchased with motor. Motor spesification; • Supply Voltage: 380 VAC • Frequency: 50 Hz • 3-Phase Technical document is enclosed.
2RS-3RS Oil Pump	Manufacturer: Trochoid Pump Model: TOP-330FALVB-4 Note: Pump must be purchased with motor. Motor spesification; • Supply Voltage: 380 VAC • Frequency: 50 Hz • 3-Phase Technical document is enclosed.
FLANGE 18290 DN16KF	
FLANGE 18284 DN40KF	
BLIND FLANGE DN16 KF - 18446	
BLANK FLANGE 18448 DN40KF	
TEE 88474 40KF	
REDUCER 18389 DN40/16KF	
EXPANSION JOINT 87245 DN40KF	
SPIGOT FOR FLANGE 18326 DN16KF	
CENTERING RING WITH SINTERED	METAL FILTER AND O-RING GASKET KF16
CENTERING FOR FLANGE 18328 DN40KF	
CLAMP FOR FLANGE 18341 DN10/16KF	
CLAMP FOR FLANGE 18343 DN32KF	
DUST FILTER DN40KF CODE NSTO5201	
TTR 91 N	Thermovac HDR:91383 1000MBAR
15815V01	
5904-7214	
850-400-G1	CONTROLLER GAUGE VACCUM DIGITAL PG 3
D16b 210-5790325	
Tw250s	PUMP
Ctr-90	TRANSMITTER PRESSURE 1000TORR 26V 1.6W
40813272	
Tr211	
17700	
11266-Kat. Fab. Nr. 30001112364 Trivak D 16	

Bd 16 B	
Cable For Tr211 Length 50 Feet	
D-400-D-320/12-M7	DRIVE STREAMTRONIC 3AC 12AMPS 50/60HZ
71401521	
Cable For Pr25 Length 50 Feet	
Diavac Dv 1000	
11296	
E20010737	
00010 960505v3010	
Á; 88353	
Trivacd40b	VACUUM PUMP
L200plus-Shc224	
71212513	
015563355	
11741	
5.007	
215066	SOLENOID VALVE SECUVAC 110/120VAC COIL
16288	
71401051	
15785	
16040	
123 X 3 Nbr	
Wsu501pfpe	PUMP
500642	
71000974	
Einschraubflansch	
Sv40-Atex-Iib+h2-T4-50hz	
728421	
Cm330	VACUUM GAUGE CONTROLER 50/60HZ
71218554	
141001	LEAK DETECTOR
Tm22	THERMOVAC CONTROL MODULE
P7-14-14x20x5mm	
Tm21	CONTROLLER GAUGE TEMP THERMOVAC 100/120/200/230V
16226	
Es215271	

D-50968	
Ctr 100	
15787	
Ek16291	
D2500g_877011	
12282	
141011	LEAK DETECTOR
85472-3	TURBOTRONİK
73311	
Ek71034333	
210303	
71403550	
20099199	
5904-7208	
D16b 210-5790327	
Sv65-109-06	PUMP VACUUM
Nt151/361	CONTROLLER VACUUM PUMP CONVERTER 230-240VAC
Diavac Dv 1000 (1 - 760 Torr)	
726256	
Fe 10 Es19081	
D 2500 G	
16380	VACUUM GAUGE COMBIVAC 60VA 250V 50/60HZ
E10565	
400037v0003	CABLE
20099353	
Sv630bf_960867	
73256	
02308	
13646	
17644	
Wau2001_11751	
Itr9012090	TRANSMITTER
Ptr 225 (15734)	
10931	
Dv1000-89606	DIAPHRAGM VACUUM GAUGE 1-750TORR
400035v0002	VACUUM PUMP TURBO 36000RPM 2331CFM WATER COOLED

20099209	
D60c	PUMP MECHANICAL 72CUBIC METER/HOUR
1128612 - Trivac D40b-Dot	
71213192	
18282	
E20010956	
E210502	
71251410	
Es20010301	
Nt20	CONTROLLER VACUUM PUMP 240V 1PHASE
E20010304	
Sv161090121	
18208	
Es20010655	
12426	
210305	
565061	
D16b/Dn25kf	
157-89	VACUUM GAUGE COMBIVAC 35VA 100/120/200/230VAC
15852	
85400	TURBOMOLECULAR PUMP 40KF/DN CONNECTION TURBOVAC 50
Sv300	SINGLE STAGE ROTARY VANE VACUUM
72675	
8545461	32XEIGA BOARD
Wau2001	ROOT BLOWERS VAC PUMP
856-35	VACUUM PUMP TURBOVAC
E613á:	
857-21	VACUUM PUMP W/ POWER CABLE
Fe 4 - 8	
Sv630	SINGLE STAGE ROTARY VANE VACUUM PUMP
Eckventil	
19050	
15572	
500851	
28857	SOLENOID VALVE 100-115V

?Combivac Cm51?	
732804	
Dk200	
18246	
71212510	
17496	
18207	
Es43171254	
16067	
Es23953004	
Ek110002635	
85472-6	TURBOTRONİK
D2500g Art. 877012	
Es215251	
15752	
15444	TURBOMOLECULAR PUMP TURBOVAC 50
85664	TURBOMOLECULAR PUMP
18284	
Dk100	
Trivac-D-65-B	PUMP 65M3/H 3PHASE 230/400V 50HZ 250/440V 60HZ
210304	
Exhaust Valve 71017930 For Sv300	
11724	