

## Lorenz

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Lorenz** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Lorenz T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



¼r¼n	A¼ıklama
<a href="#">MTW 100BL30040</a>	Meter MTW QN 10 warm horizontal BL 300 Multi-jet water meter MTWD-M-CC-PTFE for hot water Q3 = 16 (Qn 10) overall length 300mm R 6/4 "G2B Execution: - dry runner - EDC module can be retrofitted (M-Bus, wM-Bus or pulse module) -for horizontal (counter tilted up or to the side) and vertical installation (riser / downpipe) -CopperCan = counter IP68 (flood-proof) -suitable for demineralized water Price includes screw connection, PTFE-coated for meters DN 40, nominal size G2 "/ R1½" Meter is MID-tested
<a href="#">D-DR2477/M350-G225</a>	Rotating torque sensor 50N m 0.25% Data sheet 080894 Supply voltage 12 ... 28VDC Output signal ± 5V Electrical connection 1m, free strands Customs tariff number 90318080 Country of origin non-preferential DE
<a href="#">100432</a>	
<a href="#">100717</a>	
<a href="#">101560</a>	
<a href="#">102931</a>	

<a href="#">103562</a>	
<a href="#">108679</a>	
<a href="#">112325</a>	
<a href="#">1203</a>	
<a href="#">140570DRI / 760014702</a>	
<a href="#">140570DRI / 760060402</a>	
<a href="#">277293702</a>	
<a href="#">D-2209</a>	
<a href="#">D-D2452/M220-G21</a>	
<a href="#">D-DR2500/M210-G21</a>	
<a href="#">E-LCV-USB2/U5</a>	
<a href="#">K-K1613/N310-G25</a>	
<a href="#">Option 100% Kontrollsignal</a>	
<a href="#">Rheostat for LS 1250</a>	
<a href="#">TYP969</a>	
<a href="#">D-DF30/M310-G21</a>	torque sensor stat. 10N m 0.1% Data sheet 080852 Supply voltage DMS 2...12VDC Nominal sensitivity 0.5mV/V ±0.1% Electrical connection ES6/A Customs tariff number 90318080 Country of origin non-preferential DE Net weight 0.9kg Our article number 100359
<a href="#">D-DR3000/M310-G21</a>	111234 torque sensor rotating 10N·m 0.1% Data sheet 080882 Supply voltage from USB 4...6VDC Output signal torque ±25000 digits Resolution speed 1min-1 Accuracy speed 1% ±1 digit Resolution angle of rotation 0.25° Output signal speed/angle ±32511 digits Electrical connection mini USB-B socket IP68
<a href="#">D-DR3000-P/M310-G21_2643-M20</a>	113190 Rotating torque sensor 10N·m 0.1% Data sheet 080882 Supply voltage from USB 4...6VDC Output signal torque ±25000 digits Resolution speed 1min-1 Accuracy speed 1% ±1 digit Resolution angle of rotation 0.25° Output signal speed/angle ±32511 digits Electrical connection mini USB-B socket IP68
<a href="#">D-DR2643/M310-G21</a>	112806 Torque sensor rotating 10N·m 0.1% Data sheet 080884 Supply voltage 12...28VDC Output signal ±5V Electrical connection ES12/B
<a href="#">D-Option speed/angle measurement</a>	5V TTL Frequency max. 180kHz Pulses 360 Tracks 2x90° offset Resolution rotation angle 0.25° Output signal 5V TTL Our article number 101560
<a href="#">D-DR2643-P/M310-G21_2643-M30</a>	115675 Torque sensor rotating 10N·m 0.1% Data sheet 080884 Supply voltage 12...28VDC Output signal ±5V

Electrical connection ES12/B
<a href="#">140570dri / 760085702</a>
<a href="#">Dr2-50n</a>
<a href="#">911210031</a>
<a href="#">911210033</a>
<a href="#">K-K450/N550-G23 1244-M10</a>
<a href="#">Dr2-200n</a>
<a href="#">140570dri / 760014702</a>
<a href="#">Ebd6 2In5-330-0wk</a>
<a href="#">760936002</a>
<a href="#">Dr 2212-R Art.Nr.108701 20nm Miniature Rotating Contactless Torque Sensor Range 0-20nm Active Output</a>
<a href="#">E-Lcv/I4</a>
<a href="#">100695</a>
<a href="#">K-2283-N470-G31</a>
<a href="#">K-K2624/N650-G25</a>
<a href="#">K-K450/N550-G21</a>
<a href="#">966gr75</a>
<a href="#">Z-Wkk2-7-D</a>
<a href="#">2-V1-97-440-C354</a>
<a href="#">Ls630cnc</a>
<a href="#">911210037</a>
<a href="#">911210032</a>
<a href="#">K-K13/N250-G25</a>
<a href="#">1-06-4138-013-1</a>
<a href="#">X-Kd6/A-Fl-20m/Purs Ip67</a>
<a href="#">140570dri / 760060402</a>
<a href="#">Dr211230</a>
<a href="#">K-K12/N450-G21</a>
<a href="#">277293702á;</a>

<a href="#">M5-39-681-0-600</a>
<a href="#">911210043</a>
<a href="#">921210942</a>
<a href="#">Lvt277230602</a>
<a href="#">58.415.4702</a>
<a href="#">7-931-011-3103</a>
<a href="#">Mv04</a>
<a href="#">9480s(Imd10110)</a>
<a href="#">911210036</a>
<a href="#">Drs404dg1c</a>
<a href="#">911210035</a>
<a href="#">Dr-1988</a>
<a href="#">772515702</a>